Axolight

pricelist

October 2026

Axolight

pricelist

October 2026

COLLECTIONS INDEX

Indice collezioni

Alysoid	**4**
Aura	**6**
Bell	**8**
Bender	**12**
Bul-Bo	**14**
Clavius	**16**
Cloudy	**20**
DoDot	**21**
Ego	**22**
Fairy	**24**
Float	**26**
Hoops	**28**
Jewel	**30**
Kaleidolight	**32**
Kiss	**34**
Kwic	**38**
Layers	**40**
Liaison	**42**
Lik	**44**
Manifesto	**45**
Manto	**46**
Mountain View	**48**
Muse	**50**
Nelly	**52**
Orbis	**54**
Orchid	**56**
Paralela	**60**
Pedro	**66**
Pivot	**68**
Poses	**72**
Skin	**78**
Skirt	**80**
Spillray Evo	**84**
Tessy	**88**
U-Light	**90**
Ukiyo	**94**
Urban - Urban Mini	**96**
Velvet	**100**
Virtus	**102**
24VDC Track	**104**
Architectural	**110**
Outdoor	**118**
Power supplies	**126**

ALYSOID

Ryosuke Fukusada

Chains Color

Natural brass

Black polished nickel

Body & canopy color

Anthracite grey



ALYSOID

Pendant - Sospensione

Dimmable IGBT-TRIAC

IP20 15W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 1237 lm

3000K _ 1375 lm


SPALYS34




SPALYS43




SPALY51P



SPALY51G



SPALY XXX AN XX XXX



Article	**Size - chains color**	**Price €** VAT not included
SPALYS34ANOT	Ø 34,5 cm natural brass	**810,00**
SPALYS34ANNI	Ø 34,5 cm black polished nickel	**930,00**
SPALYS43ANOT	Ø 43 cm natural brass	**860,00**
SPALYS43ANNI	Ø 43 cm black polished nickel	**1.040,00**
SPALY51PANOT	Ø 51,5 H.100 cm natural brass	**910,00**
SPALY51PANNI	Ø 51,5 H.100 cm black polished nickel	**1.130,00**
SPALY51GANOT	Ø 51,5 H.170 cm natural brass	**1.030,00**
SPALY51GANNI	Ø 51,5 H.170 cm black polished nickel	**1.510,00**

AURA

Manuel Vivian

HAND MADE GLASS
VETRO LAVORATO A MANO

Color

White

Rigadin crystal

Body & canopy color

Chrome








AURA

Wall lamp - *Lampada a parete*

IP20 220-240VAC

Light Source - *Fonte Luminosa*

2 x E27 Max 17,5W LED (bulbs not included - *lampadine non incluse)*



APAURAXX XX CR E27

Color / Colore: **BC** White; **CS** Rigadin crystal


Article	Price € VAT not included
APAURA	3.080,00

AURA
Ceiling lamp - *Lampada a soffitto*


IP20 220-240VAC

Light Source - *Fonte Luminosa*
4 x E27 Max 17,5W LED (bulbs not included - *lampadine non incluse)*


PLAURP30




PLAURG30




PLAURAPX



PLAURAGR



PLAUR XXX XX CR E27



Article	Size	Price € VAT not included
PLAURP30	L. 60 H. 40 cm	**3.780,00**
PLAURAPX	L. 60 H. 58 cm	**4.650,00**
PLAURG30	L. 75 H. 40 cm	**6.270,00**
PLAURAGR	L. 75 H. 65 cm	**8.350,00**


AURA
Pendant - *Sospensione*

IP20 220-240VAC


Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPAURA45 - Ø 47 H. 160 cm: 1 x E27 Max 17,5W LED
SPAURA60 - Ø 60 H. 160 cm: 1 x E27 Max 17,5W LED
SPAU45/2 - Ø 47 H. 300 cm: 2 x E27 Max 17,5W LED
SPAU60/2 - Ø 60 H. 320 cm: 2 x E27 Max 17,5W LED


SPAURA45




SPAURA60




SPAU45/2



SPAU60/2



SPAU XXXX XX CR E27



Article	Size	Price € VAT not included
SPAURA45	Ø 47 H. 160 cm	**4.160,00**
SPAURA60	Ø 60 H. 160 cm	**5.950,00**
SPAU45/2	Ø 47 H. 300 cm	**6.450,00**
SPAU60/2	Ø 60 H. 320 cm	**9.370,00**

BELL

Manuel Vivian

Color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Body & canopy color for floor lamp and pendant

- White
- Black









BELL

Floor lamp - *Lampada da terra*


dimmable

IP20 100-240VAC

Light Source - *Fonte Luminosa*

E27 (bulbs not included - *lampadine non incluse)*

PTBEL060 - Ø 60,4 cm: 3 x E27 Max 16W LED
PTBEL090 - Ø 90,4 cm: 4 x E27 Max 16W LED
PTBEL118 - Ø 118 cm: 6 x E27 Max 16W LED



PTBEL XXX E27 XX XX

- Body color / *Colore corpo*: **BC** White, **NE** Black
- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black
- Size / *Dimensione*: **060** Ø 60,4 cm, **090** Ø 90,4 cm, **118** Ø 118 cm

Article	Size	Price € VAT not included
PTBEL060	Ø 60 cm	**1.090,00**
PTBEL090	Ø 90 cm	**1.880,00**
PTBEL118	Ø 118 cm	**2.750,00**


BELL

Wall lamp - *Lampada a parete*

IP20 220-240VAC

Light Source - *Fonte Luminosa*

2 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*



APBEL 035 E14 XX XX

- Color / *Colore*: **BC** White, **BW** Warm white, **GR** Light grey, **AZ** Light blue, **RO** Blush; **RS** Red, **GI** Gold yellow, **VE** Green, **BL** Blue, **NE** Black

Article	Size	Price € VAT not included
APBEL035	H. 35 cm	**285,00**

BELL

Ceiling lamp - *Lampada a soffitto*


IP20 220-240VAC

Light Source - *Fonte Luminosa*


E27 (bulbs not included - *lampadine non incluse)*

PLBEL060 - Ø 60 cm: 2 x E27 Max 17,5W LED
PLBEL090 - Ø 90 cm: 3 x E27 Max 17,5W LED
PLBEL118 - Ø 118 cm: 4 x E27 Max 17,5W LED
PLBEL180 - Ø 180 cm: 5 x E27 Max 17,5W LED


PLBEL060




PLBEL090




PLBEL118



PLBEL180



PLBEL XXX E27 XX XX



Article	Size	**Price €** VAT not included
PLBEL060	Ø 60 cm	**890,00**
PLBEL090	Ø 90 cm	**1.590,00**
PLBEL118	Ø 118 cm	**2.330,00**
PLBEL180	Ø 180 cm	**4.990,00**

BELL

Pendant - *Sospensione*


IP20 220-240VAC

Light Source - *Fonte Luminosa*


E27 (bulbs not included - *lampadine non incluse)*

SPBEL045 - Ø 45 cm: 1 x E27 Max 17,5W LED
SPBEL060 - Ø 60 cm: 1 x E27 Max 17,5W LED


SPBEL045



SPBEL060



SPBEL XXX E27 XX XX



Article	Size	**Price €** VAT not included
SPBEL045	Ø 45 cm	**790,00**
SPBEL060	Ø 60 cm	**1.070,00**

BELL

Pendant - *Sospensione*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

SPBEL090 Ø 90 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm
SPBEL118 Ø 118 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm
SPBEL180 Ø 180 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*


SPBEL090 - Ø 90 cm
4 x E27 Max 17,5W LED

SPBEL118 - Ø 118 cm
4 x E27 Max 17,5W LED


SPBEL180 - Ø 180 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC


SPBEL090




SPBEL118



SPBEL180



SPBEL XXX XXX XX XX



E27 Light source

Article	Size	**Price €** VAT not included
SPBEL090	Ø 90 cm	**2.190,00**
SPBEL118	Ø 118 cm	**2.980,00**
SPBEL180	Ø 180 cm	**7.250,00**

LED Light source

Article	Size	**Price €** VAT not included
SPBEL090	Ø 90 cm	**3.650,00**
SPBEL118	Ø 118 cm	**4.250,00**
SPBEL180	Ø 180 cm	**8.550,00**

BENDER

Alexander Rehn

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black




BENDER
Table lamp - *Lampada da tavolo*

Dimmable
IP20 8W 100-240VAC CRI 90

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 710 lm
3000K _ 800 lm



LTBENDER XX XX 001

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Article	**Size**	**Price €** VAT not included
LTBENDER	H. 30 cm	**270,00**

BENDER
Floor lamp - *Lampada da terra*


dimmable
IP20 10W 100-240VAC CRI 90

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 890 lm
3000K _ 1000 lm

PTBENDER160

PTBENDER120



PTBENDER XXX XX XX

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Size *Dimensione*: **120** H. 120 cm, **160** H. 160 cm

Article	**Size**	**Price €** VAT not included
PTBENDER120	H. 120 cm	**790,00**
PTBENDER160	H. 160 cm	**880,00**

BUL-BO

Gabetti e Isola - L. Gabetti e F. Pellegrino

Color for table and wall lamp

Chrome

Black

Color for floor lamp

Polished aluminum

Black

Bag color for table and floor lamp

Black

Canopy color for wall lamp

Black







BUL-BO

Table lamp - *Lampada da tavolo*

Dimmable

IP20 7W 100-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 471 lm

3000K _ 523 lm



LTBUL-B X XX NE XXX

- CCT: **1** = 2700K, **2** = 3000K
- Color / *Colore*: **CR** = Chrome, **NE** = Black

Article	Color	Price € VAT not included
LTBUL-BXCR	Chrome	**890,00**
LTBUL-BXNE	Black	**790,00**

BUL-BO

Floor lamp - *Lampada da terra*

Dimmable

IP20 15,3W V_f 34V 450mA CRI 90


Light Source - *Fonte Luminosa*

LED


CCT

2700K _ 1731 lm

3000K _ 1924 lm



PTBUL23 X XX NE XXX



Article	Color	Price € VAT not included
PTBUL23XAL	Polished aluminum	**2.950,00**
PTBUL23XNE	Black	**2.500,00**

Article	Description	Price € VAT not included
ACCONTROLPT0002	Power and control equipment	**135,00**

Accessories - *Accessori*

ACCONTROLPT0002


Power and control equipment

Apparecchiatura di alimentazione e controllo

(dimmer, driver, cables, plug)

100-240VAC input, 22W, 450mA output

Plugs: EU, USA Color: black - *nero*



BUL-BO

Wall lamp - *Lampada a parete*

Dimmable

IP20 7W 100-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

2700K _ 471 lm

3000K _ 523 lm



APBUL-B X XX NE XXX



Article	Color	Price € VAT not included
APBUL-BXCR	Chrome	**710,00**
APBUL-BXNE	Black	**570,00**

CLAVIUS

Manuel Vivian

Color

White

Tobacco

Sand

Body & canopy color

Gold

Chrome










CLAVIUS
Table lamp - *Lampada da tavolo*

IP20 220-240VAC


Light Source - *Fonte Luminosa*
E27 - E14 (bulbs not included - *lampadine non incluse)*

LTCLAVXP - L. 20 cm: 1 x E14 Max 6,5W LED
LTCLAVIP - L. 40 cm: 2 x E14 Max 6,5W LED
LTCLAVIG - L. 60 cm: 2 x E27 Max 17,5W LED


LTCLAVXP




LTCLAVIP



LTCLAVIG



LTCLAV XX XX XX XXX




Article	Size - body color	Price € VAT not included
LTCLAVXPXX<u>OR</u>	L. 20 cm - gold	**430,00**
LTCLAVXPXX<u>CR</u>	L. 20 cm - chrome	**380,00**
LTCLAVIPXX<u>OR</u>	L. 40 cm - gold	**840,00**
LTCLAVIPXX<u>CR</u>	L. 40 cm - chrome	**740,00**
LTCLAVIGXX<u>OR</u>	L. 60 cm - gold	**1.070,00**
LTCLAVIGXX<u>CR</u>	L. 60 cm - chrome	**1.010,00**


CLAVIUS
Floor lamp - *Lampada da terra*

dimmable
IP20 220-240VAC

Light Source - *Fonte Luminosa*
2 x E27 Max 13W LED (bulbs not included - *lampadine non incluse)*



PTCLAVIU XX XX E27



Article	Body color	Price € VAT not included
PTCLAVIUXX<u>OR</u>	Gold	**2.450,00**
PTCLAVIUXX<u>CR</u>	Chrome	**2.250,00**

CLAVIUS


Wall lamp - *Lampada a parete*

IP20 220-240VAC


Light Source - *Fonte Luminosa*

1 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*

APCLAVBR



APCLAV30



APCLAVBR XX XX E14

Body color / Colore corpo: **OR** Gold, **CR** Chrome

Color / Colore: **BC** White, **TA** Tobacco, **SA** Sand

Article	Body color	Price € VAT not included
APCLAVBRXXOR	Gold	**470,00**
APCLAVBRXXCR	Chrome	**420,00**

APCLAV30 XX XX E14

Color / Colore: **BC** White, **TA** Tobacco, **SA** Sand

Article	Price € VAT not included
APCLAV30	**320,00**


CLAVIUS

Ceiling lamp - *Lampada a soffitto*

IP20 220-240VAC

Light Source - *Fonte Luminosa*

3 x E27 Max 9,5W LED (bulbs not included - *lampadine non incluse)*



PLCLAVIU XX XX E27

Color / Colore: **BC** White, **TA** Tobacco, **SA** Sand

Article	Price € VAT not included
PLCLAVIU	**450,00**

CLAVIUS

Pendant - *Sospensione*

IP20 220-240VAC


Light Source - *Fonte Luminosa*

E27 (bulbs not included - *lampadine non incluse)*


SPCLAVIP - L. 60 H. 35 cm: 2 x E27 Max 13W LED

SPCLAVIU - L. 100 H. 22 cm: 3 x E27 Max 17,5W LED


SPCLAVIP



SPCLAVIU



SPCLAVI X XX XX E27



Article	Size - canopy color	Price € VAT not included
SPCLAVIPXXOR	L. 60 cm - gold	**480,00**
SPCLAVIPXXCR	L. 60 cm - chrome	**430,00**
SPCLAVIUXXOR	L. 100 cm - gold	**920,00**
SPCLAVIUXXCR	L. 100 cm - chrome	**850,00**

CLOUDY

Dima Loginoff

Color

White



CLOUDY

Pendant - *Sospensione*

Dimmable 0/1-10V, PUSH

IP20 92W 110-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

2700K _ 6842 lm

3000K _ 7602 lm



SPCLOUDY BC XX XXX

CCT **27K** **30K**

2700K 3000K


Article	**Price €** VAT not included
SPCLOUDY	**3.550,00**

DODOT

Simone Micheli

Color

- White
- Green
- Greige
- Turquoise
- Yellow
- Water blue
- Salmon
- Pine green
- Red
- Blue
- Raspberry red
- Anthracite grey
- Earth red
- Black
- Rust brown



Optic-reflector 15° - 35°

Optic-lens 48°



DODOT

Wall & ceiling lamp - *Lampada a parete e soffitto*

Dimmable IGBT-TRIAC

IP20 21W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

2700K _ 1890 lm

3000K _ 2100 lm



FADOD9 XX XX XX LED

- Beam / *Fascio*: **15** (15°) **35** (35°) **48** (48°)
- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** (2700K) **30** (3000K)

Article	Beam	Price € VAT not included
FADOD9XXXX**15**	Optic-reflector 15°	**350,00**
FADOD9XXXX**35**	Optic-reflector 35°	**350,00**
FADOD9XXXX**48**	Optic-lens 48°	**380,00**

EGO

Flavio Venturelli

Color

Natural brass



EGO

Wall & ceiling lamp - *Lampada a parete e soffitto*

IP20 8,8W V_f 35,2V 250mA CRI 80
Series wiring - *Cablaggio in serie*


Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 1098 lm

3000K _ 1220 lm



FAEGOX 30 OT XX XXX



Article	**Price €** VAT not included
FAEGO	**315,00**

Led driver	**Description**	**Price €** VAT not included
CEDLTC00123	On/off IP20 Max 10W - 250mA	**38,00**
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 12W - 250mA	**80,00**
CEDLTC00125	Dimmable IP20 DALI, 1-10V, PUSH Max 28W - 250mA	**135,00**
CEDLTC00126	Dimmable IP20 DALI 2 Max 12W - 250mA	**92,00**
CEDSCC00400	Dimmable IP20 ELV, IGBT-TRIAC, 0-10V/1-10V Max 10W - 250mA	**70,00**

FAIRY

Manuel Vivian

HAND MADE GLASS
VETRO LAVORATO A MANO

Color

Crystal

Amber

Body & canopy color for single pendant

Chrome

Body for cluster pendant

Chrome

Canopy color for cluster pendant

White

Black





FAIRY

Pendant - *Sospensione*

Surface canopy IP20 5,9W 100-240VAC CRI 90

Recessed canopy IP20 5,9W V_f 17V 350mA CRI 90


Light Source - *Fonte Luminosa*

LED

CCT 2700K _ 717 lm


Surface canopy - *Rosone plafone*

(led driver included - *led driver incluso)*



Recessed canopy - *Rosone incasso*

(led driver not included - *led driver non incluso)*



Hole - *Foro Ø 5,5* cm
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

SPFAIRY X XX CR LED

Color *Colore*: **CS** Crystal, **AM** Amber

Type *Tipologia*: **X** Surface canopy, **I** Recessed canopy

Article	Canopy type - color	Price € VAT not included
SPFAIRYXCS	Surface canopy - crystal	**498,00**
SPFAIRYXAM	Surface canopy - amber	**530,00**
SPFAIRYICS	Recessed canopy - crystal	**380,00**
SPFAIRYIAM	Recessed canopy - amber	**400,00**

Led driver	Description	Price € VAT not included
CEDLTC00100	On/off IP20 Max 8W - 350mA	**38,00**
CEDLTC00103	Dimmable IP20, 1-10V Max 25W - 350mA	**135,00**
CEDLTC00104	Dimmable IP20, DALI 2, 1-10V, PUSH Max 25W - 350mA	**140,00**
CEDSCC00400	Dimmable IP20 ELV, IGBT-TRIAC, 0-10V/1-10V Max 10W - 350mA	**70,00**

FAIRY

Pendant - *Sospensione*

IP20 5,9W V_f 17V 350mA CRI 90 Per single pendant - *Per singolo pendente*
Series wiring - *Cablaggio in serie*

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 717 lm

Per single pendant - *Per singolo pendente*


SPFAIR03X




SPFAIR06X




SPFAIR12T



SPFAIR12E



SPFAIR XX X 27 XX XX



Article	N° of lights - canopy shape - color	Price € VAT not included
SPFAIR03XCS	Cluster 3 lights - round canopy - crystal	**1.240,00**
SPFAIR03XAM	Cluster 3 lights - round canopy - amber	**1.330,00**
SPFAIR06XCS	Cluster 6 lights - round canopy - crystal	**2.350,00**
SPFAIR06XAM	Cluster 6 lights - round canopy - amber	**2.550,00**
SPFAIR12TCS	Cluster 12 lights - round canopy - crystal	**4.730,00**
SPFAIR12TAM	Cluster 12 lights - round canopy - amber	**5.080,00**
SPFAIR12ECS	Cluster 12 lights - elliptical canopy - crystal	**4.650,00**
SPFAIR12EAM	Cluster 12 lights - elliptical canopy - amber	**4.990,00**

Led driver	Description	N° of lights	Price € VAT not included
CEDLTC00143	On/off IP20 Max 19W 350mA	3 6 12	**70,00** (1 pc) **140,00** (2 pcs) **280,00** (4 pcs)

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

FLOAT

Mario Alessiani


Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black

Top color

- White





FLOAT


Table lamp - *Lampada da tavolo*

5 steps
IP55 3,5W CRI 80

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 200 lm

Rechargeable lamp - *Lampada ricaricabile*



LTFLOATX XX BC LED

Color
Colore

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
LTFLOAT	**230,00**

FLOAT


Floor lamp - *Lampada da terra*

5 steps
IP55 3,5W CRI 80

Light Source - *Fonte Luminosa*
LED

CCT
2700K _ 200 lm

Rechargeable lamp - *Lampada ricaricabile*



PTFLOATX XX BC LED

Color
Colore

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
PTFLOAT	**320,00**


HOOPS

Giovanni Barbato

Color

- White
- Greige
- Yellow
- Gold
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Chrome
- Blue
- Anthracite grey
- Black





HOOPS

Ceiling lamp - *Lampada a soffitto*

Dimmable IGBT-TRIAC

IP20 16W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 1287 lm

3000K _ 1430 lm

PLHOOPS2 2 rings - *anelli*



PLHOOPS3 3 rings - *anelli*



PLHOOPS X XX XXX XX

- Rings *Anelli*: **2** (2 rings), **3** (3 rings)
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **OR** Gold, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **CR** Chrome, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27K** 2700K, **30K** 3000K

Article	N° of rings - color	Price € VAT not included
PLHOOPS2XX	2 rings - all painted colors	**1.080,00**
PLHOOPS2OR	2 rings - gold	**1.330,00**
PLHOOPS2CR	2 rings - chrome	**1.290,00**
PLHOOPS3XX	3 rings - all painted colors	**1.170,00**
PLHOOPS3OR	3 rings - gold	**1.450,00**
PLHOOPS3CR	3 rings - chrome	**1.370,00**

HOOPS

Pendant - *Sospensione*

Dimmable IGBT-TRIAC

IP20 32W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

2700K _ 2574 lm


3000K _ 2860 lm




Direct and indirect light emission

Emissione diretta e indiretta


SPHOOPS2 2 rings - *anelli*




SPHOOPS3 3 rings - *anelli*




SPHOOPS4 4 rings - *anelli*



SPHOOPS6 6 rings - *anelli*



SPHOOPS X XX XXX XX



Article	N° of rings - color	Price € VAT not included
SPHOOPS2XX	2 rings - all painted colors	**1.650,00**
SPHOOPS2OR	2 rings - gold	**1.930,00**
SPHOOPS2CR	2 rings - chrome	**1.830,00**
SPHOOPS3XX	3 rings - all painted colors	**1.770,00**
SPHOOPS3OR	3 rings - gold	**2.050,00**
SPHOOPS3CR	3 rings - chrome	**1.940,00**
SPHOOPS4XX	4 rings - all painted colors	**1.890,00**
SPHOOPS4OR	4 rings - gold	**2.330,00**
SPHOOPS4CR	4 rings - chrome	**2.140,00**
SPHOOPS6XX	6 rings - all painted colors	**2.030,00**
SPHOOPS6OR	6 rings - gold	**2.550,00**
SPHOOPS6CR	6 rings - chrome	**2.320,00**

JEWEL
Studio Yonoh

Color

- White
- Green
- Greige
- Turquoise
- Yellow
- Water blue
- Salmon
- Pine green
- Red
- Blue
- Raspberry red
- Anthracite grey
- Earth red
- Black
- Rust brown

Canopy & fork color

- Black






JEWEL
Pendant - *Sospensione*

Surface canopy Dimmable 0/1-10V, PUSH IP20 9W 220-240VAC CRI 90
Recessed canopy IP20 6,5W V_f 9,2V 700mA CRI 90

Light Source - *Fonte Luminosa*
LED

CCT 2700K _ 604 lm 3000K _ 671 lm

Surface canopy - *Rosone plafone*
(led driver included - *led driver incluso)*




SPJM XX X X XX NE LED

- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **1** 2700K, **2** 3000K
- Beam *Fascio*: **1** 12°, **3** 38°
- Type *Tipologia*: **01** Surface canopy, **11** Recessed canopy

Article	Canopy type	Price € VAT not included
SPJM01	Surface canopy	**310,00**

Recessed canopy - *Rosone incasso*

(led driver not included - *led driver non incluso)*



Hole - *Foro Ø 5,5 cm*
Min. depth - *Profondità min.* 10 cm
Series wiring - *Cablaggio in serie*

Article	Canopy type	Price € VAT not included
SPJMI1	Recessed canopy	210,00

Led driver	Description	Price € VAT not included
CEDHEP00001	On/off IP20 Max 10W - 700mA	30,00
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W - 700mA	86,00
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W - 700mA	80,00

JEWEL

Pendant - *Sospensione*

IP20 6,5W V_f 9,2V 700mA CRI 90 Per single pendant - *Per singolo pendente*
Series wiring - *Cablaggio in serie*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 604 lm


3000K _ 671 lm

Per single pendant - *Per singolo pendente*


SPJMXX03X




SPJMXX06X




SPJMXX12T



SPJMXX12E



SPJM XX XX X X XX XX X



Article	N° of lights - canopy shape	Price € VAT not included
SPJMXX03X	Cluster 3 lights - round canopy	810,00
SPJMXX06X	Cluster 6 lights - round canopy	1.450,00
SPJMXX12T	Cluster 12 lights - round canopy	2.970,00
SPJMXX12E	Cluster 12 lights - elliptical canopy	2.870,00

Led driver	Description	N° of lights	Price € VAT not included
CEDLTC00149	On/off IP20 Max 20W - 700mA	3 6 12	45,00 (1 pc) 90,00 (2 pcs) 180,00 (4 pcs)
CEDLTC00147	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 37,8W - 700mA	3 6 12	105,00 (1 pc) 210,00 (2 pc) 315,00 (3 pcs)

KALEIDOLIGHT

Dodo Arslan

Color

Mirror




KALEIDOLIGHT


Table lamp - *Lampada da tavolo*

IP20 220-240VAC

Light Source - *Fonte Luminosa*

3 x E14 Max 6,5W LED (bulbs not included - *lampadine non incluse)*





LTKALEIDO XXX E14

Article	**Price €** VAT not included
LTKALEIDOXXXE14	**1.250,00**

KISS

Roberto Mantovani - Fabiano D'Este

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black









KISS

Table lamp - *Lampada da tavolo*

Dimmable

IP20 100-240VAC CRI 90

Light Source - *Fonte Luminosa*

LED

CCT

LTKI10 Ø 10 cm 5W

2700K	3000K
450 lm	500 lm


LTKI16 Ø 16 cm 10W

2700K	3000K
880 lm	1000 lm


LTKI25 Ø 25 cm 20W

2700K	3000K
1780 lm	2000 lm


LTKI10



LTKI16



LTKI25



LTKI XX 01 X XX XX XX

- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Size *Dimensione*: **10** Ø 10 cm, **16** Ø 16 cm, **25** Ø 25 cm

Article	Size	Price € VAT not included
LTKI10	Ø 10 cm	**230,00**
LTKI16	Ø 16 cm	**290,00**
LTKI25	Ø 25 cm	**520,00**

KISS

Wall & ceiling lamp - *Lampada a parete e soffitto*

IP20 CRI 90

Series wiring - *Cablaggio in serie*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

PLKI10 Ø 10 cm

2700K	3000K
450 lm	500 lm

5W V_f 9V 350mA

PLKI16 Ø 16 cm

2700K	3000K
880 lm	1000 lm


10W V_f 9V 700mA

PLKI25 Ø 25 cm


2700K	3000K
1780 lm	2000 lm

20W V_f 36V 500mA


PLKI1001X



PLKI1601X



PLKI2501X




PLKI XX 01 X XX XX XX


- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Type *Tipologia*: **X** Surface canopy, **I** Recessed canopy
- Size *Dimensione*: **10** Ø 10 cm, **16** Ø 16 cm, **25** Ø 25 cm

Article	Size - canopy type	Price € VAT not included
PLKI1001X	Ø 10 cm - surface canopy	**195,00**
PLKI1601X	Ø 16 cm - surface canopy	**245,00**
PLKI2501X	Ø 25 cm - surface canopy	**350,00**

PLKI1001I




PLKI1601I



Hole - *Foro* Ø 7 cm
Min. depth
Profondità min. 10 cm

PLKI2501I



Hole - *Foro* Ø 10,5 cm
Min. depth
Profondità min. 10 cm

Article	Size - canopy type	Price € VAT not included
PLKI1001I	Ø 10 cm - recessed canopy	**170,00**
PLKI1601I	Ø 16 cm - recessed canopy	**195,00**
PLKI2501I	Ø 25 cm - recessed canopy	**295,00**

Led driver	Description	For size	Price € VAT not included
CEDACT00003	On/off IP20 Max 5W - 350mA	Ø 10 cm	**38,00**
CEDLTC00144	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W - 350mA	Ø 10 cm	**86,00**
CEDHEP00001	On/off IP20 Max 10W - 700mA	Ø 16 cm	**30,00**
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W - 700mA	Ø 16 cm	**86,00**
CEDLTC00148	On/off IP20 Max 20W - 500mA	Ø 25 cm	**45,00**
CEDLTC00145	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 20W - 500mA	Ø 25 cm	**86,00**

KISS

Pendant - *Sospensione*

IP20 CRI 90
Series wiring - *Cablaggio in serie*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT


SPKI10 — Ø 10 cm — 5W V_f 9V 350mA

2700K	3000K
450 lm	500 lm


SPKI16 — Ø 16 cm — 10W V_f 9V 700mA

2700K	3000K
880 lm	1000 lm


SPKI1001X




SPKI1601X



SPKI1001I



SPKI1601I



Hole - *Foro* Ø 5,5 cm
Min. depth - *Profondità min.* 10 cm

SPKI XX 01 X XX XX XX

- Color / *Colore*: **BC** White; **GE** Greige; **GI** Yellow; **SA** Salmon; **RS** Red; **RR** Raspberry red; **ER** Earth red; **RU** Rust brown; **VE** Green; **TU** Turquoise; **WB** Water blue; **PG** Pine green; **BL** Blue; **AN** Anthracite grey; **NE** Black
- CCT: **27** 2700K; **30** 3000K
- Type / *Tipologia*: **X** Surface canopy; **I** Recessed canopy
- Size / *Dimensione*: **10** Ø 10 cm; **16** Ø 16 cm

Article	Size - canopy type	Price € VAT not included
SPKI1001X	Ø 10 cm - surface canopy	**280,00**
SPKI1601X	Ø 16 cm - surface canopy	**315,00**
SPKI1001I	Ø 10 cm - recessed canopy	**240,00**
SPKI1601I	Ø 16 cm - recessed canopy	**270,00**

Led driver	Description	For size	Price € VAT not included
CEDACT00003	On/off IP20 Max 5W - 350mA	Ø 10 cm	**38,00**
CEDLTC00144	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W - 350mA	Ø 10 cm	**86,00**
CEDHEP00001	On/off IP20 Max 10W - 700mA	Ø 16 cm	**30,00**
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W - 700mA	Ø 16 cm	**86,00**

IP20 5W V_f 9V 350mA CRI 90 Per single pendant - *Per singolo pendente*
Series wiring - *Cablaggio in serie*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 450 lm


3000K _ 500 lm

Per single pendant - *Per singolo pendente*


SPKI1003X




SPKI1006X



SPKI1012T



SPKI1012E



SPKI 10 XX X XX XX XX

Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Canopy shape / *Forma rosone*: **X** Only for 3 and 6 lights ○, **T** Round canopy only for 12 lights ○, **E** Elliptical canopy only for 12 lights ⬭

Number of lights / *Numero di luci*: **03** Cluster 3 lights, **06** Cluster 6 lights, **12** Cluster 12 lights

Article	N° of lights - canopy shape	Price € VAT not included
SPKI1003X	Cluster 3 lights - round canopy	**890,00**
SPKI1006X	Cluster 6 lights - round canopy	**1.680,00**
SPKI1012T	Cluster 12 lights - round canopy	**3.310,00**
SPKI1012E	Cluster 12 lights - elliptical canopy	**3.230,00**

Led driver	Description	N° of lights	Price € VAT not included
CEDLTC00143	On/off IP20 Max 19W - 350mA	3 6 12	**70,00** (1 pc) **70,00** (1 pc) **140,00** (2 pcs)
CEDLTC00139	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W - 350mA	3 6 12	**105,00** (1 pc) **105,00** (1 pc) **210,00** (2 pcs)

KWIC

Serge - Robert Cornelissen

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

- White
- Green
- Greige
- Turquoise
- Yellow
- Water blue
- Salmon
- Pine green
- Red
- Blue
- Raspberry red
- Anthracite grey
- Earth red
- Black
- Rust brown







KWIC

Floor lamp - *Lampada da terra*

Dimmable

IP20 18W 110-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 2029 lm

3000K _ 2255 lm



PTKWIC36 XX XX XXX

CCT **27K** **30K** (2700K 3000K)

Color / Colore: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown

VE Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Article	Price € VAT not included
PTKWIC36	910,00

KWIC

Wall & ceiling lamp - *Lampada a parete e soffitto*

Dimmable 0/1-10V, PUSH

IP20 18W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 2029 lm

3000K _ 2255 lm

PLKWIC36



PLKWIC48



PLKWIC XX XX XX XXX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*: **36** (Ø 36 cm) **48** (Ø 48 cm)

Article	**Size**	**Price €** VAT not included
PLKWIC36	Ø 36 cm	**490,00**
PLKWIC48	Ø 48 cm	**520,00**

KWIC

Pendant - *Sospensione*

Dimmable 0/1-10V, PUSH

IP20 18W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 2029 lm

3000K _ 2255 lm

SPKWIC36



SPKWIC48



SPKWIC XX XX XX XXX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*: **36** (Ø 36 cm) **48** (Ø 48 cm)

Article	**Size**	**Price €** VAT not included
SPKWIC36	Ø 36 cm	**770,00**
SPKWIC48	Ø 48 cm	**820,00**

LAYERS

Vanessa Vivian

Color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Canopy color


- White
- Black




Light Source - *Fonte Luminosa*
E27 (bulbs not included - *lampadine non incluse)*

SPLAYA: 9 x E27 Max 17,5W LED
SPLAYB: 15 x E27 Max 17,5W LED
SPLAYC: 15 x E27 Max 17,5W LED
SPLAYD: 9 x E27 Max 17,5W LED
SPLAYE: 9 x E27 Max 17,5W LED
SPLAYF: 9 x E27 Max 17,5W LED


SPLAYA




SPLAYB




SPLAYC




SPLAYD




SPLAYE



SPLAYF



SPLAY X XX E27 XX XX



Article	Size		Price € VAT not included
SPLAYA	**A**	Ø 105,5 H. 162 cm	**5.750,00**
SPLAYB	**B**	Ø 105,5 H. 304 cm	**11.500,00**
SPLAYC	**C**	Ø 47 H. 256 cm	**9.550,00**
SPLAYD	**D**	Ø 47 H. 192 cm	**5.730,00**
SPLAYE	**E**	Ø 117 H. 133 cm	**5.250,00**
SPLAYF	**F**	Ø 82 H. 160 cm	**5.250,00**

LIAISON

Sara Moroni

Color


- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black

Canopy & arch color

- Black







LIAISON

Pendant - *Sospensione*

Dimmable 0/1-10V, PUSH

IP20 9W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 604 lm

3000K _ 671 lm


SPLIAIP1



SPLIAIM1



SPLIAIG1



SPLIAI XX XX NE XXX

CCT **27K** **30K** (2700K 3000K)

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*: **P1** Ø 32 cm, **M1** Ø 46 cm, **G1** Ø 54 cm

Article	Size	Price € VAT not included
SPLIAIP1	Ø 32 cm	510,00
SPLIAIM1	Ø 46 cm	540,00
SPLIAIG1	Ø 54 cm	560,00

LIAISON

Pendant - Sospensione

Dimmable 0/1-10V, PUSH

IP20 2 x 7,5W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*


LED (led driver included - *led driver incluso)*

CCT


2700K _ 2 X 604 lm

3000K _ 2 X 671 lm


SPLIAIP2




SPLIAIM2




SPLIAIG2



SPLIADG2




SPLIAI XX XX NE XXX



Article	Size	Price € VAT not included
SPLIAIP2	Ø 56,5 cm - 1 level	**840,00**
SPLIAIM2	Ø 84,5 cm - 1 level	**950,00**
SPLIAIG2	Ø 100,5 cm - 1 level	**1.050,00**

SPLIADG2 XX NE XXX



Article	Size	Price € VAT not included
SPLIADG2	Ø 100,5 cm - 2 levels	**1.680,00**

LIK

Serge - Robert Cornelissen

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black



LIK

Wall lamp - *Lampada a parete*

Dimmable IGBT-TRIAC

IP20 16W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

2700K _ 1390 lm

3000K _ 1545 lm



APLIKXXX XX XX XXX

- CCT: **27K** (2700K) **30K** (3000K)
- Color / Colore: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
- **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black


Article	**Price €** VAT not included
APLIK	**205,00**

MANIFESTO

Timo Ripatti

Color

White
Green
Greige
Turquoise
Yellow
Water blue
Salmon
Pine green
Red
Blue
Raspberry red
Anthracite grey
Earth red
Black
Rust brown
Mirrored steel



MANIFESTO

Wall lamp - *Lampada a parete*

Dimmable 0/1-10V, PUSH

IP20 24W 110-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

2700K _ 1818 lm

3000K _ 2020 lm



APMANIFESTOX X XX

Color / Colore: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black, **IX** Mirrored steel

CCT: **1** 2700K, **2** 3000K

Article	Color	Price € VAT not included
APMANIFESTOXXXX	All painted colors	**780,00**
APMANIFESTOXX**IX**	Mirrored steel	**1.250,00**

MANTO


Davide Besozzi

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black











MANTO

Pendant - *Sospensione*

Dimmable 0/1-10V, PUSH

IP20 100-277VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

SPMAN070	**2700K**	**3000K**
Ø 70 cm		
18W	1732 lm	1924 lm
SPMAN120	**2700K**	**3000K**
Ø 120 cm		
24W	2194 lm	2438 lm
SPMAN180	**2700K**	**3000K**
Ø 180 cm		
28W	2620 lm	2911 lm


SPMAN070



SPMAN120



SPMAN180



SPMAN XXX XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color *Colore*
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Size *Dimensione*
070 Ø 70 cm, **120** Ø 120 cm, **180** Ø 180 cm

Article	**Size**	**Price €** VAT not included
SPMAN070	Ø 70 cm	**1.490,00**
SPMAN120	Ø 120 cm	**1.650,00**
SPMAN180	Ø 180 cm	**1.880,00**

MOUNTAIN VIEW

Dima Loginoff

MOUTH BLOWN GLASS
VETRO SOFFIATO A BOCCA

Color

Crystal

Grey

Amber

Brown

Canopy color

Gold

Chrome

Black polished nickel



MOUNTAIN VIEW

Pendant - *Sospensione*

Dimmable IGBT-TRIAC

IP20 17W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

2700K _ 1989 lm

3000K _ 2210 lm



SPMOUNTA XX XX XXX



Article	**Price €** VAT not included
SPMOUNTA	**2.760,00**

MUSE

Sandro Santantonio

Color

White



MUSE

Wall & ceiling lamp - *Lampada a parete e soffitto*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

PLMUSE40 Ø 40 cm 20W	**2700K** 1430 lm	**3000K** 1600 lm
PLMUSE60 Ø 60 cm 20W	**2700K** 1430 lm	**3000K** 1600 lm
PLMUSE80 Ø 80 cm 40W	**2700K** 2880 lm	**3000K** 3200 lm
PLMUS120 Ø 120 cm 40W	**2700K** 2880 lm	**3000K** 3200 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

PLMUSE40 - Ø 40 cm
1 x E27 Max 7W LED


PLMUSE60 - Ø 60 cm
2 x E27 Max 7W LED

PLMUSE80 - Ø 80 cm
3 x E27 Max 16W LED

PLMUS120 - Ø 120 cm
3 x E27 Max 16W LED

IP20 220-240VAC

PLMUS XXX BC X X XXX




E27 Light source

Article	Size	**Price €** VAT not included
PLMUSE40	Ø 40 cm	**250,00**
PLMUSE60	Ø 60 cm	**310,00**
PLMUSE80	Ø 80 cm	**540,00**
PLMUS120	Ø 120 cm	**690,00**


LED Light source

Article	Size	**Price €** VAT not included
PLMUSE40	Ø 40 cm	**480,00**
PLMUSE60	Ø 60 cm	**520,00**
PLMUSE80	Ø 80 cm	**690,00**
PLMUS120	Ø 120 cm	**810,00**

PLMUSE40 **PLMUSE60**



PLMUSE80 **PLMUS120**



NELLY

Manuel Vivian

Color

White



NELLY

Wall & ceiling lamp - *Lampada a parete e soffitto*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

	2700K	3000K
PLNELL60 Ø 60 cm 20W	1430 lm	1600 lm
PLNEL100 Ø 100 cm 40W	2880 lm	3200 lm
PLNELS60 60x60 cm 20W	1430 lm	1600 lm
PLNES100 100x100 cm 40W	2880 lm	3200 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

PLNELL60 - Ø 60 cm
2 x E27 Max 16W LED


PLNEL100 - Ø 100 cm
3 x E27 Max 16W LED

PLNELS60 - 60x60 cm
2 x E27 Max 16W LED

PLNES100 - 100x100 cm
3 x E27 Max 16W LED

IP20 220-240VAC

PLNE XXXX BC X X XXX




E27 Light source

Article	Size	Price € VAT not included
PLNELL60	Ø 60 cm	**270,00**
PLNEL100	Ø 100 cm	**420,00**
PLNELS60	60x60 cm	**310,00**
PLNES100	100x100 cm	**480,00**


LED Light source

Article	Size	Price € VAT not included
PLNELL60	Ø 60 cm	**480,00**
PLNEL100	Ø 100 cm	**680,00**
PLNELS60	60x60 cm	**480,00**
PLNES100	100x100 cm	**680,00**


PLNELS60




PLNELL60



PLNES100



PLNEL100



ORBIS

Roberto Mantovani - Paolo Francescato

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black



ORBIS

Wall & ceiling lamp - *Lampada a parete e soffitto*

IP20 220-240VAC CRI 90

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

PLORBIS32 Ø 32,2 cm 13W — **2700K** 1170 lm — **3000K** 1300 lm

PLORBIS44 Ø 44 cm 25W — **2700K** 2250 lm — **3000K** 2500 lm


PLORBIS60 Ø 60,5 cm 50W — **2700K** 4500 lm — **3000K** 5000 lm

PLORBIS32XXXXD1




Ø 32,2 cm — 8,2 cm

PLORBIS32XXXXD2




Ø 32,2 cm — 8,2 cm

PLORBIS44XXXXD1




Ø 44 cm — 8,2 cm

PLORBIS44XXXXD2




Ø 44 cm — 8,2 cm

PLORBIS60XXXXD1



Ø 60,5 cm — 8,2 cm

PLORBIS60XXXXD2



Ø 60,5 cm — 8,2 cm

PLORBIS XX XX XX XX

- Glass diffuser *Diffusore in vetro*: **D1** Opal, **D2** Ribbed
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Size *Dimensione*: **32** Ø 32,2 cm, **44** Ø 44 cm, **60** Ø 60,5 cm

Article	**Size - glass diffuser**	**Price €** VAT not included
PLORBIS32XXXXD1	Ø 32,2 cm - opal	**360,00**
PLORBIS32XXXXD2	Ø 32,2 cm - ribbed	**390,00**
PLORBIS44XXXXD1	Ø 44 cm - opal	**490,00**
PLORBIS44XXXXD2	Ø 44 cm - ribbed	**550,00**
PLORBIS60XXXXD1	Ø 60,5 cm - opal	**770,00**
PLORBIS60XXXXD2	Ø 60,5 cm - ribbed	**860,00**

Dimmable versions available on request


Versioni dimmerabili disponibili su richiesta

ORCHID

Rainer Mutsch

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black









ORCHID

Table lamp - *Lampada da tavolo*

Dimmable

IP20 6,5W 110-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 604 lm

3000K _ 671 lm



LTORCHID XX XX XXX

CCT **27K** **30K**

2700K 3000K

Color Colore

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
LTORCHID	**420,00**

ORCHID

Floor lamp - *Lampada da terra*

Dimmable

IP20 3 x 6,5W 110-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 3 X 604 lm

3000K _ 3 X 671 lm



PTORCHID XX XX XXX

CCT **27K** **30K**

2700K 3000K

Color Colore

BC	**GE**	**GI**	**SA**	**RS**	**RR**	**ER**	**RU**
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	**TU**	**WB**	**PG**	**BL**	**AN**	**NE**
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
PTORCHID	**1.080,00**

ORCHID

Wall & ceiling lamp - *Lampada a parete e soffitto*

Dimmable IGBT-TRIAC

IP20 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

	2700K	3000K
APORCHID 1 light 15W	1237 lm	1375 lm
PLORCHID 3 lights 3 X 15W	3 X 1237 lm	3 X 1375 lm

APORCHID 1 light - *luce*



PLORCHID 3 lights - *luci*



XX ORCHID XX XX XXX

- CCT: **27K** (2700K) **30K** (3000K)
- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- Type / *Tipologia*: **AP** 1 light *luce*, **PL** 3 lights *luci*

Article	N° of lights	Price € VAT not included
APORCHID	1 light	**210,00**
PLORCHID	3 lights	**870,00**

ORCHID

Pendant - *Sospensione*

Dimmable IGBT-TRIAC

IP20 220-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

	2700K	3000K
SPORCHI3 3 lights 3 X 15W	3 X 1237 lm	3 X 1375 lm
SPORCHI4 4 lights 4 X 15W	4 X 1237 lm	4 X 1375 lm

SPORCHI3 3 lights - *luci*



SPORCHI4 4 lights - *luci*



SPORCHI X XX XX XXX

CCT **27K** **30K**
2700K 3000K

Color
Colore
BC White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown
VE Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

Number of lights
Numero di luci
3 3 lights *luci*
4 4 lights *luci*

Article	**N° of lights**	**Price €** VAT not included
SPORCHI3	3 lights	**1.170,00**
SPORCHI4	4 lights	**1.390,00**

PARALELA

Nahtrang Studio

Color

- White
- Greige
- Earth red
- Pine green
- Black









PARALELA

Table lamp - *Lampada da tavolo*

Dimmable

IP20 4W 24VDC CRI 90


Light Source - *Fonte Luminosa*

LED


CCT

2700K _ 283 lm

3000K _ 315 lm



LTPARALELA XX X XX



Article	Price € VAT not included
LTPARALELA	**430,00**

Article	Description	Price € VAT not included
ACCONTROLLT0001	Power and control equipment	**90,00**

Accessories - *Accessori*

ACCONTROLLT0001


Power and control equipment

Apparecchiatura di alimentazione e controllo

(dimmer, driver, cables, plug)

100-240VAC input, 16W, 24VDC output

Plugs: EU, USA Color: black - *nero*



PARALELA

Floor lamp - *Lampada da terra*

Dimmable

IP20 15W 24VDC CRI 90


Light Source - *Fonte Luminosa*

LED


CCT

2700K _ 993 lm

3000K _ 1103 lm



PTPARALELA XX X XX



Article	Price € VAT not included
PTPARALELA	**840,00**

Article	Description	Price € VAT not included
ACCONTROLPT0001	Power and control equipment	**90,00**

Accessories - *Accessori*

ACCONTROLPT0001


Power and control equipment

Apparecchiatura di alimentazione e controllo

(dimmer, driver, cables, plug)

100-240VAC input, 25W, 24VDC output

Plugs: EU, USA Color: black - *nero*



PARALELA

Wall lamp - *Lampada a parete*

Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 283 lm

3000K _ 315 lm

IP20 4W 24VDC CRI 90



APPARALE MI XX XX X



Article	Price € VAT not included
APPARALEMI	**370,00**

Led driver	Description	Price € VAT not included
CEDMWC00207	On/off IP42 Max 8W - 24VDC	**32,00**
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 566 lm

3000K _ 630 lm

IP20 8W 24VDC CRI 90



APPARA 01 MI XX XX X



Article	Price € VAT not included
APPARA01MI	**690,00**

Led driver	Description	Price € VAT not included
CEDLTC00136	On/off IP20 Max 20W - 24VDC	**60,00**
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 1985 lm

3000K _ 2206 lm

IP20 30W 24VDC CRI 90



APPARA 02 LA XX XX X



Article	Price € VAT not included
APPARA02LA	**1.140,00**

Led driver	Description	N° of drivers	Price € VAT not included
CEDALV00007	On/off IP67 Max 36W - 24VDC	1 pc	**77,00**
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	2 pcs	**196,00** (2 pcs)

PARALELA

Pendant - *Sospensione*

Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


SPPARA01LA	**2700K**	**3000K**	**SPPARA01BI**	**2700K**	**3000K**
93,6 cm	993 lm	1103 lm	118,6 cm	1276 lm	1418 lm
15W			19W		

IP20 24VDC CRI90

SPPARA01LA



SPPARA01BI



SPPARA 01 XX XX XX X

Color / Colore: **BC** White · **GE** Greige · **ER** Earth red · **PG** Pine green · **NE** Black

CCT: **27** 2700K · **30** 3000K

Size / *Dimensione*: **LA** 93,6 cm · **BI** 118,6 cm

Article	**Size**	**Price €** VAT not included
SPPARA01LA	93,6 cm	**780,00**
SPPARA01BI	118,6 cm	**820,00**

Led driver	**Description**	**Suitable for cm**	**Price €** VAT not included
CEDLTC00136	On/off IP20 Max 20 W - 24VDC	93,6	**60,00**
CEDALV00007	On/off IP67 Max 36 W - 24VDC	93,6 118,6	**77,00**
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	93,6 118,6	**98,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDLTC00136** (1 pc) **CEDALV00007** (1 pc) **CEDALV00001** (1 pc)
ACCANOPYRE001XX	**CEDLTC00136** (1 pc) **CEDALV00007** (1 pc) **CEDALV00001** (1 pc)
ACCANOPYIN001XX	Can not house led driver - *Non può ospitare led driver*

For more info about canopies see page 65
Per maggiori info sui rosoni vedi pag. 65

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 2552 lm

3000K _ 2836 lm

IP20 38W 24VDC CRI 90



SPPARA 02 BI XX XX X

Color / Colore: **BC** White · **GE** Greige · **ER** Earth red · **PG** Pine green · **NE** Black

CCT: **27** 2700K · **30** 3000K

Article	**Price €** VAT not included
SPPARA02BI	**1.140,00**

Led driver	**Description**	**Price €** VAT not included
CEDLTC00129	Dimmable IP52 0/1-10V Max 60W - 24VDC	**98,00**
CEDMWC00204	Dimmable IP67 DALI Max 75W - 24VDC	**135,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc)
ACCANOPYRE001XX	**CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*

For more info about canopies see page 65
Per maggiori info sui rosoni vedi pag. 65

PARALELA

Pendant - *Sospensione*

Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 3261 lm

3000K _ 3624 lm

IP20 49W 24VDC CRI 90



SPPARA 03 XX XX XX X



Article	Price € VAT not included
SPPARA03XX	**1.910,00**

Led driver	Description	Price € VAT not included
CEDLTC00129	Dimmable IP52 0/1-10V Max 60W - 24VDC	**98,00**
CEDMWC00204	Dimmable IP67 DALI Max 75W - 24VDC	**135,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc)
ACCANOPYRE001XX	**CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*

For more info about canopies see page 65
Per maggiori info sui rosoni vedi pag. 65

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


SPPARA05SM	**2700K**	**3000K**	**SPPARA05LA**	**2700K**	**3000K**
60,4 cm 27,6W	1839 lm	2043 lm	93,6 cm 45W	2978 lm	3309 lm

IP20 24VDC CRI90

SPPARA 05 XX XX XX X



SPPARA05SM **SPPARA05LA**




Article	Size	Price € VAT not included
SPPARA05SM	60,4 cm	**1.340,00**
SPPARA05LA	93,6 cm	**1.590,00**

Led driver	Description	Suitable for cm	Price € VAT not included
CEDALV00007	On/off IP67 Max 36W - 24VDC	60,4	**77,00**
CEDLTC00129	Dimmable IP52 0/1-10V Max 60W - 24VDC	60,4 93,6	**98,00**
CEDMWC00204	Dimmable IP67 DALI Max 75W - 24VDC	60,4 93,6	**135,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO003XX	**CEDLTC00129** (1 pc) **CEDALV00007** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*

For more info about canopies see page 65
Per maggiori info sui rosoni vedi pag. 65

Recessed canopy for horizontal or vertical compositions - *Rosone ad incasso per composizioni orizzontali o verticali*



Hole - *Foro* Ø 4,5 cm
Min. depth. - *Profondità min.* 10 cm


Can not house led driver
Non può ospitare led driver

ACCANOPYIN001 XX

Color *Colore*: **BC** White | **GE** Greige | **ER** Earth red | **PG** Pine green | **NE** Black

Article	Price € VAT not included
ACCANOPYIN001	60,00

Surface canopies for horizontal compositions - *Rosoni a plafone per composizioni orizzontali*




Suitable for - *Adatto per:*
CEDLTC00136 (1 pc)
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

ACCANOPYRE001 XX

Color *Colore*: **BC** White | **GE** Greige | **ER** Earth red | **PG** Pine green | **NE** Black

Article	Price € VAT not included
ACCANOPYRE001	170,00




Suitable for - *Adatto per:*
CEDLTC00136 (1 pc)
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)

ACCANOPYTO001 XX

Color *Colore*: **BC** White | **GE** Greige | **ER** Earth red | **PG** Pine green | **NE** Black

Article	Price € VAT not included
ACCANOPYTO001	250,00

Surface canopy for vertical composition of 3 lights - *Rosone a plafone per composizione verticale da 3 luci*



Suitable for - *Adatto per:*
CEDLTC00129 (1 pc)
CEDALV00007 (1 pc)

ACCANOPYTO003 XX

Color *Colore*: **BC** White | **GE** Greige | **ER** Earth red | **PG** Pine green | **NE** Black

Article	Price € VAT not included
ACCANOPYTO003	150,00

PEDRO

Paolo Francescato

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black



PEDRO

Wall lamp - *Lampada a parete*


APPEDRO10 **APPEDRO30**
APPEDRO50
IP20 220-240VAC CRI 90

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*


CCT

APPEDRO10 10 cm 15W	**2700K** 1350 lm	**3000K** 1500 lm
APPEDRO30 30 cm 30W	**2700K** 2700 lm	**3000K** 3000 lm
APPEDRO50 50 cm 60W	**2700K** 5400 lm	**3000K** 6000 lm


APPEDRO10




APPEDRO30



APPEDRO50



APPEDRO XX XX XX XX



Article	Size	**Price €** VAT not included
APPEDRO10	10 cm	**195,00**
APPEDRO30	30 cm	**280,00**
APPEDRO50	50 cm	**390,00**

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta


PEDRO

Ceiling lamp - *Lampada a soffitto*


IP20 15W 220-240VAC CRI 90

Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1350 lm
3000K _ 1500 lm



PLPEDRO 10 XX XX XX



Article	**Price €** VAT not included
PLPEDRO10	**190,00**

Dimmable versions available on request
Versioni dimmerabili disponibili su richiesta

PIVOT

Ryosuke Fukusada

Color

White

Greige

Black










Canopy - *Rosone*



The canopy can house up to 2 led drivers.
Each LED driver can support up to 5 lighting fixtures.
Il rosone può ospitare fino a 2 led driver.
Ogni LED driver può alimentare fino a 5 corpi illuminanti.


ROSONEPIVOT XX XX

Color / *Colore*: **BC** White · **GE** Greige · **NE** Black

Article	**Price €** VAT not included
ROSONEPIVOT	**250,00**

Led driver	Description	**Price €** VAT not included
CEDLTC00128	Dimmable IP20 0/1-10V, PUSH Max 37W - 700mA	**145,00**

Rod - *Asta*



For additional sizes, please contact us.
Per l'implementazione di misure aggiuntive, non esitate a contattarci.

KITPIVOT XXX XX XX

Size / *Dimensione*: **035** 35 cm · **065** 65 cm · **100** 100 cm

Color / *Colore*: **BC** White · **GE** Greige · **NE** Black

Article	Size	**Price €** VAT not included
KITPIVOT035	35 cm	**30,00**
KITPIVOT065	65 cm	**48,00**
KITPIVOT100	100 cm	**76,00**


Spotlight - *Faretto*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90

Series wiring - *Cablaggio in serie*



SATELLPIVOT X X XX


Color / *Colore*: **BC** White · **GE** Greige · **NE** Black

CCT: **1** 2700K · **2** 3000K

Beam / *Fascio*: **1** 12° · **3** 38°

Article	**Price €** VAT not included
SATELLPIVOT	**200,00**

Satellite - *Satellite*



PENDANTSATELL XX

Color *Colore*: **BC** White · **GE** Greige · **NE** Black

Article	Price € VAT not included
PENDANTSATELL	**110,00**

Adjustable spotlight - *Faretto orientabile*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 604 lm

3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90

Series wiring - *Cablaggio in serie*



SATELTURNXX X X XX

Color *Colore*: **BC** White · **GE** Greige · **NE** Black

CCT: **1** 2700K · **2** 3000K

Beam *Fascio*: **1** 12° · **3** 38°

Article	Price € VAT not included
SATELTURNXX	**195,00**


Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

Compatible pendants - *Sospensioni compatibili*


Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

PIVOT - Ryosuke Fukusada
CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90




SYPIV XX X XX XXXXX




Article	Price € VAT not included
SYPIV	210,00

JEWEL - Studio Yonoh
CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90




SYJMO XX X XX XXXXX




Article	Price € VAT not included
SYJMO	210,00

URBAN MINI - Dima Loginoff
CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90




SYURM XX X XX XXXXX




Article	Price € VAT not included
SYURM	250,00

VIRTUS - Manuel Vivian
CCT
2700K _ 604 lm
3000K _ 671 lm

6,5W V_f 9,2V 700mA CRI 90



SYVIR XX X XX XXXXX



Article	Price € VAT not included
SYVIR	250,00

POSES
Axolight Lab

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black









POSES

Wall lamp - *Lampada a parete*

Parallel wiring - *Cablaggio in parallelo*


Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

APPOS01 189,3W — **2700K** 14350 lm — **3000K** 15945 lm

IP20 24VDC CRI90



APPOS 01 XX XX XX XX

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Article	**Price €** VAT not included
APPOS01XX	**4.250,00**

Led driver	Description	**Price €** VAT not included
CEDLTC00137	On/off IP20 Max 70 W - 24VDC	**294,00** (3 pcs)
CEDMWC00203	Dimmable IP67 1-10V Max 100W - 24VDC	**570,00** (3 pcs)
CEDMWC00205	Dimmable IP67 DALI Max 100W - 24VDC	**570,00** (3 pcs)


Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

APPOS02 60,2W — **2700K** 4471 lm — **3000K** 4968 lm

IP20 24VDC CRI90



APPOS 02 XX XX XX XX

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Article	**Price €** VAT not included
APPOS02XX	**2.200,00**


Led driver	Description	**Price €** VAT not included
CEDLTC00137	On/off IP20 Max 70 W - 24VDC	**98,00**
CEDMWC00202	Dimmable IP67 1-10V Max 80W - 24VDC	**135,00**
CEDMWC00204	Dimmable IP67 DALI Max 75W - 24VDC	**135,00**

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

		2700K	3000K
SPPOS0108	82,1 cm 19,4W	1447 lm	1608 lm
SPPOS0114	142,1 cm 33,5W	2580 lm	2867 lm



SPPOS 01 XX XX XX XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

CCT **27** (2700K) **30** (3000K)

Lightbar size *Dimensione barra luminosa* **08** (82,1 cm) **14** (142,1 cm)

Article	Size	Price € VAT not included
SPPOS0108	82,1 cm	**515,00**
SPPOS0114	142,1 cm	**620,00**

Led driver	Description	Suitable for cm	Price € VAT not included
CEDALV00007	On/off IP67 Max 36W - 24VDC	82,1 142,1	**77,00**
CEDLTC00129	Dimmable IP52, 0/1-10V Max 60W - 24VDC	142,1	**98,00**
CEDMWC00204	Dimmable IP67, DALI Max 75W - 24VDC	142,1	**135,00**
CEDALV00001	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	82,1	**98,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDALV00007** (1 pc) **CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc) **CEDALV00001** (1 pc)
ACCANOPYRE001XX	**CEDALV00007** (1 pc) **CEDLTC00129** (1 pc) **CEDMWC00204** (1 pc) **CEDALV00001** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*


For more info about canopies see page *77*
Per maggiori info sui rosoni vedi pag. 77


Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

SPPOS0208 82,1 cm 77,6W	**2700K** 5789 lm	**3000K** 6432 lm
SPPOS0214 142,1 cm 134W	**2700K** 10321 lm	**3000K** 11468 lm





SPPOS 02 XX XX XX XX

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27** 2700K, **30** 3000K

Lightbar size *Dimensione barra luminosa*: **08** 82,1 cm, **14** 142,1 cm

Article	Size	Price € VAT not included
SPPOS0208	82,1 cm	**1.780,00**
SPPOS0214	142,1 cm	**2.250,00**

Led driver	Description	Size cm	Price € VAT not included
CEDLTC00138	On/off IP20 Max 150W 24VDC	82,1 142,1	**195,00** (1 pc) **195,00** (1 pc)
CEDMWC00203	Dimmable IP67 1-10V Max 100W 24VDC	82,1 142,1	**190,00** (1 pc) **380,00** (2 pcs)
CEDMWC00204	Dimmable IP67 DALI Max 75W 24VDC	142,1	**270,00** (2 pcs)
CEDMWC00205	Dimmable IP67 DALI Max 100W 24VDC	82,1	**190,00** (1 pc)

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDMWC00203** (1 or 2 pcs) **CEDMWC00204** (2 pcs) **CEDMWC00205** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*

For more info about canopies see page *77*
Per maggiori info sui rosoni vedi pag. 77

POSES

Pendant - *Sospensione*

IP20 77,6W 24VDC CRI 90

Parallel wiring - *Cablaggio in parallelo*


Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 5789 lm

3000K _ 6432 lm



SPPOS 03 08 XX XX XX

Color
Colore

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

CCT

27	30
2700K	3000K


Article	**Price €** VAT not included
SPPOS0308	**1.890,00**

Led driver	**Description**	**Price €** VAT not included
CEDLTC00138	On/off IP20 Max 150W - 24VDC	**195,00**
CEDMWC00203	Dimmable IP67, 1-10V Max 100W - 24VDC	**190,00**
CEDMWC00205	Dimmable IP67, DALI Max 100W - 24VDC	**190,00**

Canopies	Suitable for - *Adatto per*
ACCANOPYTO001XX	**CEDMWC00203** (1 pc) **CEDMWC00205** (1 pc)
ACCANOPYIN001XX	Can not house led driver *Non può ospitare led driver*

For more info about canopies see page *77*
Per maggiori info sui rosoni vedi pag. 77

Recessed canopy - *Rosone ad incasso*



Hole - *Foro* Ø 4,5 cm
Min. depth. - *Profondità min.* 10 cm

Can not house led driver
Non può ospitare led driver

ACCANOPYIN001 XX


Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
ACCANOPYIN001	**60,00**

Surface canopies - *Rosoni a plafone*



Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)


ACCANOPYRE001 XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
ACCANOPYRE001	**170,00**



Suitable for - *Adatto per:*
CEDALV00007 (1 pc)
CEDALV00001 (1 pc)
CEDLTC00129 (1 pc)
CEDMWC00204 (1 pc)
CEDMWC00203 (1 or 2 pcs)
CEDMWC00204 (2 pcs)
CEDMWC00205 (1 pc)

ACCANOPYTO001 XX

Color *Colore*

BC	GE	GI	SA	RS	RR	ER	RU
White	Greige	Yellow	Salmon	Red	Raspberry red	Earth red	Rust brown

VE	TU	WB	PG	BL	AN	NE
Green	Turquoise	Water blue	Pine green	Blue	Anthracite grey	Black

Article	**Price €** VAT not included
ACCANOPYTO001	**250,00**

SKIN

Manuel Vivian

Color

White

Ivory white

Brown

Black

Diffuser color

White

Warm white

Canopy color for pendant

White

Black



SKIN

Ceiling lamp - *Lampada a soffitto*


IP20 220-240VAC

Light Source - *Fonte Luminosa*


E27 (bulbs not included - *lampadine non incluse)*

PLSKI070 - Ø 70 cm: 2 x E27 Max 17,5W LED
PLSKI100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSKI160 - Ø 160 cm: 5 x E27 Max 17,5W LED


PLSKI070




PLSKI100



PLSKI160



PLSKI XXX E27 XX XX



Article	Size	Price € VAT not included
PLSKI070	Ø 70 cm	1.490,00
PLSKI100	Ø 100 cm	2.530,00
PLSKI160	Ø 160 cm	5.950,00

SKIN

Pendant - *Sospensione*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

SPSKI100 Ø 100 cm 67W	**2700K**	**3000K**	
	10450 lm	10860 lm	
SPSKI160 Ø 160 cm 67W	**2700K**	**3000K**	
	10450 lm	10860 lm	

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

SPSKI070 - Ø 70 cm

4 x E27 Max 17,5W LED

SPSKI100 - Ø 100 cm


6 x E27 Max 17,5W LED

SPSKI160 - Ø 160 cm


6 x E27 Max 17,5W LED

IP20 220-240VAC


SPSKI070




SPSKI100



SPSKI160



SPSKI XXX XXX XX X X



E27 Light source

Article	**Size**	**Price €** VAT not included
SPSKI070	Ø 70 cm	**1.920,00**
SPSKI100	Ø 100 cm	**3.100,00**
SPSKI160	Ø 160 cm	**6.600,00**

LED Light source

Article	**Size**	**Price €** VAT not included
SPSKI100	Ø 100 cm	**4.300,00**
SPSKI160	Ø 160 cm	**7.150,00**

SKIRT

Manuel Vivian

Color

- White
- Light grey
- Curry
- Mauve
- Red
- Green
- Light blue
- Water blue
- Blue
- Black

Canopy color for pendant

- White
- Black









SKIRT

Ceiling lamp - *Lampada a soffitto*


IP20 220-240VAC

Light Source - *Fonte Luminosa*


E27 (bulbs not included - *lampadine non incluse)*

PLSKR070 - Ø 70 cm: 1 x E27 Max 17,5W LED
PLSKR100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSKR150 - Ø 150 cm: 4 x E27 Max 17,5W LED


PLSKR070



PLSKR100




PLSKR150




PLSK1002 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLSK1502 - Ø 150 cm: 4 x E27 Max 17,5W LED

PLSK1002



PLSK1502



PLSKR XXX E27 XX XX

Color
Colore

BC	GR	CU	MA	RS
White	Light grey	Curry	Mauve	Red

VE	AZ	WB	BL	NE
Green	Light blue	Water blue	Blue	Black

Size
Dimensione

070	100	150
Ø 70 cm	Ø 100 cm	Ø 150 cm

Article	Size	Price € VAT not included
PLSKR070	Ø 70 cm	1.590,00
PLSKR100	Ø 100 cm	2.760,00
PLSKR150	Ø 150 cm	4.850,00

PLSK XXX 2 E27 XX XX

Color
Colore

BC	GR	CU	MA	RS
White	Light grey	Curry	Mauve	Red

VE	AZ	WB	BL	NE
Green	Light blue	Water blue	Blue	Black

Size
Dimensione

100	150
Ø 100 cm	Ø 150 cm

Article	Size	Price € VAT not included
PLSK1002	Ø 100 cm	3.480,00
PLSK1502	Ø 150 cm	6.150,00

SKIRT

Pendant - *Sospensione*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

SPSKR100 Ø 100 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm
SPSKR150 Ø 150 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

SPSKR050 - Ø 50 cm
1 x E27 Max 17,5W LED


SPSKR070 - Ø 70 cm
1 x E27 Max 17,5W LED

SPSKR100 - Ø 100 cm
4 x E27 Max 17,5W LED


SPSKR150 - Ø 150 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC


SPSKR050




SPSKR070




SPSKR100



SPSKR150



SPSKR XXX XXX XX XX



E27 Light source

Article	Size	Price € VAT not included
SPSKR050	Ø 50 cm	**1.020,00**
SPSKR070	Ø 70 cm	**1.590,00**
SPSKR100	Ø 100 cm	**2.790,00**
SPSKR150	Ø 150 cm	**5.090,00**

LED Light source

Article	Size	Price € VAT not included
SPSKR100	Ø 100 cm	**4.050,00**
SPSKR150	Ø 150 cm	**6.150,00**

SKIRT

Pendant - *Sospensione*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

SPSK1002 Ø 100 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm
SPSK1502 Ø 150 cm 67W	**2700K** 10450 lm	**3000K** 10860 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

SPSK1002 - Ø 100 cm

4 x E27 Max 17,5W LED

SPSK1502 - Ø 150 cm

4 x E27 Max 17,5W LED +


1 x E27 Max 10W LED

IP20 220-240VAC


SPSK XXX 2 XXX XX XX

- Size *Dimensione*: **100** (Ø 100 cm), **150** (Ø 150 cm)
- Light source *Fonte luminosa*: **E27** (E27), **27K** (LED 2700K), **30K** (LED 3000K)
- Canopy color *Colore rosone*: **BC** (White), **NE** (Black)
- Color *Colore*: **BC** (White), **GR** (Light grey), **CU** (Curry), **MA** (Mauve), **RS** (Red), **VE** (Green), **AZ** (Light blue), **WB** (Water blue), **BL** (Blue), **NE** (Black)

SPSK1002



SPSK1502



E27 Light source

Article	Size	Price € VAT not included
SPSK1002	Ø 100 cm	**3.250,00**
SPSK1502	Ø 150 cm	**5.880,00**

LED Light source

Article	Size	Price € VAT not included
SPSK1002	Ø 100 cm	**4.680,00**
SPSK1502	Ø 150 cm	**7.350,00**

SPILLRAY EVO

Manuel Vivian

Color

- White
- Greige
- Yellow
- Satin gold
- Copper
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Bronze
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black

Glass color

- Crystal
- Grey
- Metallic bronze










SPILLRAY EVO

Wall lamp - *Lampada a parete*

IP20 7W 24VDC CRI 93
Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 590 lm
3000K _ 650 lm



APSPI X 01 X XX XX XX

Glass color *Colore vetro*: **CS** Crystal; **GR** Grey; **BR** Metallic bronze

Color *Colore*: **BC** White; **GE** Greige; **GI** Yellow; **OS** Satin gold; **RA** Copper; **SA** Salmon; **RS** Red; **RR** Raspberry red; **ER** Earth red; **RU** Rust brown; **BR** Bronze; **VE** Green; **TU** Turquoise; **WB** Water blue; **PG** Pine green; **BL** Blue; **AN** Anthracite grey; **NE** Black

CCT: **27** 2700K; **30** 3000K

Article	Glass color	Price € VAT not included
APSPIX01XXXXXCS	Crystal	**350,00**
APSPIX01XXXXXGR	Grey	**480,00**
APSPIX01XXXXXBR	Metallic bronze	**550,00**

Led driver	Description	Price € VAT not included
CEDMWC00207	On/off IP42 - Max 8W - 24VDC	**32,00**
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**

SPILLRAY EVO


Ceiling lamp - *Lampada a soffitto*

IP20 7W 24VDC CRI 93
Parallel wiring - *Cablaggio in parallelo*


Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*

CCT
2700K _ 590 lm
3000K _ 650 lm

PLSPIX01X



PLSPIX01I



Hole - *Foro* Ø 4,5 cm
Min. depth - *Profondità min.* 10 cm

PLSPI X 01 X XX XX XX

Glass color *Colore vetro*: **CS** Crystal; **GR** Grey; **BR** Metallic bronze

Color *Colore*: **BC** White; **GE** Greige; **GI** Yellow; **OS** Satin gold; **RA** Copper; **SA** Salmon; **RS** Red; **RR** Raspberry red; **ER** Earth red; **RU** Rust brown; **BR** Bronze; **VE** Green; **TU** Turquoise; **WB** Water blue; **PG** Pine green; **BL** Blue; **AN** Anthracite grey; **NE** Black

CCT: **27** 2700K; **30** 3000K

Type *Tipologia*: **X** Surface canopy; **I** Recessed canopy

Article	Canopy type - glass color	Price € VAT not included
PLSPIX01XXXXXCS	Surface canopy - crystal	**310,00**
PLSPIX01XXXXXGR	Surface canopy - grey	**440,00**
PLSPIX01XXXXXBR	Surface canopy - metallic bronze	**510,00**
PLSPIX01IXXXXCS	Recessed canopy - crystal	**280,00**
PLSPIX01IXXXXGR	Recessed canopy - grey	**420,00**
PLSPIX01IXXXXBR	Recessed canopy - metallic bronze	**480,00**

Led driver	Description	Price € VAT not included
CEDMWC00207	On/off IP42 - Max 8W - 24VDC	**32,00**
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**

SPILLRAY EVO

Pendant - *Sospensione*

IP20 7W 24VDC CRI 93

Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 590 lm

3000K _ 650 lm


SPSPIP01X




SPSPIM01X




SPSPIG01X




SPSPIP01I



SPSPIM01I




SPSPIG01I



Hole - *Foro* Ø 4,5 cm

Min. depth - *Profondità min.* 10 cm

SPSPI X 01 X XX XX XX



Article	Size - canopy type - glass color	**Price €** VAT not included
SPSPIP01XXXXX**CS**	Ø 8 cm - surface canopy - crystal	**390,00**
SPSPIP01XXXXX**GR**	Ø 8 cm - surface canopy - grey	**510,00**
SPSPIP01XXXXX**BR**	Ø 8 cm - surface canopy - metallic bronze	**570,00**
SPSPIM01XXXXX**CS**	Ø 10 cm - surface canopy - crystal	**400,00**
SPSPIM01XXXXX**GR**	Ø 10 cm - surface canopy - grey	**530,00**
SPSPIM01XXXXX**BR**	Ø 10 cm - surface canopy - metallic bronze	**590,00**
SPSPIG01XXXXX**CS**	Ø 14 cm - surface canopy - crystal	**440,00**
SPSPIG01XXXXX**GR**	Ø 14 cm - surface canopy - grey	**590,00**
SPSPIG01XXXXX**BR**	Ø 14 cm - surface canopy - metallic bronze	**670,00**
SPSPIP01IXXXX**CS**	Ø 8 cm - recessed canopy - crystal	**360,00**
SPSPIP01IXXXX**GR**	Ø 8 cm - recessed canopy - grey	**470,00**
SPSPIP01IXXXX**BR**	Ø 8 cm - recessed canopy - metallic bronze	**540,00**
SPSPIM01IXXXX**CS**	Ø 10 cm - recessed canopy - crystal	**370,00**
SPSPIM01IXXXX**GR**	Ø 10 cm - recessed canopy - grey	**490,00**
SPSPIM01IXXXX**BR**	Ø 10 cm - recessed canopy - metallic bronze	**550,00**
SPSPIG01IXXXX**CS**	Ø 14 cm - recessed canopy - crystal	**400,00**
SPSPIG01IXXXX**GR**	Ø 14 cm - recessed canopy - grey	**550,00**
SPSPIG01IXXXX**BR**	Ø 14 cm - recessed canopy - metallic bronze	**630,00**

Led driver	Description	**Price €** VAT not included
CEDMWC00207	On/off IP42 - Max 8W - 24VDC	**32,00**
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**

SPILLRAY EVO

Pendant - *Sospensione*

IP20 7W 24VDC CRI 93 Per single pendant - *Per singolo pendente*
Parallel wiring - *Cablaggio in parallelo*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 590 lm


3000K _ 650 lm

Per single pendant - *Per singolo pendente*


SPSPIX03X




SPSPIX06X




SPSPIX12T



SPSPIX12E



SPSPI X XX X XX XX XX



Article	N° of lights - canopy shape - glass color	Price € VAT not included
SPSPIX03XXXXX**CS**	Cluster 3 lights - round canopy - crystal	**1.160,00**
SPSPIX03XXXXX**GR**	Cluster 3 lights - round canopy - grey	**1.570,00**
SPSPIX03XXXXX**BR**	Cluster 3 lights - round canopy - metallic bronze	**1.750,00**
SPSPIX06XXXXX**CS**	Cluster 6 lights - round canopy - crystal	**2.150,00**
SPSPIX06XXXXX**GR**	Cluster 6 lights - round canopy - grey	**2.980,00**
SPSPIX06XXXXX**BR**	Cluster 6 lights - round canopy - metallic bronze	**3.360,00**
SPSPIX12TXXXX**CS**	Cluster 12 lights - round canopy - crystal	**4.230,00**
SPSPIX12TXXXX**GR**	Cluster 12 lights - round canopy - grey	**5.890,00**
SPSPIX12TXXXX**BR**	Cluster 12 lights - round canopy - metallic bronze	**6.600,00**
SPSPIX12EXXXX**CS**	Cluster 12 lights - elliptical canopy - crystal	**4.150,00**
SPSPIX12EXXXX**GR**	Cluster 12 lights - elliptical canopy - grey	**5.890,00**
SPSPIX12EXXXX**BR**	Cluster 12 lights - elliptical canopy - metallic bronze	**6.540,00**

Led driver	Description	N° of lights	Price € VAT not included
CEDALV00008	On/off IP20 Max 30W - 24VDC	3 6 12	**60,00** (1 pc) **120,00** (2 pcs) **240,00** (4 pcs)
CEDALV00001	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	3 6 12	**98,00** (1 pc) **196,00** (2 pcs) **392,00** (4 pcs)

TESSY

Fabiano D'Este

Pongé color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Cotonette color

- White
- Warm white
- Light grey
- Light blue
- Blush
- Red
- Gold yellow
- Green
- Blue
- Black

Canopy color for pendant

- White
- Black



TESSY

Ceiling lamp - *Lampada a soffitto*

IP20 220-240VAC CRI 90

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT

PLTES060 Ø 60,2 cm 25W

2700K	3000K
2250 lm	2500 lm


PLTES080 Ø 80,2 cm 50W

2700K	3000K
4500 lm	5000 lm


PLTES060PO




PLTES060CO



PLTES080PO



PLTES080CO



Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

PLTES XXX XX XX XX X

- Size / *Dimensione*: **060** Ø 60,2 cm; **080** Ø 80,2 cm
- Fabric type / Tipologia tessuto: **PO** Pongé; **CO** Cotonette
- CCT: **27** 2700K; **30** 3000K
- Color / *Colore*: **BC** White; **BW** Warm white; **GR** Light grey; **AZ** Light blue; **RO** Blush; **RS** Red; **GI** Gold yellow; **VE** Green; **BL** Blue; **NE** Black

Article	Size - fabric type	Price € VAT not included
PLTES060PO	Ø 60,2 cm - pongé	790,00
PLTES060CO	Ø 60,2 cm - cotonette	690,00
PLTES080PO	Ø 80,2 cm - pongé	1.280,00
PLTES080CO	Ø 80,2 cm - cotonette	1.160,00

TESSY

Pendant - *Sospensione*


IP20 220-240VAC CRI 90

Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*

CCT


SPTES060	**2700K**	**3000K**	
Ø 60,2 cm	3340 lm	3700 lm	
37W			
SPTES080	**2700K**	**3000K**	
Ø 80,2 cm	5530 lm	6200 lm	
62W			




Direct and indirect light emission

Emissione diretta e indiretta


SPTES060PO




SPTES060CO




SPTES080PO



SPTES080CO



SPTES XXX XX XX XX X



Article	Size - fabric type	Price € VAT not included
SPTES060PO	Ø 60,2 cm - pongé	**1.170,00**
SPTES060CO	Ø 60,2 cm - cotonette	**1.060,00**
SPTES080PO	Ø 80,2 cm - pongé	**1.720,00**
SPTES080CO	Ø 80,2 cm - cotonette	**1.590,00**

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

U-LIGHT

Timo Ripatti

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black









U-LIGHT

Wall & ceiling lamp - *Lampada a parete e soffitto*

Surface canopy Dimmable 1-10V IP20 100-240VAC CRI 90
Recessed canopy IP20 24VDC CRI 90

Light Source - *Fonte Luminosa*

LED

CCT

PLULX090 Ø 90 cm Surface c. 63W Recessed c. 54W	**2700K** 4642 lm	**3000K** 5158 lm	
PLULX120 Ø 120 cm Surface c. 86W Recessed c. 74W	**2700K** 6962 lm	**3000K** 7736 lm	
PLULX160 Ø 160 cm Surface c. 125W Recessed c. 102W	**2700K** 8122 lm	**3000K** 9025 lm	
PLULX180 Ø 180 cm Surface c. 153W Recessed c. 123W	**2700K** 9283 lm	**3000K** 10315 lm	


Surface canopy - *Rosone plafone*

(led driver included - *led driver incluso)*

Recessed canopy - *Rosone incasso*

(led driver not included - *led driver non incluso)*

Parallel wiring - *Cablaggio in parallelo*




available heights
altezze disponibili



surface canopy
rosone a vista



recessed canopy
rosone incasso



PLUL X XXX XXX XX XX

Type *Tipologia*: **XX** Surface canopy, **IN** Recessed canopy

Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown, **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black

CCT: **27K** 2700K, **30K** 3000K

Size *Dimensione*: **090** Ø 90 cm, **120** Ø 120 cm, **160** Ø 160 cm, **180** Ø 180 cm

Height *Altezza*: **1** 10 cm, **2** 25 cm

Article	Size - canopy type	Price € VAT not included
PLULX090XXXXXXX	Ø 90 cm - surface canopy	**2.250,00**
PLULX120XXXXXXX	Ø 120 cm - surface canopy	**2.700,00**
PLULX160XXXXXXX	Ø 160 cm - surface canopy	**3.120,00**
PLULX180XXXXXXX	Ø 180 cm - surface canopy	**3.850,00**
PLULX090XXXXXIN	Ø 90 cm - recessed canopy	**1.990,00**
PLULX120XXXXXIN	Ø 120 cm - recessed canopy	**2.400,00**
PLULX160XXXXXIN	Ø 160 cm - recessed canopy	**2.750,00**
PLULX180XXXXXIN	Ø 180 cm - recessed canopy	**3.290,00**

Led driver	Description	Size	Price € VAT not included
CEDMWC00202	Dimmable IP67, 1-10V Max 80W - 24VDC	Ø 90 Ø 160	**135,00** (1 pc) **270,00** (2 pcs)
CEDMWC00203	Dimmable IP67, 1-10V Max 100W - 24VDC	Ø 120 Ø 180	**190,00** (1 pc) **380,00** (2 pcs)
CEDMWC00204	Dimmable IP67, DALI Max 75W - 24VDC	Ø 90 Ø 160	**135,00** (1 pc) **270,00** (2 pcs)
CEDMWC00205	Dimmable IP67, DALI Max 100W - 24VDC	Ø 120 Ø 180	**190,00** (1 pc) **380,00** (2 pcs)

U-LIGHT

Pendant - *Sospensione*

Dimmable 1-10V

IP20 100-240VAC CRI 90


Light Source - *Fonte Luminosa*

LED (led driver included - *led driver incluso)*


CCT

SPULI090 Ø 90 cm 63W	**2700K** 4642 lm	**3000K** 5158 lm
SPULI120 Ø 120 cm 86W	**2700K** 6962 lm	**3000K** 7736 lm
SPULI160 Ø 160 cm 125W	**2700K** 8122 lm	**3000K** 9025 lm


SPULI090



SPULI120



SPULI160



SPULI XXX XXX XX XX

- Color / Colore: **BC** White; **GE** Greige; **GI** Yellow; **SA** Salmon; **RS** Red; **RR** Raspberry red; **ER** Earth red; **RU** Rust brown; **VE** Green; **TU** Turquoise; **WB** Water blue; **PG** Pine green; **BL** Blue; **AN** Anthracite grey; **NE** Black
- CCT: **27K** 2700K; **30K** 3000K
- Size / *Dimensione*: **090** Ø 90 cm; **120** Ø 120 cm; **160** Ø 160 cm

Article	Size	**Price €** VAT not included
SPULI090	Ø 90 cm	**2.710,00**
SPULI120	Ø 120 cm	**3.290,00**
SPULI160	Ø 160 cm	**3.780,00**

U-LIGHT

Pendant - Sospensione

Surface canopy Dimmable 1-10V IP20 100-240VAC CRI 90
Recessed canopy IP20 24VDC CRI 90

Light Source - *Fonte Luminosa*

LED

CCT

SPULA090	**2700K**	**3000K**	**SPULA120**	**2700K**	**3000K**
Ø 90 cm			Ø 120 cm		
Surface c. 63W	4642 lm	5158 lm	Surface c. 86W	6962 lm	7736 lm
Recessed c. 54W			Recessed c. 74W		
SPULA160	**2700K**	**3000K**	**SPULA180**	**2700K**	**3000K**
Ø 160 cm			Ø 180 cm		
Surface c. 125W	8122 lm	9025 lm	Surface c. 153W	9283 lm	10315 lm
Recessed c. 102W			Recessed c. 123W		


Surface canopy - *Rosone plafone*

(led driver included - *led driver incluso)*

Recessed canopy - *Rosone incasso*

(led driver not included - *led driver non incluso)*

Parallel wiring - *Cablaggio in parallelo*



Ø 90 - 120 - 160 - 180 cm

surface canopy - *rosone a vista*



recessed canopy – *rosone incasso*



min depth
10 cm

SPULA XXX XXX XX XX

- Type *Tipologia*: **XX** Surface canopy, **IN** Recessed canopy
- Color *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27K** 2700K, **30K** 3000K
- Size *Dimensione*: **090** Ø 90 cm, **120** Ø 120 cm, **160** Ø 160 cm, **180** Ø 180 cm

Article	**Size - canopy type**	**Price €** VAT not included
SPULA090XXXXX**XX**	Ø 90 cm - surface canopy	**2.280,00**
SPULA120XXXXX**XX**	Ø 120 cm - surface canopy	**2.840,00**
SPULA160XXXXX**XX**	Ø 160 cm - surface canopy	**3.220,00**
SPULA180XXXXX**XX**	Ø 180 cm - surface canopy	**3.750,00**
SPULA090XXXXX**IN**	Ø 90 cm - recessed canopy	**1.990,00**
SPULA120XXXXX**IN**	Ø 120 cm - recessed canopy	**2.440,00**
SPULA160XXXXX**IN**	Ø 160 cm - recessed canopy	**2.840,00**
SPULA180XXXXX**IN**	Ø 180 cm - recessed canopy	**3.240,00**

Led driver	**Description**	**Size**	**Price €** VAT not included
CEDMWC00202	Dimmable IP67, 1-10V Max 80W - 24VDC	Ø 90 Ø 160	**135,00** (1 pc) **270,00** (2 pcs)
CEDMWC00203	Dimmable IP67, 1-10V Max 100W - 24VDC	Ø 120 Ø 180	**190,00** (1 pc) **380,00** (2 pcs)
CEDMWC00204	Dimmable IP67, DALI Max 75W - 24VDC	Ø 90 Ø 160	**135,00** (1 pc) **270,00** (2 pcs)
CEDMWC00205	Dimmable IP67, DALI Max 100W - 24VDC	Ø 120 Ø 180	**190,00** (1 pc) **380,00** (2 pcs)

UKIYO

Manuel Vivian

Color

White



UKIYO

Wall & ceiling lamp - *Lampada a parete e soffitto*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

	2700K	3000K
PLUKIYOP 55x55 cm 20W	1430 lm	1600 lm
PLUKI110 55x110 cm 40W	2880 lm	3200 lm
PLUKIYOG 110x110 cm 40W	2880 lm	3200 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 220-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

PLUKIYOP - 55x55 cm

3 x E27 Max 10W LED

PLUKI110 - 55x110 cm


3 x E27 Max 16W LED

PLUKIYOG - 110x110 cm


3 x E27 Max 16W LED

IP20 220-240VAC


PLUKIYOP




PLUKI110



PLUKIYOG



PLUKI XXX BC XX XXX



E27 Light source

Article	**Size**	**Price €** VAT not included
PLUKIYOP	55x55 cm	**395,00**
PLUKI110	55x110 cm	**570,00**
PLUKIYOG	110x110 cm	**730,00**

LED Light source

Article	**Size**	**Price €** VAT not included
PLUKIYOP	55x55 cm	**495,00**
PLUKI110	55x110 cm	**720,00**
PLUKIYOG	110x110 cm	**990,00**

URBAN - URBAN MINI

Dima Loginoff

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black










URBAN
Ceiling lamp - *Lampada a soffitto*

Dimmable IGBT-TRIAC
IP20 20W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1980 lm
3000K _ 2200 lm


PLURBANM



PLURBANG



PLURBAN X XX XX LCC



Article	Size	Price € VAT not included
PLURBANM	H. 13,8 cm	**310,00**
PLURBANG	H. 23,8 cm	**365,00**


URBAN MINI
Ceiling lamp - *Lampada a soffitto*

Dimmable IGBT-TRIAC
IP20 9W 220-240VAC CRI 90


Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 604 lm
3000K _ 671 lm


PLURBMIM



PLURBMIG



PLURBMI X XX XX LCC



Article	Size	Price € VAT not included
PLURBMIM	H. 16,5 cm	**260,00**
PLURBMIG	H. 31,5 cm	**290,00**

URBAN

Pendant - *Sospensione*

Surface canopy Dimmable IGBT-TRIAC IP20 20W 220-240VAC CRI 90
Recessed canopy IP20 17,5W V_f 34,7V 500mA CRI 90


Light Source - *Fonte Luminosa*
LED (led driver included - *led driver incluso)*

CCT
2700K _ 1980 lm
3000K _ 2200 lm


Surface canopy - *Rosone plafone*
(led driver included - *led driver incluso)*

Recessed canopy - *Rosone incasso*
(led driver not included - *led driver non incluso)*
Series wiring - *Cablaggio in serie*


SPURBANPX




SPURBANMX



SPURBANPI




SPURBANMI



Hole - *Foro Ø 5,5* cm
Min. depth - *Profondità min.* 10 cm

SPURBAN XX X XX LCL



Article	Size - canopy type	Price € VAT not included
SPURBANPX	H. 16 cm - surface canopy	**395,00**
SPURBANMX	H. 26 cm - surface canopy	**450,00**
SPURBANPI	H. 16 cm - recessed canopy	**345,00**
SPURBANMI	H. 26 cm - recessed canopy	**395,00**

Led driver	Description	Price € VAT not included
CEDLTC00148	On/off IP20 Max 20W - 500mA	**45,00**
CEDLTC00145	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 20W - 500mA	**86,00**
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W - 500mA	**80,00**

URBAN MINI

Pendant - *Sospensione*

Surface canopy Dimmable IGBT-TRIAC IP20 9W 220-240VAC CRI 90

Recessed canopy IP20 6,5W V_f 9,2V 700mA CRI 90

Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 604 lm

3000K _ 671 lm

Surface canopy - *Rosone plafone*


(led driver included - *led driver incluso)*

Recessed canopy - *Rosone incasso*


(led driver not included - *led driver non incluso)*

Series wiring - *Cablaggio in serie*


SPURBMIPX




SPURBMIMX




SPURBMIGX




SPURBMIPI



SPURBMIMI




SPURBMIGI



Hole - *Foro* Ø 5,5 cm

Min. depth - *Profondità min.* 10 cm

SPURBMI XX X XX LCC



Article	Size - canopy type	Price € VAT not included
SPURBMIPX	H. 4,7 cm - surface canopy	**325,00**
SPURBMIMX	H. 17,6 cm - surface canopy	**335,00**
SPURBMIGX	H. 32,6 cm - surface canopy	**390,00**
SPURBMIPI	H. 4,7 cm - recessed canopy	**250,00**
SPURBMIMI	H. 17,6 cm - recessed canopy	**260,00**
SPURBMIGI	H. 32,6 cm - recessed canopy	**290,00**

Led driver	Description	Price € VAT not included
CEDHEP00001	On/off IP20 Max 10W - 700mA	**30,00**
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W - 700mA	**86,00**
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W - 700mA	**80,00**

VELVET

Manuel Vivian

Color

- Ice white
- Ivory white
- Blue
- Brown
- Black

Diffuser color

- White
- Warm white

Canopy color for pendant

- White
- Black





VELVET

Ceiling lamp - *Lampada a soffitto*


IP20 220-240VAC

Light Source - *Fonte Luminosa*


E27 (bulbs not included - *lampadine non incluse)*

PLVEL070 - Ø 70 cm: 2 x E27 Max 17,5W LED
PLVEL100 - Ø 100 cm: 3 x E27 Max 17,5W LED
PLVEL160 - Ø 160 cm: 5 x E27 Max 17,5W LED


PLVEL070



PLVEL100



PLVEL160



PLVEL XXX E27 XX XX

Diffuser Color / *Colore diffusore*: **BC** White, **BW** Warm white

Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black

Size / *Dimensione*: **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm

Article	Size	Price € VAT not included
PLVEL070	Ø 70 cm	**1.440,00**
PLVEL100	Ø 100 cm	**2.720,00**
PLVEL160	Ø 160 cm	**6.480,00**

VELVET

Pendant - *Sospensione*

Light Source - *Fonte Luminosa*

LED

(led driver included - *led driver incluso)*

CCT

SPVEL100 Ø 100 cm 67W

2700K	3000K
10450 lm	10860 lm

SPVEL160 Ø 160 cm 67W

2700K	3000K
10450 lm	10860 lm

Dimmable versions available on request

Versioni dimmerabili disponibili su richiesta

IP20 110-240VAC CRI 90

E27

(bulbs not included - *lampadine non incluse)*

SPVEL050 - Ø 50 cm
1 x E27 Max 17,5W LED

SPVEL070 - Ø 70 cm
1 x E27 Max 17,5W LED

SPVEL100 - Ø 100 cm
4 x E27 Max 17,5W LED


SPVEL160 - Ø 160 cm
4 x E27 Max 17,5W LED +
1 x E27 Max 10W LED

IP20 220-240VAC


SPVEL XXX XXX XX X X

- Canopy color / *Colore rosone*: **B** White, **N** Black
- Diffuser color / *Colore diffusore*: **1** White, **2** Warm white
- Color / *Colore*: **BC** Ice white, **BA** Ivory white, **BL** Blue, **MA** Brown, **NE** Black
- Light source / *Fonte luminosa*: **E27** E27 All sizes, **27K** LED 2700K only for Ø 100 - 160 cm, **30K** LED 3000K only for Ø 100 - 160 cm
- Size / *Dimensione*: **050** Ø 50 cm, **070** Ø 70 cm, **100** Ø 100 cm, **160** Ø 160 cm


SPVEL050




SPVEL070



SPVEL100



SPVEL160



E27 Light source

Article	Size	Price € VAT not included
SPVEL050	Ø 50 cm	**1.120,00**
SPVEL070	Ø 70 cm	**1.850,00**
SPVEL100	Ø 100 cm	**3.690,00**
SPVEL160	Ø 160 cm	**7.990,00**

LED Light source

Article	Size	Price € VAT not included
SPVEL100	Ø 100 cm	**4.990,00**
SPVEL160	Ø 160 cm	**9.980,00**

VIRTUS

Manuel Vivian

Color

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black



VIRTUS

Pendant - *Sospensione*

Surface canopy Dimmable 0/1-10V, PUSH IP20 9W 220-240VAC CRI 90

Recessed canopy IP20 6,5W V_f 9,2V 700mA CRI 90

Light Source - *Fonte Luminosa*

LED

CCT

2700K _ 604 lm

3000K _ 671 lm

Surface canopy - *Rosone plafone*


(led driver included - *led driver incluso)*

Recessed canopy - *Rosone incasso*


(led driver not included - *led driver non incluso)*

Series wiring - *Cablaggio in serie*

E21011




E21014



Hole - *Foro Ø 5,5* cm

Min. depth - *Profondità min.* 10 cm

E2101 X XX X X



Article	Canopy type	Price € VAT not included
E21011	Surface canopy	**330,00**
E21014	Recessed canopy	**245,00**

Led driver	Description	Price € VAT not included
CEDHEP00001	On/off IP20 Max 10W - 700mA	**30,00**
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W - 700mA	**86,00**
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W - 700mA	**80,00**

Article	Description	Price € VAT not included
E000700900	White decentralization kit Ø 2,2 x 2 cm	**18,00**

24VDC Track

Color for track

- White
- Black

Color for projector and pendant

- White
- Satin gold
- Copper
- Bronze
- Black





24VDC Track Surface - Pendant

IP20




24VDC track for surface or suspended installation

Binario 24VDC per installazione superficiale o sospesa

The system includes a wide range of accessories that allow the coupling of several electrified tracks.

Il sistema comprende un'ampia serie di accessori che permettono l'accoppiamento di più binari elettrificati.





TRACK24TK X X XXXX

Size *Dimensione*: **1** 1 mt | **2** 2 mt | **3** 3 mt


Color *Colore*: **1** White | **5** Black

Load schemes - *Schemi di carico*






Accessories - *Accessori*




TRACK24TK011XXX
White - *Bianco*
TRACK24TK015XXX
Black - *Nero*

Live-end
Testata di alimentazione




TRACK24TK021XXX
White - *Bianco*
TRACK24TK025XXX
Black - *Nero*

Electrical straight joint
Giunto lineare con contatti




TRACK24TK091XXX
White - *Bianco*
TRACK24TK095XXX
Black - *Nero*

Mechanical straight joint
Giunto lineare meccanico



TRACK24TK031XXX
White - *Bianco*
TRACK24TK035XXX
Black - *Nero*

Electrical L joint
Giunto L elettrico




TRACK24TK041XXX
White - *Bianco*
TRACK24TK045XXX
Black - *Nero*

Mechanical L joint
Giunto L meccanico




TRACK24TK051XXX
White - *Bianco*
TRACK24TK055XXX
Black - *Nero*

Dead end
Tappo di chiusura




TRACK24TK061XXX
White - *Bianco*
TRACK24TK065XXX
Black - *Nero*

Track cover 300 cm
Copertura binario 300 cm



TRACK24TK-K01XX
Suspension kit with steel wire 200 cm and automatic locking device
Sospensione kit cavo acciaio 200 cm e bloccacavo automatico



TRACK24TK10XXXX
Reinforcing bracket for linear junction
Staffa di rinforzo per giunzione lineare

Article	Description	Price € VAT not included
TRACK24TKX1	24VDC track for surface or suspended installation 1 mt	**108,00**
TRACK24TKX2	24VDC track for surface or suspended installation 2 mt	**215,00**
TRACK24TKX3	24VDC track for surface or suspended installation 3 mt	**320,00**
TRACK24TK01	Live-end	**43,00**
TRACK24TK02	Electrical straight joint	**39,00**
TRACK24TK09	Mechanical straight joint	**28,00**
TRACK24TK03	Electrical L joint	**105,00**
TRACK24TK04	Mechanical L joint	**150,00**
TRACK24TK05	Dead end	**17,00**
TRACK24TK06	Track cover 300 cm	**88,00**
TRACK24TK-K01	Suspension kit	**83,00**
TRACK24TK10	Reinforcing bracket	**22,00**

Led driver	Description	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	**98,00**
CEDLTC00138 Hole Ø 8 cm	On/off IP20 Max 150W - 24VDC	**195,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**
CEDKGP00001 Hole Ø 7 cm	Dimmable IP20 PUSH, DALI 2 Max 100W - 24VDC	**125,00**

24VDC Track Trimless

IP20




24VDC track for trimless recessed installation

Binario 24VDC per installazione a incasso trimless

The system includes a wide range of accessories that allow the coupling of several electrified tracks.

Il sistema comprende un'ampia serie di accessori che permettono l'accoppiamento di più binari elettrificati.





TRACK24TT X X XXXX

Size *Dimensione*: **1** 1 mt | **2** 2 mt | **3** 3 mt


Color *Colore*: **1** White | **5** Black

Load schemes - *Schemi di carico*






Accessories - *Accessori*




TRACK24TT011XXX
White - *Bianco*
TRACK24TT015XXX
Black - *Nero*

Live-end
Testata di alimentazione




TRACK24TT021XXX
White - *Bianco*
TRACK24TT025XXX
Black - *Nero*

Electrical straight joint
Giunto lineare con contatti




TRACK24TT091XXX
White - *Bianco*
TRACK24TT095XXX
Black - *Nero*

Mechanical straight joint
Giunto lineare meccanico



TRACK24TT031XXX
White - *Bianco*
TRACK24TT035XXX
Black - *Nero*

Electrical L joint
Giunto L elettrico



TRACK24TT041XXX
White - *Bianco*
TRACK24TT045XXX
Black - *Nero*

Mechanical L joint
Giunto L meccanico




TRACK24TT051XXX
White - *Bianco*
TRACK24TT055XXX
Black - *Nero*

Dead end
Tappo di chiusura




TRACK24TT061XXX
White - *Bianco*
TRACK24TT065XXX
Black - *Nero*

Reinforcing bracket
for linear junction
Staffa di rinforzo
per giunzione lineare



TRACK24TT07XXXX
Bracket for
trimless installation
Staffa per
installazione trimless



TRACK24TT081XXX
White - *Bianco*
TRACK24TT085XXX
Black - *Nero*

Track cover 300 cm
Copertura binario 300 cm

Article	Description	Price € VAT not included
TRACK24TTX1	24VDC track for trimless recessed installation 1 mt	**120,00**
TRACK24TTX2	24VDC track for trimless recessed installation 2 mt	**225,00**
TRACK24TTX3	24VDC track for trimless recessed installation 3 mt	**330,00**
TRACK24TT01	Live-end	**43,00**
TRACK24TT02	Electrical straight joint	**39,00**
TRACK24TT09	Mechanical straight joint	**28,00**
TRACK24TT03	Electrical L joint	**105,00**
TRACK24TT04	Mechanical L joint	**120,00**
TRACK24TT05	Dead end	**11,00**
TRACK24TT06	Reinforcing bracket	**14,00**
TRACK24TT07	Bracket for trimless installation	**28,00**
TRACK24TT08	Track cover 300 cm	**88,00**

Led driver	Description	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	**98,00**
CEDLTC00138 Hole Ø 8 cm	On/off IP20 Max 150W - 24VDC	**195,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W - 24VDC	**98,00**
CEDKGP00001 Hole Ø 7 cm	Dimmable IP20 PUSH, DALI 2 Max 100W - 24VDC	**125,00**

MARK T

Roberto Mantovani


IP20

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

MARK T6	**MARK T10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 24VDC CRI 98	10W 24VDC CRI 93

MARK T6



MARK T10



SYMKT XXX XX X XX X X

- Watt: **006** Mark T6 6W; **010** Mark T10 10W
- CCT: **27** 2700K; **30** 3000K
- Beam *Fascio*: **N** 10°; **S** 25°; **M** 40°
- Color *Colore*: **BC** White; **OS** Satin gold; **RA** Copper; **BR** Bronze; **NE** Black
- Accessory *Accessorio*: **X** No; **L** Low luminance louver; **S** Milky screen

Article	Description	Price € VAT not included
SYMKT006XXXXX	Mark T6	**260,00**
SYMKT006XXXXL	Mark T6 - low luminance louver	**290,00**
SYMKT006XXXXS	Mark T6 - milky screen	**290,00**
SYMKT010XXXXX	Mark T10	**290,00**
SYMKT010XXXXL	Mark T10 - low luminance louver	**325,00**
SYMKT010XXXXS	Mark T10 - milky screen	**325,00**

Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento



Milky screen
Schermo opale



SLIM T

Roberto Mantovani


IP20

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

SLIM T6	**SLIM T10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm
6W 24VDC CRI 98	10W 24VDC CRI 93

SLIM T6



SLIM T10



SYSMT XXX XX X XX X X

- Watt: **006** Slim T6 6W; **010** Slim T10 10W
- CCT: **27** 2700K; **30** 3000K
- Beam *Fascio*: **S** 35°; **M** 45°
- Color *Colore*: **BC** White; **OS** Satin gold; **RA** Copper; **BR** Bronze; **NE** Black
- Accessory *Accessorio*: **X** No; **L** Low luminance louver; **S** Milky screen

Article	Description	Price € VAT not included
SYSMT006XXXXX	Slim T6	**250,00**
SYSMT006XXXXL	Slim T6 - low luminance louver	**258,00**
SYSMT006XXXXS	Slim T6 - milky screen	**258,00**
SYSMT010XXXXX	Slim T10	**280,00**
SYSMT010XXXXL	Slim T10 - low luminance louver	**290,00**
SYSMT010XXXXS	Slim T10 - milky screen	**290,00**

Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento



Milky screen
Schermo opale



JEWEL T

Studio Yonoh

IP20

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 604 lm

3000K _ 671 lm

6,5W 24VDC CRI 90



Note - *Nota*

Made-to-measure cable available on request

Cavo a misura disponibile su richiesta

SYJMOT XX X XX XXXX

Color / *Colore*: **BC** White · **OS** Satin gold · **RA** Copper · **BR** Bronze · **NE** Black

Beam / *Fascio*: **1** 12° · **3** 38°

CCT: **27** 2700K · **30** 3000K

Article	**Description**	**Price €** VAT not included
SYJMOT	Jewel T	**250,00**

VIRTUS T

Manuel Vivian

IP20

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

CCT

2700K _ 604 lm

3000K _ 671 lm

6,5W 24VDC CRI 90



Note - *Nota*

Made-to-measure cable available on request

Cavo a misura disponibile su richiesta

SYVIRT XX X XX XXXX

Color / *Colore*: **BC** White · **OS** Satin gold · **RA** Copper · **BR** Bronze · **NE** Black

CCT: **27** 2700K · **30** 3000K

Article	**Description**	**Price €** VAT not included
SYVIRT	Virtus T	**290,00**

ARCHITECTURAL

Roberto Mantovani

Color

- White
- Satin gold
- Copper
- Bronze
- Black









Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

POT 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie


POT 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


POT 724
CCT
2700K _ 590 lm
3000K _ 650 lm

7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

POT 6




POT 10 - POT 724




Accessories - *Accessori*

Recessing box
Controcassa

POT 6
ACCSFB01XXXXX




POT 10 - POT 724
ACCSFX01XXXXX



Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

FAPOT XXX XX X XX X X



Article	Description	Price € VAT not included
FAPOT006XXXXX**X**	Pot 6	**105,00**
FAPOT006XXXXX**L**	Pot 6 - low luminance louver	**113,00**
FAPOT006XXXXX**S**	Pot 6 - milky screen	**113,00**
FAPOT010XXXXX**X**	Pot 10	**120,00**
FAPOT010XXXXX**L**	Pot 10 - low luminance louver	**130,00**
FAPOT010XXXXX**S**	Pot 10 - milky screen	**130,00**
FAPOT724XXXXX**X**	Pot 724	**135,00**
FAPOT724XXXXX**L**	Pot 724 - low luminance louver	**145,00**
FAPOT724XXXXX**S**	Pot 724 - milky screen	**145,00**
ACCSFB01XXXXX	Recessing box for Pot 6	**18,00**
ACCSFX01XXXXX	Recessing box for Pot 10 - Pot 724	**18,00**

Led driver for POT 6 - POT 10

Article	Description	Min-max POT 6	Min-max POT 10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

Led driver for POT 724

Article	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**

NEST

Semi-recessed downlights - *Apparecchi da semincasso*

IP44

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

NEST 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie


NEST 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


NEST 724
CCT
2700K _ 590 lm
3000K _ 650 lm

7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

NEST 6




NEST 10 - NEST 724




Accessories - *Accessori*

Recessing box
Controcassa

NEST 6
ACCSFB01XXXXX




NEST 10 - NEST 724
ACCSFX01XXXXX



Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

FANES XXX XX X XX X X



Article	Description	Price € VAT not included
FANES006XXXXX	Nest 6	**105,00**
FANES006XXXXL	Nest 6 - low luminance louver	**113,00**
FANES006XXXXS	Nest 6 - milky screen	**113,00**
FANES010XXXXX	Nest 10	**120,00**
FANES010XXXXL	Nest 10 - low luminance louver	**130,00**
FANES010XXXXS	Nest 10 - milky screen	**130,00**
FANES724XXXXX	Nest 724	**135,00**
FANES724XXXXL	Nest 724 - low luminance louver	**145,00**
FFANES724XXXXS	Nest 724 - milky screen	**145,00**
ACCSFB01XXXXX	Recessing box for Nest 6	**18,00**
ACCSFX01XXXXX	Recessing box for Nest 10 - Nest 724	**18,00**

Led driver for NEST 6 - NEST 10

Article	Description	Min-max NEST 6	Min-max NEST 10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

Led driver for NEST 724

Article	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

LESS 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie


LESS 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


LESS 724
CCT
2700K _ 590 lm
3000K _ 650 lm

7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

LESS 6




LESS 10 - LESS 724



Accessories - *Accessori*


Plasterboard recessing frame
Flangia per cartongesso

LESS 6
ACZQH001XXXXX White
ACZQH001BXXXX Black



Hole - *Foro*
Ø 5,5 cm

LESS 10 - LESS 724
ACZQC003XXXXX White
ACZQC003BXXXX Black



Hole - *Foro*
Ø 7 cm


Low luminance louver
Filtro antiabbagliamento



Milky screen
Schermo opale



FALES XXX XX X XX X X



Article	Description	Price € VAT not included
FALES006XXXXXX	Less 6	**110,00**
FALES006XXXXXL	Less 6 - low luminance louver	**118,00**
FALES006XXXXXS	Less 6 - milky screen	**118,00**
FALES010XXXXXX	Less 10	**120,00**
FALES010XXXXXL	Less 10 - low luminance louver	**130,00**
FALES010XXXXXS	Less 10 - milky screen	**130,00**
FALES724XXXXXX	Less 724	**125,00**
FALES724XXXXXL	Less 724 - low luminance louver	**135,00**
FALES724XXXXXS	Less 724 - milky screen	**135,00**
ACZQH001	Plasterboard recessing frame for Less 6	**50,00**
ACZQC003	Plasterboard recessing frame for Less 10 - Less 724	**55,00**

Led driver for LESS 6 - LESS 10

Article	Description	Min-max LESS 6	Min-max LESS 10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

Led driver for LESS 724

Article	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**

AMY

Adjustable downlights - *Incassi orientabili*

IP44

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

AMY 6

CCT

2700K _ 540 lm

3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98

Series wiring

Cablaggio in serie

AMY 10

CCT

2700K _ 840 lm

3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93

Series wiring

Cablaggio in serie

AMY 724

CCT

2700K _ 590 lm


3000K _ 650 lm

7W 24VDC CRI 93

Parallel wiring


Cablaggio in parallelo

AMY 6



Hole - *Foro*
Ø 6 cm

AMY 10 - AMY 724




Hole - *Foro*
Ø 7 cm

Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

FAAMY XXX XX X XX X X



Article	Description	Price € VAT not included
FAAMY006XXXXX	Amy 6	**130,00**
FAAMY006XXXXL	Amy 6 - low luminance louver	**138,00**
FAAMY006XXXXS	Amy 6 - milky screen	**138,00**
FAAMY010XXXXX	Amy 10	**160,00**
FAAMY010XXXXL	Amy 10 - low luminance louver	**170,00**
FAAMY010XXXXS	Amy 10 - milky screen	**170,00**
FAAMY724XXXXX	Amy 724	**170,00**
FAAMY724XXXXL	Amy 724 - low luminance louver	**180,00**
FAAMY724XXXXS	Amy 724 - milky screen	**180,00**

Led driver for AMY 6 - AMY 10

Article	Description	Min-max AMY 6	Min-max AMY 10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

Led driver for AMY 724

Article	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**

DOT

Steplights - *Segnapasso*

IP20

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 128 lm

3000K _ 133 lm

2W 500mA (V_f 2,9V) CRI 85

Series wiring - *cablaggio in serie*




Accessories - *Accessori*


Recessing box

Controcassa


ACCS1006XXXXX



ACCS1001XXXXX



WADOT X XX X XX XXXX



Article	Description	Price € VAT not included
WADOT1XX1	Dot round - single emission	**90,00**
WADOT1XX2	Dot round - double emission	**95,00**
WADOT2XX1	Dot square - single emission	**95,00**
WADOT2XX2	Dot square - double emission	**100,00**
ACCS1006XXXXX	Recessing box 6x8 cm	**14,00**
ACCS1001XXXXX	Recessing box 3,3x5 cm	**10,00**

Led driver	Description	Min-max	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-7	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-12	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20, PUSH, DALI 2 Max 12W - 500mA	1-7	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20, PUSH, IGBT-TRIAC Max 24W - 500mA	1-14	**105,00**

STEP

Steplights - *Segnapasso*

IP40

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 89 lm

3000K _ 93 lm

1W 350mA (V_f 2,9V) CRI 85

Series wiring - *cablaggio in serie*




Accessories - *Accessori*


Recessing box

Controcassa

ACCS1005XXXXX



WASTEP X XX XX XXXX



Article	Description	Price € VAT not included
WASTEP1	Step round	**95,00**
WASTEP2	Step square	**105,00**
ACCS1005XXXXX	Recessing box	**14,00**

Led driver	Description	Min-max	Price € VAT not included
CEDLTC00134 Hole Ø 3 cm	On/off IP20 Max 15W - 350mA	1-11	**38,00**
CEDLTC00139 Hole Ø 7,2 cm	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 18,9W - 350mA	1-12	**105,00**
CEDACT00001 Hole Ø 3,6 cm	Dimmable IP20, PUSH, DALI 2 Max 12W - 350mA	1-11	**56,00**
CEDLTC00141 Hole Ø 5,6 cm	Dimmable IP20, PUSH, IGBT-TRIAC Max 17W - 350mA	1-14	**105,00**

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

SLIM S6 - R6	**SLIM S10 - R10**
CCT	**CCT**
2700K _ 540 lm	2700K _ 840 lm
3000K _ 600 lm	3000K _ 930 lm


6W 500mA (V_f 9V) CRI 98 — Series wiring — *Cablaggio in serie*

10W 500mA (V_f 18V) CRI 93 — Series wiring — *Cablaggio in serie*


SLIM S6




SLIM R6



SLIM S10



SLIM R10




Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

FASLI XXX XX X XX X X



Article	**Description**	**Price €** VAT not included
FASLI006XXXXX**SX**	Slim S6 - surface canopy	**250,00**
FASLI006XXXXX**SL**	Slim S6 - surface canopy low luminance louver	**258,00**
FASLI006XXXXX**SS**	Slim S6 - surface canopy milky screen	**258,00**
FASLI010XXXXX**SX**	Slim S10 - surface canopy	**280,00**
FASLI010XXXXX**SL**	Slim S10 - surface canopy low luminance louver	**290,00**
FASLI010XXXXX**SS**	Slim S10 - surface canopy milky screen	**290,00**
FASLI006XXXXX**RX**	Slim R6 - recessed canopy	**195,00**
FASLI006XXXXX**RL**	Slim R6 - recessed canopy low luminance louver	**203,00**
FASLI006XXXXX**RS**	Slim R6 - recessed canopy milky screen	**203,00**
FASLI010XXXXX**RX**	Slim R10 - recessed canopy	**225,00**
FASLI010XXXXX**RL**	Slim R10 - recessed canopy low luminance louver	**235,00**
FASLI010XXXXX**RS**	Slim R10 - recessed canopy milky screen	**235,00**

Led driver	**Description**	**Min-max SLIM S6 - R6**	**Min-max SLIM S10 - R10**	**Price €** VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

MARK

Projectors - *Proiettori*

IP20

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


MARK S6 - R6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie


MARK S10 - R10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


MARK S6




MARK R6



MARK S10



MARK R10




Accessories - *Accessori*

Low luminance louver
Filtro antiabbagliamento

Milky screen
Schermo opale

FAMAR XXX XX X XX X X



Article	Description	Price € VAT not included
FAMAR006XXXXX**SX**	Mark S6 - surface canopy	**260,00**
FAMAR006XXXXX**SL**	Mark S6 - surface canopy low luminance louver	**290,00**
FAMAR006XXXXX**SS**	Mark S6 - surface canopy milky screen	**290,00**
FAMAR010XXXXX**SX**	Mark S10 - surface canopy	**290,00**
FAMAR010XXXXX**SL**	Mark S10 - surface canopy low luminance louver	**325,00**
FAMAR010XXXXX**SS**	Mark S10 - surface canopy milky screen	**325,00**
FAMAR006XXXXX**RX**	Mark R6 - recessed canopy	**205,00**
FAMAR006XXXXX**RL**	Mark R6 - recessed canopy low luminance louver	**235,00**
FAMAR006XXXXX**RS**	Mark R6 - recessed canopy milky screen	**235,00**
FAMAR010XXXXX**RX**	Mark R10 - recessed canopy	**235,00**
FAMAR010XXXXX**RL**	Mark R10 - recessed canopy low luminance louver	**270,00**
FAMAR010XXXXX**RS**	Mark R10 - recessed canopy milky screen	**270,00**

Led driver	Description	Min-max MARK S6 - R6	Min-max MARK S10 - R10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**

OUTDOOR

Roberto Mantovani

Color for: Wally, Rufy, Spike, Bol

- White
- Greige
- Yellow
- Salmon
- Red
- Raspberry red
- Earth red
- Rust brown
- Green
- Turquoise
- Water blue
- Pine green
- Blue
- Anthracite grey
- Black

Color for: Mist, Hop, Pea

- White
- Greige
- Natural brass
- Rust brown
- Inox AISI 316L
- Anthracite grey
- Black









WALLY

IP65 wall lamps - *Lampade a parete IP65*


IP65

Light Source - *Fonte Luminosa*


LED (led driver not included - *led driver non incluso)*

WALLY S	**WALLY D**
CCT	**CCT**
2700K _ 590 lm	2700K _ 2 x 590 lm
3000K _ 650 lm	3000K _ 2 x 650 lm
7W 24VDC CRI 93	2 x 7W 24VDC CRI 93
Parallel wiring	Parallel wiring
Cablaggio in parallelo	*Cablaggio in parallelo*

WALLY S




WALLY D



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

PLWALY X XX X X XX X X




Article	**Description**	**Price €** VAT not included
PLWALYSXXXXXX**X**	Wally S - single emission	**290,00**
PLWALYSXXXXXX**L**	Wally S - single emission low luminance louver	**300,00**
PLWALYDXXXXXX**X**	Wally D - double emission	**400,00**
PLWALYDXXXXXX**L**	Wally D - double emission low luminance louver	**420,00**

Led driver	**Description**	**Min-max WALLY S**	**Min-max WALLY D**	**Price €** VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	1	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	1-5	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-5	1-2	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	1	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67 DALI2 Max 24W - 24VDC	1-3	1	**125,00**

Light Source - *Fonte Luminosa*
LED (led driver not included - *led driver non incluso)*


RUFY 10	**RUFY 724**
CCT	**CCT**
2700K _ 840 lm	2700K _ 590 lm
3000K _ 930 lm	3000K _ 650 lm
10W 500mA (V_f 18V) CRI 93	7W 24VDC CRI 93
Series wiring	Parallel wiring
Cablaggio in serie	*Cablaggio in parallelo*

RUFY 10 - RUFY 724



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

FARUF XXX XX X XX X X



Article	**Description**	**Price €** VAT not included
FARUF010XXXXX**X**	Rufy 10	**225,00**
	Rufy 10 - low luminance louver	**235,00**
FARUF724XXXXX**L**	Rufy 724	**260,00**
	Rufy 724 - low luminance louver	**270,00**

Led driver for RUFY 10

Article	**Description**	**Min-max**	**Price €** VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1	**38,00**
CEDALV00006 Hole Ø 4,4 cm	On/off IP67 Max 20W - 500mA	1-2	**98,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 500mA	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W - 500mA	1-2	**105,00**
CEDALV00003 Hole Ø 4,4 cm	Dimmable IP67 DALI 2 Max 10W - 500mA	1	**105,00**

Led driver for RUFY 724

Article	**Description**	**Min-max**	**Price €** VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-5	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67 DALI2 Max 24W - 24VDC	1-3	**125,00**

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

MIST 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie


MIST 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


MIST 724
CCT
2700K _ 590 lm
3000K _ 650 lm

7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

MIST 6




MIST 10 - MIST 724




Accessories - *Accessori*

Recessing box
Controcassa

MIST 6
ACCSDS10XXXXX



MIST 10 - MIST 724
ACCSXJ01XXXXX



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

FAMIT XXX XX X XX X X

- Low luminance louver: **X** No / **L** Yes
- Color *Colore*: **BC** White, **GE** Greige, **OT** Natural brass, **RU** Rust brown, **IX** Inox AISI 316L, **AN** Anthracite grey, **NE** Black
- Beam *Fascio*: **N** 15°, **S** 24°, **M** 36°, **W** 60°, **Y** 120°
- CCT: **27** 2700K, **30** 3000K
- Watt: **006** Mist 6 6W, **010** Mist 10 10W, **724** Mist 724 7W

Article	Description	**Price €** VAT not included All painted colors	**Price €** VAT not included Inox and natural brass
FAMIT006XXXXX**X**	Mist 6	**175,00**	**195,00**
FAMIT006XXXXX**L**	Mist 6 - low luminance louver	**185,00**	**205,00**
FAMIT010XXXXX**X**	Mist 10	**190,00**	**210,00**
FAMIT010XXXXX**L**	Mist 10 - low luminance louver	**200,00**	**220,00**
FAMIT724XXXXX**X**	Mist 724	**205,00**	**225,00**
FAMIT724XXXXX**L**	Mist 724 - low luminance louver	**215,00**	**235,00**

Article	Description	**Price €** VAT not included
ACCSDS10XXXXX	Recessing box for Mist 6	**22,00**
ACCSXJ01XXXXX	Recessing box for Mist 10 - Mist 724	**22,00**

Led driver for MIST 6 - MIST 10

Article	Description	**Min-max MIST 6**	**Min-max MIST 10**	**Price €** VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDALV00006 Hole Ø 4,4 cm	On/off IP67 Max 20W - 500mA	1-3	1-2	**98,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20, PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20, PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**
CEDALV00003 Hole Ø 4,4 cm	Dimmable IP67, DALI 2 Max 10W - 500mA	1-2	1	**105,00**

Led driver for MIST 724

Article	Description	**Min-max**	**Price €** VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-5	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20, PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67, DALI2 Max 24W - 24VDC	1-3	**125,00**

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

HOP 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie

HOP 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie

HOP 724
CCT
2700K _ 590 lm
3000K _ 650 lm


7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

ITHOP XXX XX X XX X X

- Watt: **006** Hop 6 6W; **010** Hop 10 10W; **724** Hop 724 7W
- CCT: **27** 2700K; **30** 3000K
- Beam *Fascio*: **N** 15°; **S** 24°; **M** 36°; **W** 60°; **Y** 120°
- Color *Colore*: **BC** White; **GE** Greige; **OT** Natural brass; **RU** Rust brown; **IX** Inox AISI 316L; **AN** Anthracite grey; **NE** Black
- Low luminance louver: **X** No; **L** Yes


Article	Description	**Price €** VAT not included All painted colors	**Price €** VAT not included Inox and natural brass
ITHOP006XXXXX**X**	Hop 6	**170,00**	**190,00**
ITHOP006XXXXX**L**	Hop 6 - low luminance louver	**180,00**	**200,00**
ITHOP010XXXXX**X**	Hop 10	**185,00**	**205,00**
ITHOP010XXXXX**L**	Hop 10 - low luminance louver	**195,00**	**215,00**
ITHOP724XXXXX**X**	Hop 724	**200,00**	**220,00**
ITHOP724XXXXX**L**	Hop 724 - low luminance louver	**210,00**	**230,00**

HOP 6



Installation with recessing box
Installazione con controcassa

HOP 10 - HOP 724



Installation with recessing box
Installazione con controcassa

Article	Description	**Price €** VAT not included
ACCSDS10XXXXX	Recessing box for Hop 6	**22,00**
ACCSXJ01XXXXX	Recessing box for Hop 10 - Hop 724	**22,00**

Led driver for HOP 6 - HOP 10

Article	Description	**Min-max HOP 6**	**Min-max HOP 10**	**Price €** VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDALV00006 Hole Ø 4,4 cm	On/off IP67 Max 20W - 500mA	1-3	1-2	**98,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20, PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20, PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**
CEDALV00003 Hole Ø 4,4 cm	Dimmable IP67, DALI 2 Max 10W - 500mA	1-2	1	**105,00**


Led driver for HOP 724

Article	Description	**Min-max**	**Price €** VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-5	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20, PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67, DALI2 Max 24W - 24VDC	1-3	**125,00**


Accessories - *Accessori*

Recessing box
Controcassa

HOP 6
ACCSDS10XXXXX



HOP 10 - HOP 724
ACCSXJ01XXXXX



Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

PEA

IP67 steplights - *Segnapassi IP67*

IP67

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*


CCT

2700K _ 101 lm

3000K _ 109 lm

1W 350mA (V_f 2,9V) CRI 85

Series wiring - *cablaggio in serie*




Hole - *Foro* Ø 3 cm


Accessories - *Accessori*

Recessing box
Controcassa

ACCSLN01XXXXX



WAPEA XX XX XXXXXX



Article	Description	Price € VAT not included
WAPEA	Pea - all painted colors	**100,00**
WAPEA	Pea - inox & natural brass	**115,00**
ACCSLN01XXXXX	Recessing box	**14,00**

Led driver	Description	Min-max	Price € VAT not included
CEDLTC00134 Hole Ø 3 cm	On/off IP20 Max 15W - 350mA	1-11	**38,00**
CEDALV00005 Hole Ø 4,4 cm	On/off IP67 Max 14,7W - 350mA	1-12	**98,00**
CEDLTC00139 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W - 350mA	1-12	**105,00**
CEDACT00001 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W - 350mA	1-11	**56,00**
CEDLTC00141 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 17W - 350mA	1-14	**105,00**
CEDALV00002 Hole Ø 4,4 cm	Dimmable IP67 DALI2 Max 9,8W - 350mA	2-8	**105,00**

SPIKE

IP65 spike projectors - *Proiettori su picchetto IP65*

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

SPIKE 6
CCT
2700K _ 540 lm
3000K _ 600 lm

6W 500mA (V_f 9V) CRI 98
Series wiring
Cablaggio in serie

SPIKE 10
CCT
2700K _ 840 lm
3000K _ 930 lm

10W 500mA (V_f 18V) CRI 93
Series wiring
Cablaggio in serie


SPIKE 724
CCT
2700K _ 590 lm
3000K _ 650 lm

7W 24VDC CRI 93
Parallel wiring
Cablaggio in parallelo

BOSPE XXX XX X XX X X

- Low luminance louver: **X** No / **L** Yes
- Size Dimensione: **1** H. 40 cm / **2** H. 60 cm / **3** H. 90 cm / **4** H. 120 cm
- Color Colore: **BC** White / **GE** Greige / **GI** Yellow / **SA** Salmon / **RS** Red / **RR** Raspberry red / **ER** Earth red / **RU** Rust brown / **VE** Green / **TU** Turquoise / **WB** Water blue / **PG** Pine green / **BL** Blue / **AN** Anthracite grey / **NE** Black
- Beam *Fascio*: **N** 15° / **S** 24° / **M** 36° / **W** 60° / **Y** 120°
- CCT: **27** 2700K / **30** 3000K
- Watt: **006** Spike 6 6W / **010** Spike 10 10W / **724** Spike 724 7W


SPIKE 6



Article	Description	Price € VAT not included
BOSPE006XXXXX**1X**	Spike 6 - H. 40 cm	**310,00**
BOSPE006XXXXX**2X**	Spike 6 - H. 60 cm	**330,00**
BOSPE006XXXXX**3X**	Spike 6 - H. 90 cm	**350,00**
BOSPE006XXXXX**4X**	Spike 6 - H. 120 cm	**380,00**
BOSPE010XXXXX**1X**	Spike 10 - H. 40 cm	**335,00**
BOSPE010XXXXX**2X**	Spike 10 - H. 60 cm	**355,00**
BOSPE010XXXXX**3X**	Spike 10 - H. 90 cm	**375,00**
BOSPE010XXXXX**4X**	Spike 10 - H. 120 cm	**395,00**
BOSPE724XXXXX**1X**	Spike 724 - H. 40 cm	**360,00**
BOSPE724XXXXX**2X**	Spike 724 - H. 60 cm	**380,00**
BOSPE724XXXXX**3X**	Spike 724 - H. 90 cm	**400,00**
BOSPE724XXXXX**4X**	Spike 724 - H. 120 cm	**420,00**

Article	Description Spike with low luminance louver	Price € VAT not included
BOSPE006XXXXX**1L**	Spike 6 - H. 40 cm	**320,00**
BOSPE006XXXXX**2L**	Spike 6 - H. 60 cm	**340,00**
BOSPE006XXXXX**3L**	Spike 6 - H. 90 cm	**360,00**
BOSPE006XXXXX**4L**	Spike 6 - H. 120 cm	**390,00**
BOSPE010XXXXX**1L**	Spike 10 - H. 40 cm	**345,00**
BOSPE010XXXXX**2L**	Spike 10 - H. 60 cm	**365,00**
BOSPE010XXXXX**3L**	Spike 10 - H. 90 cm	**385,00**
BOSPE010XXXXX**4L**	Spike 10 - H. 120 cm	**405,00**
BOSPE724XXXXX**1L**	Spike 724 - H. 40 cm	**370,00**
BOSPE724XXXXX**2L**	Spike 724 - H. 60 cm	**390,00**
BOSPE724XXXXX**3L**	Spike 724 - H. 90 cm	**410,00**
BOSPE724XXXXX**4L**	Spike 724 - H. 120 cm	**430,00**

SPIKE 10 - SPIKE 724



Led driver for SPIKE 6 - SPIKE 10

Article	Description	Min-max SPIKE 6	Min-max SPIKE 10	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W - 500mA	1-2	1	**38,00**
CEDALV00006 Hole Ø 4,4 cm	On/off IP67 Max 20W - 500mA	1-3	1-2	**98,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20, PUSH, DALI 2, 0/1-10V Max 27W - 500mA	1-4	1-2	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20, PUSH, DALI 2 Max 12W - 500mA	1-2	1	**56,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20, PUSH, IGBT-TRIAC Max 24W - 500mA	1-4	1-2	**105,00**
CEDALV00003 Hole Ø 4,4 cm	Dimmable IP67, DALI 2 Max 10W - 500mA	1-2	1	**105,00**

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

Led driver for SPIKE 724

Article	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-10	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-5	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-3	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67 DALI2 Max 24W - 24VDC	1-3	**125,00**

BOL

IP65 bollards - *Paletti IP65*

IP65

Light Source - *Fonte Luminosa*

LED (led driver not included - *led driver non incluso)*

CCT


2700K _ 540 lm

3000K _ 560 lm

8,2W 24VDC CRI 85


Parallel wiring

Cablaggio in parallelo




Accessories - *Accessori*

Anchor bolt for concrete plinth
Zanca per plinto cementizio
ACZCP001XXXXX



Earth spike
Picchetto
ACZCP002XXXXX



Only compatible with 40 and 60 cm versions.
Compatibile solo con le versioni da 40 e 60 cm.

Note - *Nota*
Made-to-measure cable available on request
Cavo a misura disponibile su richiesta

BOBOL XXX XX XX XXX

- Color / *Colore*: **BC** White, **GE** Greige, **GI** Yellow, **SA** Salmon, **RS** Red, **RR** Raspberry red, **ER** Earth red, **RU** Rust brown; **VE** Green, **TU** Turquoise, **WB** Water blue, **PG** Pine green, **BL** Blue, **AN** Anthracite grey, **NE** Black
- CCT: **27** 2700K, **30** 3000K
- Size: **040** H. 40 cm, **060** H. 60 cm, **120** H. 120 cm, **160** H. 160 cm

Article	Description	Price € VAT not included
BOBOL040	Bol - H. 40 cm	**450,00**
BOBOL060	Bol - H. 60 cm	**470,00**
BOBOL120	Bol - H. 120 cm	**490,00**
BOBOL160	Bol - H. 160 cm	**520,00**
ACZCP001XXXXX	Anchor bolt for concrete plinth	**70,00**
ACZCP002XXXXX	Earth spike	**50,00**

Led driver	Description	Min-max	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W - 24VDC	1-2	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W - 24VDC	1-8	**98,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W - 24VDC	1-4	**77,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI2, 0/1-10V Max 24W - 24VDC	1-2	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67 DALI2 Max 24W - 24VDC	1-2	**125,00**

POWER SUPPLIES - *ALIMENTATORI*

Constant current power supplies non dimmable - *Alimentatori in corrente costante non dimmerabili*

250mA	Description	Size	Price € VAT not included
CEDLTC00123	On/off IP20 Max 10W	11,5x3,4xH.1,9 cm	**38,00**

350mA	Description	Size	Price € VAT not included
CEDLTC00100	On/off IP20 Max 8W	6,8x4,2xH.2,2 cm	**38,00**
CEDLTC00134 Hole Ø 3 cm	On/off IP20 Max 15W	14,2x2,2xH.1,9 cm	**38,00**
CEDLTC00143	On/off IP20 Max 19W	11,1x5,2xH.2,2 cm	**70,00**
CEDALV00005 Hole Ø 4,4 cm	On/off IP67 Max 14,7W	12,2x3,8xH.2,5 cm	**98,00**
CEDACT00003	On/off IP20 Max 5W	3,8x2,7xH.2,1 cm	**38,00**

500mA	Description	Size	Price € VAT not included
CEDLTC00135 Hole Ø 3 cm	On/off IP20 Max 14W	14,2x2,2xH.1,9 cm	**38,00**
CEDLTC00148	On/off IP20 Max 20W	11,1x5,2xH.2,2 cm	**45,00**
CEDALV00006 Hole Ø 4,4 cm	On/off IP67 Max 20W	11,2x3,8xH.2,5 cm	**98,00**

700mA	Description	Size	Price € VAT not included
CEDLTC00149	On/off IP20 Max 20W	11,1x5,2xH.2,2 cm	**45,00**
CEDHEP00001	On/off IP20 Max 10W	3,75x2,7xH.2 cm	**30,00**

Dimmable constant current power supplies - *Alimentatori in corrente costante dimmerabili*

250mA	Description	Size	Price € VAT not included
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 12W	11x5,2xH.2,2 cm	**80,00**
CEDLTC00125	Dimmable IP20 DALI, 1-10V, PUSH Max 28W	12,4x7,9xH.2,2 cm	**135,00**
CEDLTC00126	Dimmable IP20 DALI 2 Max 12W	11x5,2xH.2,2 cm	**92,00**
CEDSCC00400	Dimmable IP20 ELV, IGBT-TRIAC, 0-10V/1-10V Max 10W	13,5x3xH.2 cm	**70,00**

350mA	Description	Size	Price € VAT not included
CEDLTC00103	Dimmable IP20 1-10V Max 25W	12,4x7,9xH.2,2 cm	**135,00**
CEDLTC00104	Dimmable IP20 DALI 2, 1-10V, PUSH Max 25W	12,4x7,9xH.2,2 cm	**140,00**
CEDLTC00139 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W	10,3x6,7xH.2,1 cm	**105,00**
CEDLTC00141 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 17W	16,6x4,6xH.3,4 cm	**105,00**
CEDLTC00144	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 18,9W	11,1x5,2xH.2,2 cm	**86,00**
CEDALV00002 Hole Ø 4,4 cm	Dimmable IP67 DALI2 Max 9,8W	12x3,8xH.2,45 cm	**105,00**
CEDACT00001 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W	13,2x3xH.2 cm	**56,00**
CEDSCC00400	Dimmable IP20 ELV, IGBT-TRIAC, 0-10V/1-10V Max 10W	13,5x3xH.2 cm	**70,00**

500mA	Description	Size	Price € VAT not included
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W	11x5,2xH.2,2 cm	**80,00**
CEDLTC00140 Hole Ø 7,2 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 27W	10,3x6,7xH.2,1 cm	**105,00**
CEDLTC00142 Hole Ø 5,6 cm	Dimmable IP20 PUSH, IGBT-TRIAC Max 24W	16,6x4,6xH.3,4 cm	**105,00**
CEDLTC00145	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 20W	11,1x5,2xH.2,2 cm	**86,00**
CEDALV00003 Hole Ø 4,4 cm	Dimmable IP67 DALI 2 Max 10W	12x3,8xH.2,45 cm	**105,00**
CEDACT00002 Hole Ø 3,6 cm	Dimmable IP20 PUSH, DALI 2 Max 12W	13,2x3xH.2 cm	**56,00**

700mA	Description	Size	Price € VAT not included
CEDLTC00124	Dimmable IP20 IGBT-TRIAC Max 20W	11x5,2xH.2,2 cm	**80,00**
CEDLTC00128	Dimmable IP20 0/1-10V, PUSH Max 37W	12,4x7,9xH.2,2 cm	**145,00**
CEDLTC00146	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 25W	11,1x5,2xH.2,2 cm	**86,00**
CEDLTC00147	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 37,8W	10,3x6,7xH.2,1 cm	**105,00**

POWER SUPPLIES - *ALIMENTATORI*

Constant voltage power supplies non dimmable - *Alimentatori in tensione costante non dimmerabili*

24VDC	Description	Size	Price € VAT not included
CEDLTC00136 Hole Ø 6 cm	On/off IP20 Max 20W	14,6x5,5xH.1,9 cm	**60,00**
CEDLTC00137 Hole Ø 7 cm	On/off IP20 Max 70W	22,5x6xH.3,6 cm	**98,00**
CEDLTC00138 Hole Ø 8 cm	On/off IP20 Max 150W	24x6xH.4,9 cm	**195,00**
CEDALV00007 Hole Ø 4,4 cm	On/off IP67 Max 36W	12x3,8xH.2,45 cm	**77,00**
CEDALV00008	On/off IP20 Max 30W	11,2x3,8xH.2,3 cm	**60,00**
CEDMWC00207	On/off IP42 Max 8W	6x3xH.2,35 cm	**32,00**

Dimmable constant voltage power supplies - *Alimentatori in tensione costante dimmerabili*

24VDC	Description	Size	Price € VAT not included
CEDLTC00129	Dimmable IP52 0/1-10V Max 60W	14,8x4,5xH.2,5 cm	**98,00**
CEDALV00001 Hole Ø 4,5 cm	Dimmable IP20 PUSH, DALI 2, 0/1-10V Max 24W	15x3,8xH.2,45 cm	**98,00**
CEDALV00004 Hole Ø 4,8 cm	Dimmable IP67 DALI2 Max 24W	18,5x3,5xH.3,3 cm	**125,00**
CEDMWC00202	Dimmable IP67 1-10V Max 80W	19,5x6,1xH.3,9 cm	**135,00**
CEDMWC00203	Dimmable IP67 1-10V Max 100W	22x6,8xH.3,9 cm	**190,00**
CEDMWC00204	Dimmable IP67 DALI Max 75W	18x6,3xH.3,5 cm	**135,00**
CEDMWC00205	Dimmable IP67 DALI Max 100W	19,9x6,3xH.3,5 cm	**190,00**
CEDKGP00001 Hole Ø 7 cm	Dimmable IP20 PUSH, DALI 2 Max 100W	19x6,5xH.2,2 cm	**125,00**

AXO LIGHT S.r.l.
Socio Unipersonale
via Treviso 56
30037 Scorzè (VE) - ITALY
ph. +39.041.58.45.193

www.axolight.it

PART OF
ÐEXELANCE

ISO 14064-1
BUREAU VERITAS
Certification

Axolight
via Treviso 56
30037 Scorzè (VE) - ITALY
ph. +39.041.58.45.193
www.axolight.it