



Public price list 2024

VAT not included

April 10th, 2024

Axolight

alysoid	5	paralela 	78
aura (avir)	7	pivot 	104
bell 	12	poses 	110
bul-bo family	19	salina INDOOR ↔ OUTDOOR	115
clavius	21	skin	118
cloudy	24	skirt 	121
cut	25	spillray	136
dodot	27	spillray plus INDOOR ↔ OUTDOOR	145
ego	30	sunday	154
fairy	31	u-light 	155
fedora	35	ukiyo 	166
float INDOOR ↔ OUTDOOR	38	urban (1 edition)	167
hoops	41	urban (New LCC edition)	170
jewel	44	urban mini (New LCC edition)	174
jewel mono	46	velvet 	178
kwic	47	virtus	183
layers 	49	muse / muse plus (limited stock colours)	185
liaison 	53	drivers ego - 250mA	190
lik	63	drivers 350mA	191
lik plus INDOOR ↔ OUTDOOR	64	drivers 700mA	192
manifesto	65	drivers spillray / u-light	194
manto	66	drivers spillray plus	195
mountain view	68	drivers lik plus / salina	196
muse / muse plus	69	drivers paralela	197
nelly / nelly plus	72-74	drivers poses	199
nelly straight / nelly straight plus	72-74	legend / EEL compatibility	201
orchid	75	sales conditions	202

Visionare www.axolight.it per dati tecnici dei prodotti sempre aggiornati.

Please see www.axolight.it for updated product data.

L'Ufficio Tecnico Axo Light rimane a Vostra completa disposizione per analizzare e sviluppare i Vostri progetti, lo studio illuminotecnico delle ambientazioni oltre che per customizzare le nostre collezioni.

The Axo Light Technical Department is at your complete disposal to analyse and develop your projects, the lighting study as well as for any other information you might require.

Alysoid

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.

COLOURS



anthracite grey wrinkled / chains: black polished nickel




anthracite grey wrinkled / chains: natural brass



anthracite grey canopy

SP ALYS 34

kg 2,5 m³ 0,04



ALYSOID


Type	Article	Colours	Catene / chains	Source	EURO
SP	ALYS 34	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request	855,00
			OT natural brass		747,00

CE IP20 CRI90 220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code SP ALYS34 AN OT LED

SP ALYS 43

kg 3,2 m³ 0,06



ALYSOID

Type	Article	Colours	Catene / chains	Source	EURO
SP	ALYS 43	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request	958,00
			OT natural brass		790,00

CE IP20 CRI90 220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code SP ALYS43 AN NI LED

Alysoid


Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio e/o ottone. Disponibile in diverse finiture e dimensioni.
La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and/or brass suspended lamps. Available in different finishes and sizes.

SP ALY 51 P

kg 3,7 m³ 0,11



ALYSOID


Type	Article	Colours	Catene / chains	Source	EURO
SP	ALY 51 P	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request	1.033,00
			OT natural brass		840,00

IP20 CRI90 220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code SP ALY51P AN OT LED

SP ALY 51 G

kg 4,5 m³ 0,11



ALYSOID

Type	Article	Colours	Catene / chains	Source	EURO
SP	ALY 51 G	AN anthracite grey wrinkled	NI black polished nickel	LED 15W - diffused beam 3000K*, 2700K upon request	1.388,00
			OT natural brass		945,00

IP20 CRI90 220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code SP ALY51G AN NI LED

Aura (Avir)

Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.




COLOURS



"rigadin" crystal



white



red^{LS}



tea^{LS}

CEILING VERSION



chrome

SUSPENSION VERSION




chrome

LS: stock limitato / limited stock.

AP AURA

kg 16,5 m³ 0,26



AURA

Type	Article	Colours	Finish	Source	EURO
AP	AURA XX	CS "rigadin" crystal	CR chrome	E27 2 x Max 17,5W LED or 2 x Max 100W halogen	2.622,00
		BC white			2.622,00
		RS red ^{LS}			2.622,00
		TA tea ^{LS}			2.622,00

CE IP20 +LED 220-240V_{ac}

example composition code AP AURA XX RS CR E27

LS: stock limitato / limited stock.

Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

PL AUR P 30

kg 22 m³ 0,33



AURA

Type	Article	Colours	Finish	Source	EURO
PL	AUR P 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 175W LED or 4 x Max 100W halogen	3.251,00
		BC white			3.251,00
		RS red ^{LS}			3.251,00
		TA teal ^{LS}			3.251,00


CE IP20 +LED 220-240V_{ac}

example composition code PL AURP30 CS CR E27

LS: stock limitato / limited stock.

PL AURA PX

kg 26,5 m³ 0,45



AURA

Type	Article	Colours	Finish	Source	EURO
PL	AURA PX	CS "rigadin" crystal	CR chrome	E27 4 x Max 175W LED or 4 x Max 100W halogen	4.097,00
		BC white			4.097,00
		RS red ^{LS}			4.097,00
		TA teal ^{LS}			4.097,00

CE IP20 +LED 220-240V_{ac}

example composition code PL AURA PX RS CR E27

LS: stock limitato / limited stock.

Aura (Avir)

Manuel Vivian


Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

PL AUR G 30

kg 24,5 m³ 0,44

Limited stock



AURA

Type	Article	Colours	Finish	Source	EURO
PL	AUR G 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 175W LED or 4 x Max 100W halogen	4.955,00
		BC white			4.955,00
		RS red ^{LS}			4.955,00
		TA tea ^{LS}			4.955,00

CE IP20 +LED 220-240V_{ac}


example composition code PL AURG30 RS CR E27

LS: stock limitato / limited stock.

PL AURA GR

kg 44 m³ 0,62

Limited stock



AURA

Type	Article	Colours	Finish	Source	EURO
PL	AURA GR	CS "rigadin" crystal	CR chrome	E27 4 x Max 175W LED or 4 x Max 100W halogen	6.628,00
		BC white			6.628,00
		RS red ^{LS}			6.628,00
		TA tea ^{LS}			6.628,00

CE IP20 +LED 220-240V_{ac}

example composition code PL AURAGR BC CR E27

LS: stock limitato / limited stock.

Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

SP AURA 45

kg 19 m³ 0,33



AURA

Type	Article	Colours	Finish	Source	EURO
SP	AURA 45	CS "rigadin" crystal	CR chrome	E27 1 x Max 17,5W LED or 1 x Max 150W halogen	3.624,00
		BC white			3.624,00
		RS red ^{LS}			3.624,00
		TA tea ^{LS}			3.624,00


CE IP20 +LED 220-240V_{ac}

example composition code SP AURA45 BC CR E27

LS: stock limitato / limited stock.

SP AU 45/2

kg 30 m³ 0,57



AURA

Type	Article	Colours	Finish	Source	EURO
SP	AU 45/2	CS "rigadin" crystal	CR chrome	E27 2 x Max 17,5W LED or 2 x Max 150W halogen	5.651,00
		BC white			5.651,00
		RS red ^{LS}			5.651,00
		TA tea ^{LS}			5.651,00

CE IP20 +LED 220-240V_{ac}

example composition code SP AU 45/2 BC CR E27

LS: stock limitato / limited stock.

Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

SP AURA 60

kg 28 m³ 0,48



AURA

Type	Article	Colours	Finish	Source	EURO
SP	AURA 60	CS "rigadin" crystal	CR chrome	E27 1 x Max 17,5W LED or 1 x Max 250W halogen	5.179,00
		BC white			5.179,00
		RS red ^{LS}			5.179,00
		TA tea ^{LS}			5.179,00


CE IP20 +LED 220-240V_{ac}

example composition code PL AURA60 RS CR E27

LS: stock limitato / limited stock.

SP AU 60/2

kg 45 m³ 0,84



AURA

Type	Article	Colours	Finish	Source	EURO
SP	AU 60/2	CS "rigadin" crystal	CR chrome	E27 2 x Max 17,5W LED or 2 x Max 250W halogen	8.336,00
		BC white			8.336,00
		RS red ^{LS}			8.336,00
		TA tea ^{LS}			8.336,00

CE IP20 +LED 220-240V_{ac}

example composition code SP AU 60/2 BC CR E27

LS: stock limitato / limited stock.

Bell

Manuel Vivian



Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

prodotto fonoassorbente / sound absorbing product

COLOURS



white




warm white




gold yellow



black



red



diffuser detail



white canopy

Altri colori disponibili su richiesta / Other colors available upon request.

PL BEL 060

kg 4 m³ 0,18



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 060 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 2 x Max 17,5W LED or 2 x Max 57W halogen	810,00

CE IP20 +LED 220-240VAc

example composition code PL BEL060E27 GI XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% / flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,10	0,15	0,22	0,32	0,41	0,55	0,61	0,34	0,32

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

PL BEL 090

kg 8 m³ 0,98



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 090 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 3 x Max 17,5W LED or 3 x Max 57W halogen	1.439,00

CE IP20 +LED 220-240VAc

example composition code PL BEL090E27 BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.




Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,30	0,52	0,67	0,81	0,98	1,20	0,66	0,67

PL BEL 118

kg 10 m³ 0,98



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 118 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 4 x Max 17,5W LED or 4 x Max 57W halogen	2.116,00

CE IP20 +LED 220-240VAc

example composition code PL BEL118E27 BC XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,14	0,38	0,67	0,75	1,15	1,50	1,90	0,93	0,86

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

PL BEL 180

kg 27 m³ 2,64



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 180 E27	BC white*	XX	E27 5 x Max 17,5W LED or 5 x Max 46W halogen	4.272,00
		BW warm white*			
		GI gold yellow			
		NE black			
		RS red			

CE IP20 +LED 220-240V_{ac}

example composition code PL BEL180E27 BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,18	0,65	1,18	1,80	2,60	3,10	3,40	1,84	1,86

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SP BEL 045

kg 5 m³ 0,22



BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	BEL 045 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 1 x Max 17,5W LED or 1 x Max 70W halogen	725,00



CE IP20 +LED 220-240VAc

example composition code SP BEL045E27 GI XX


* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,15	0,25	0,33	0,38	0,45	0,51	0,30	0,32

SP BEL 060

kg 7,5 m³ 0,43



BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	BEL 060 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 1 x Max 17,5W LED or 1 x Max 70W halogen	899,00



CE IP20 +LED 220-240VAc

example composition code SP BEL060E27 BW XX

KITLIGHTEC2 diffusore opzionale - optional diffuser

66,00

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,15	0,25	0,33	0,41	0,48	0,51	0,31	0,33

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SP BEL 090

kg 13,5 m³ 1,06



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 4 x Max 17,5W LED or 4 x Max 46W halogen	1.949,00



CE IP20 +LED 220-240VAc


example composition code SP BEL090E27 BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% / flame-retardant treatment upon request with a price increase of the 5%.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,33	0,48	0,68	0,92	1,21	1,41	0,74	0,69

SP BEL 090 LED



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 LED	BC white* BW warm white* GI gold yellow NE black RS red	XX	LED 88W - diffused beam 3000K*, 4000K	3.383,00



CE IP20 CRI90 LED ~9610 lm* 109 lm/W* 110-240VAc

example composition code SP BELO90LED RS XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% / flame-retardant treatment upon request with a price increase of the 5%.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,33	0,48	0,68	0,92	1,21	1,41	0,74	0,69

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SP BEL 118

kg 16,5 m³ 1,9



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 E27	BC white* BW warm white* GI gold yellow NE black RS red	XX	E27 4 x Max 17,5W LED or 4 x Max 57W halogen	2.693,00

CE IP20 +LED 220-240V_{AC}

example composition code SP BEL118E27 BC XX


* trattamento ignifugo su richiesta con un incremento di prezzo del 5% / flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,59	1,03	1,37	1,84	2,34	2,67	3,31	1,88	1,85

SP BEL 118 LED



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 LED	BC white* BW warm white* GI gold yellow NE black RS red	XX	LED 98W - diffused beam 3000K*, 4000K	3.958,00

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240V_{AC}

example composition code SP BEL118LED RS XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% / flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,59	1,03	1,37	1,84	2,34	2,67	3,31	1,88	1,85

Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

SP BEL 180

kg 39 m³ 5,7



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source E27	EURO
SP	BEL 180 E27	BC white*	XX	4 x Max 17,5W + 1 x Max 10W LED	6.586,00
		BW warm white*		or	
		GI gold yellow		4 x Max 57W + 1 x Max 46W halogen	
		NE black			
		RS red			

CE IP20 +LED 220-240V_{AC}

example composition code SP BEL180E27 GI XX


* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,55	2,65	3,56	4,65	5,68	6,38	7,10	4,51	4,63

SP BEL 180 LED



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 180 LED	BC white*	XX	LED 98W - diffused beam 3000K*, 4000K	7.993,00
		BW warm white*			
		GI gold yellow			
		NE black			
		RS red			

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240V_{AC}

example composition code SP BEL180LED BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,55	2,65	3,56	4,65	5,68	6,38	7,10	4,51	4,63

Bul-Bo

Gabetti e Isola

Lodovico Gabetti e
Fabrizio Pellegrino

Collezione composta da lampade da terra, tavolo e parete.
Sorgente LED dimmerabile incorporata.

Collection composed of floor, table and wall lamps.
Built-in dimmable LED source.


COLOURS TABLE AND WALL LAMPS

BODY



chrome

BODY



intense black


BAG FINISHING



black


COLOURS FLOOR LAMPS

BODY




polished aluminum

BODY



intense black


BAG FINISHING



black

LT BUL-B

kg 4,05 m³ 0,10



BUL-BO TABLE / DRIVER INCLUDED


Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
LT	BUL-B	1 2700K	CR chrome	NE nero/black	XXX LED ~4.3 W	830,00
		2 3000K*	NE intense black			735,00

CE IP20 CRI>90 dimmable 100-240Vac LED ~523 lm* ~122 lm/W*

example composition code LT BUL-B 1 CR NE XXX

AP BUL-B | Limited Edition

kg 1,15 m³ 0,10



BUL-BO WALL / DRIVER INCLUDED

Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
AP	BUL-B	1 2700K	CR chrome	NE nero/black	XXX LED ~4.3 W	660,00
		2 3000K*	NE intense black			563,00

CE IP20 CRI>90 dimmable 100-240Vac LED ~523 lm* ~122 lm/W*

example composition code AP BUL-B 1 NE NE XXX

Bul-Bo

Gabetti e Isola


Lodovico Gabetti e
Fabrizio Pellegrino

Collezione composta da lampade da terra, tavolo e parete.
Sorgente LED dimmerabile incorporata.

Collection composed of floor, table and wall lamps.
Built-in dimmable LED source.

PT BUL-B

kg 30 m³ 0,40



BUL-BO / DRIVER NOT INCLUDED

Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
PT	BUL-B	1 2700K	AL polished aluminum	NE nero/black	LED 15.3 W	2.139,00**
		2 3000K*	NE intense black			1.642,00**


CE IP20 CRI>90 34Vdc LED 450mA ~1924 lm* ~125 lm/W*

example composition code PT BUL-B 1 AL NE LED

**Apparecchiatura di alimentazione e controllo non inclusa / Power and control equipment not included

PT BUL23

kg 30 m³ 0,40



BUL-BO FLOOR ADJUSTABLE SPOT / DRIVER NOT INCLUDED

Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
PT	BUL23	1 2700K	AL polished aluminum	NE nero/black	XXX LED ~15.3 W	2.323,00**
		2 3000K*	NE intense black			1.790,00**


CE IP20 CRI>90 34Vdc LED 450mA ~1924 lm* ~125 lm/W*

example composition code PT BUL23 1 AL NE XXX

**Apparecchiatura di alimentazione e controllo non inclusa / Power and control equipment not included

PT BULAR | Limited Edition

kg 36,8 m³ 0,64



BUL-BO FLOOR XL / DRIVER NOT INCLUDED

Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
PT	BULAR	1 2700K	AL polished aluminum	NE nero/black	XXX LED ~15.3 W	3.428,00**
		2 3000K*	NE intense black			2.594,00**


CE IP20 CRI>90 34Vdc LED 450mA ~1924 lm* ~125 lm/W*

example composition code PT BULAR 1 AL NE XXX

**Apparecchiatura di alimentazione e controllo non inclusa / Power and control equipment not included

kg 0,366 m³ 0,004

APPARECCHIATURA DI ALIMENTAZIONE E CONTROLLO (Per PTBUL-B, PTBUL23 and PTBULAR) POWER AND CONTROL EQUIPMENT (For PTBUL-B, PTBUL23 and PTBULAR)



ACCONTROLPT0002

Power and control equipment (dimmer, driver, cables, plug)
100-240Vac input, 22W, 450mA output, 34Vdc output
Plugs: EU, USA
Color: black

124,00

Clavius

Manuel Vivian

Limited stock collection

Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

COLOURS



white



tobacco



sand

FINISHES



chrome canopy



gold canopy




chrome finish



gold finish

AP CLAV BR

kg 1,5 m³ 0,03



CLAVIUS


Type	Article	Colours	Finish	Source	EURO
AP	CLAV BR	BC white	XX chrome	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	378,00
		TA tobacco	OR gold		416,00
		SA sand			

CE IP20 +LED 220-240V_{ac}

example composition code AP CLAVBR SA OR E14

AP CLAV 30

kg 2 m³ 0,03



CLAVIUS / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
AP	CLAV 30	BC white	XX white	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	264,00
		TA tobacco			
		SA sand			

CE IP20 +LED 220-240V_{ac}

example composition code AP CLAV30 TA XX E14

Clavius

Manuel Vivian


Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

Limited stock collection

PL CLAVIU

kg 3 m³ 0,06



CLAVIUS

Type	Article	Colours	Finish	Source	EURO
PL	CLAVIU	BC white	XX white	E27 3 x Max 9,5W LED or 3 x Max 46W halogen	388,00
		TA tobacco			
		SA sand			




IP20 +LED 220-240V_{AC}

example composition code PL CLAVIU BC XX E27

SP CLAVIU

kg 5 m³ 0,12



CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	CLAVIU	BC white	CR chrome	E27 3 x Max 17,5W LED or 3 x Max 70W halogen	699,00
		TA tobacco	OR gold		769,00
		SA sand			



IP20 +LED 220-240V_{AC}


example composition code SP CLAVIU SA OR E27

DSPCLAVIUSXXXXX diffusore optional / optional diffuser

57,00

PT CLAVIU

kg 16 m³ 0,24



CLAVIUS

Type	Article	Colours	Finish	Source	EURO
PT	CLAVIU	BC white	CR chrome	E27 2 x Max 13W LED or 2 x Max 70W halogen (dimmmable lamps)	2.015,00
		TA tobacco	OR gold		2.225,00
		SA sand			



IP20 +LED 220-240V_{AC}

example composition code PT CLAVIU BC OR E27

Clavius

Manuel Vivian


Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

Limited stock collection

LT CLAV XP

kg 1 m³ 0,03



CLAVIUS


Type	Article	Colours	Finish	Source	EURO
LT	CLAV XP	BC white	CR chrome	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	298,00
		TA tobacco	OR gold		329,00
		SA sand			

CE IP20 +LED 220-240V_{AC}

example composition code LT CLAVXPBC OR E14

LT CLAVI P

kg 4 m³ 0,07



CLAVIUS


Type	Article	Colours	Finish	Source	EURO
LT	CLAVI P	BC white	CR chrome	E14 2 x Max 6,5W LED or 2 x Max 42W halogen	648,00
		TA tobacco	OR gold		720,00
		SA sand			

CE IP20 +LED 220-240V_{AC}

example composition code LT CLAVIP SA CR E14

LT CLAVI G

kg 8 m³ 0,16



CLAVIUS

Type	Article	Colours	Finish	Source	EURO
LT	CLAVI G	BC white	CR chrome	E27 2 x Max 17,5W LED or 2 x Max 70W halogen	867,00
		TA tobacco	OR gold		952,00
		SA sand			

CE IP20 +LED 220-240V_{AC}

example composition code LT CLAVIG SA OR E27


Cloudy

Dima Loginoff

Lampade a sospensione con struttura in alluminio e acciaio, diffusori in PMMA con rivestimento in tessuto elastico removibile e lavabile. Disponibile in colore bianco. Sorgente luminosa a LED integrato dimmerabile.

Suspended lamp with steel and aluminum frame and diffusers in PMMA with elastic, removable and washable fabric cover. Available in white colour. Built-in dimmable LED light source.



COLOUR



white

SP CLOUDY

kg 15 m³ 0,700



CLOUDY / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	CLOUDY	BC white	XX white	LED 92W - diffused beam 3000K*, 2700K	3.085,00

IP20 CRI>90 dimmable 0/1-10V or Push 110-240VAc **LED** ~7602 lm* ~83 lm/W*

example composition code SP CLOUDY BC XX LED

Cut

Timo Ripatti

Collezione di lampade a sospensione, terra e tavolo con struttura metallica in alluminio e acciaio. Disponibile in colore nero. Corpo illuminante installabile in tre posizioni differenti. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum suspended, floor and table lamps. Available in black colour. The Lighting source can be installed in three different positions. Built-in dimmable LED light source.



COLOUR



intense black

SP CUT

kg 5,57 m³ 0,133



CUT / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	CUT XXX	NE intense black	XX	LED 21W - optic ~ 60° beam 3000K	1.296,00



110-240VAC **LED** ~1665 lm ~80 lm/W

example composition code SP CUT XXX NE XX LED

Casambi compatibile / Casambi compatible.

PT CUT

kg 15,5 m³ 0,220



CUT / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
PT	CUT XXX	NE intense black	XX	LED 21W - optic ~ 60° beam 3000K	1.680,00

110-240VAC **LED** ~1665 lm ~80 lm/W

example composition code PT CUTXXX NE XX LED

Cut


Timo Ripatti

Collezione di lampade a sospensione, terra e tavolo con struttura metallica in alluminio e acciaio. Disponibile in colore nero. Corpo illuminante installabile in tre posizioni differenti. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum suspended, floor and table lamps. Available in black colour. The Lighting source can be installed in three different positions. Built-in dimmable LED light source.

LT CUT

kg 4,75 m³ 0,133






CUT / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
LT	CUT XXX	NE intense black	XX	LED 17W - optic ~ 60° beam 3000K	1.050,00

IP20 CRI>90 dimmable 110-240VAc LED ~1376 lm ~81 lm/W
 example composition code LT CUT XXX NE XX LED

Altre 2 posizioni di montaggio del diffusore / Installation of the diffuser in 2 additional positions



Dodot

Simone Micheli


Lampada da soffitto o parete con struttura in alluminio e acciaio.
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with aluminum and steel frame. The lighting source can be adjusted.
Built-in dimmable LED source.*

COLOURS



white




blue^{LS}



intense black




concrete green^{LS}




maive dust


LS: stock limitato /
limited stock.



OPTIC-LENS 48°




OPTIC-REFLECTOR 35°




OPTIC-REFLECTOR 15°

FA DODOT

kg 0,9 m³ 0,02



46° 46°



12.7 cm



Ø 12,4 cm

DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white BL blue ^{LS} NE black CG concrete green ^{LS} MD maive dust	48°	LED 17,4 W - 3000K*	352,00

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white BL blue ^{LS} NE black CG concrete green ^{LS} MD maive dust	48°	LED 17,4 W - 2700K*	352,00



IP20 CRI≥90 220-240VAc **LED** ~2100 lm* ~120 lm/W*

example composition code FA DOD927 NE 48 LED

Casambi compatibile / Casambi compatible.

LS: stock limitato / limited stock.


Dodot

Simone Micheli

Lampada da soffitto o parete con struttura in alluminio e acciaio.
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with aluminum and steel frame. The lighting source can be adjusted.
Built-in dimmable LED source.*



kg 0,9 m³ 0,02



DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white BL blue ^{LS} NE black CG concrete green ^{LS} MD mauve dust	35°	LED 17,4 W - 3000K*	318,00

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white BL blue ^{LS} NE black CG concrete green ^{LS} MD mauve dust	35°	LED 17,4 W - 2700K*	318,00

CE   IP20 CRI≥90 220-240VAc **LED** ~2100 lm* ~120 lm/W*

example composition code FA DOD930 NE 35 LED

Casambi compatibile / Casambi compatible.

LS: stock limitato / limited stock.


Dodot

Simone Micheli

Lampada da soffitto o parete con struttura in alluminio e acciaio.
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with aluminum and steel frame. The lighting source can be adjusted.
Built-in dimmable LED source.*

kg 0,9 m³ 0,02



DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white	15°	LED 17,4 W - 3000K*	318,00
		BL blue ^{LS}			
		NE black			
		CG concrete green ^{LS}			
		MD mauve dust			

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white	15°	LED 17,4 W - 2700K*	318,00
		BL blue ^{LS}			
		NE black			
		CG concrete green ^{LS}			
		MD mauve dust			



IP20 CRI:90 220-240VAc **LED** ~2100 lm* ~120 lm/W*

example composition code FA DOD930 NE 15 LED

Casambi compatibile / Casambi compatible.

LS: stock limitato / limited stock.

Lampada da soffitto o parete con corpo in ottone naturale non trattato con solventi al fine di consentire la naturale mutazione delle tonalità di colore del materiale.
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with natural brass body not treated with solvents in order to allow the natural mutation of the material's color shades.
Adjustable lighting source. Built-in dimmable LED.*


COLOUR



natural brass

FA EGO X 30

kg 0,5 m³ 0,004



EGO / DRIVER NOT INCLUDED

Type	Article	Colours	Finishings	Source	EURO
FA	EGO X 30	OT natural brass	XX	LED 1 x 8.8W - 250 mA 35,2Vdc diffused - 3000K	359,00

CE with dedicated PSU IP20 CRI80 **LED** ~1220 lm ~139 lm/W


example composition code **FA EGO X 30 OT XX LED**

optional for more info see page 190

CEDLTC00123	standard 250mA driver - Max 10W	33,00
CEDLTC00124	dimnable Phase Cut 250mA driver - Max 12W casambi compatible	72,00
CEDLTC00125	dimnable DALI 1-10V & PUSH 250mA driver - Max 28W casambi compatible	139,00
CEDLTC00126	dimnable DALI 250mA driver - Max 12W casambi compatible	83,00
CEDSCC00400	dimnable ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatible	51,00

FA EGO P 30

kg 0,5 m³ 0,004



EGO / DRIVER NOT INCLUDED

Type	Article	Colours	Finishings	Source	EURO
FA	EGO P 30	OT natural brass	XX	LED 1 x 3.2W - 350 mA 9Vdc diffused - 3000K	359,00

CE with dedicated PSU IP20 CRI90 **LED** ~310 lm ~96 lm/W

example composition code **FA EGO P 30 OT XX LED**

optional for more info see page 191

CEDLTC00100	on/off 350mA driver - Max 8W	33,00
CEDSCC00400	dimnable ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatible	51,00
CEDLTC00102	dimnable 1-10V & PUSH 350mA driver - Max 6W casambi compatible	50,00
CEDLTC00103	dimnable 1-10V 350mA driver - Max 25W casambi compatible	139,00
CEDLTC00104	dimnable DALI 350mA driver - Max 25W casambi compatible	145,00

Fairy

Manuel Vivian



Collezione composta da faretto, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and crystal glass diffuser. Available in several colours and sizes. Built-in (dimmerable for some versions) LED light source.

COLOURS



crystal



amber



grey



chrome finish



matt bronze^{LS}



matt nickel^{LS}



chromed recessed canopy



chrome canopy




white canopy for 12 R, 12 AND 18 versions

LS: stock limitato / limited stock.

FA FAIRY

kg 1 m³ 0,0014

Limited stock



FAIRY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
FA	FAIRY X	CS crystal	CR chrome	LED 5,9W - 350mA - 17vdc diffused beam - 2700K	232,00
		AM amber			257,00
		GR grey			257,00

CE IP20 CRI90 **LED** ~717 lm ~121 lm/W

foro - hole Ø 8 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

example composition code FA FAIRYX AM CR LED

optional for more info see page 191

	CEDLTC00100	on/off 350mA driver - Max 8W	33,00
	CEDLTC00103	dimnable 1-10V 350mA driver - Max 25W casambi compatible	139,00
	CEDLTC00104	dimnable DALI 350mA driver - Max 25W casambi compatible	145,00
	CEDSCC00400	dimnable ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatible	51,00

Fairy

Manuel Vivian


Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and crystal glass diffuser. Available in several colours and sizes. Built-in (dimmerable for some versions) LED light source.

PL FAIRY

kg 1,3 m³ 0,0048

Limited stock



FAIRY / DRIVER INCLUDED NOT DIMMABLE


Type	Article	Colours	Finish	Source	EURO
PL	FAIRY X	CS crystal	CR chrome	LED 5,9W - diffused beam 2700K	349,00
		AM amber			375,00
		GR grey			375,00

CE IP20 CRI90 LED ~717 lm ~121 lm/W
example composition code PL FAIRYX GR CR LED

100-240VAc

SP FAIRY

kg 1,7 m³ 0,015



FAIRY / DRIVER INCLUDED NOT DIMMABLE

Type	Article	Colours	Finish	Source	EURO
SP	FAIRY X	CS crystal	CR chrome	LED 5,9W diffused beam - 2700K	448,00
		AM amber			476,00
		GR grey			476,00

CE IP20 CRI90 LED ~717 lm ~121 lm/W
example composition code SP FAIRYX CS CR LED

100-240VAc

Fairy


Manuel Vivian

Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and crystal glass diffuser. Available in several colours and sizes. Built-in (dimmmable for some versions) LED light source.

SP FAIRY I (RECESSED)

kg 1,2 m³ 0,015



FAIRY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIRY I	CS crystal	CR chrome	LED 5,9W - 350mA - 17vdc diffused beam - 2700K	339,00
		AM amber			356,00
		GR grey			356,00

CE IP20 CRI90 LED ~717 lm ~121 lm/W

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

example composition code SP FAIRYI AM NI LED


optional for more info see page 191

	CEDLTC00100	standard 350mA driver - Max 8W	33,00
	CEDLTC00103	dimmmable 1-10V 350mA driver - Max 25W casambi compatible	139,00
	CEDLTC00104	dimmmable DALI 350mA driver - Max 25W casambi compatible	145,00
	CEDSCC00400	dimmmable ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatible	51,00

SP FAI 12 R

kg 14,5 m³ 0,16

Limited stock



FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAI 12 R	CS crystal	CR white + chrome	LED 12 x 5,9W diffused beam - 2700K	3.891,00
		AM amber	BR white + matt bronze ^{LS}		4.296,00
		GR grey	NI white + matt nickel ^{LS}		4.296,00

CE IP20 CRI90 LED 12 x ~717 lm ~121 lm/W 110-240Vac

example composition code SP FAI12R GR BR LED

LS: stock limitato / limited stock.

Fairy



Manuel Vivian

Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and crystal glass diffuser. Available in several colours and sizes. Built-in (dimmerable for some versions) LED light source.

SP FAIR 12

kg 14,5 m³ 0,17



FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIR 12	CS crystal	CR white + chrome	LED 12 x 5,9W diffused beam - 2700K	3.933,00
		AM amber	BR white + matt bronze ^{LS}		4.086,00
		GR grey	NI white + matt nickel ^{LS}		4.086,00

CE IP20 CRI90 LED 12 x ~717 lm ~121 lm/W 110-240Vac

example composition code SP FAIR12 CS NI LED
Casambi compatibile / Casambi compatible.

LS: stock limitato / limited stock.

optional accessories:



ANELLOFAIRY060X	kg 1,2 - m ³ 0,034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	173,00
ANELLOFAIRY100X	kg 2 - m ³ 0,093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	219,00

Suggeriamo l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate.
We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.

SP FAIR 18

kg 20,1 m³ 0,28

Limited stock



FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIR 18	CS crystal	CR white + chrome	LED 18 x 5,9W diffused beam - 2700K	5.481,00
		AM amber	BR white + matt bronze ^{LS}		5.940,00
		GR grey	NI white + matt nickel ^{LS}		5.940,00

CE IP20 CRI90 LED 18 x ~717 lm ~121 lm/W 110-240Vac

example composition code SP FAIR18 CS CR LED
Casambi compatibile / Casambi compatible.

LS: stock limitato / limited stock.

optional accessories:

ANELLOFAIRY060X	kg 1,2 - m ³ 0,034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	173,00
ANELLOFAIRY100X	kg 2 - m ³ 0,093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	219,00

Suggeriamo l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate.
We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.

Fedora

Dima Loginoff

Collezione composta da faretto ad incasso e lampade a sospensione con struttura in metallo e vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps with metal frame and crystal glass. Available in several colours and sizes. GU10 LED light source.

COLOURS



rose gold^{LS}



bronze



chrome



white




white canopy

LS: stock limitato / limited stock.

FA FEDORA

kg 0,4 m³ 0,01



FEDORA

Type	Article	Colours	Finish	Source	EURO
FA	FEDORA	XX glass	XX white varnished metal	GU1 GU10 LED 1 x Max 5,5W only LED bulbs	121,00


CE IP20 LED 220-240V_{AC}

foro - hole Ø 10 cm / profondità min - min depth 11 cm

example composition code FA FEDORA XX XX GU1

SP FEDOR 1

kg 1,21 m³ 0,04



FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 1	BC white + glass	BC white varnished metal	GU1 GU10 LED 1 x Max 5,5W only LED bulbs	329,00
		RO rose gold ^{LS} + glass			346,00
		BR bronze + glass			346,00
		CR chrome + glass			346,00

CE IP20 LED 220-240V_{AC}

example composition code SP FEDOR1 CR BC GU1

LS: stock limitato / limited stock.

Fedora

Dima Loginoff


Collezione composta da faretto ad incasso e lampade a sospensione con struttura in metallo e vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps with metal frame and crystal glass. Available in several colours and sizes. GU10 LED light source.

SP FEDOR 3

kg 4,56 m³ 0,06

Limited stock



FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 3	BC white + glass	BC white varnished metal	GU1 GU10 LED 3 x Max 5,5W only LED bulbs	747,00
		RO rose gold ^{LS} + glass			779,00
		BR bronze + glass			779,00
		CR chrome + glass			779,00


CE IP20 LED 220-240VAC

example composition code SP FEDOR3 RO BC GU1

LS: stock limitato / limited stock.

SP FEDOR 6

kg 9,12 m³ 0,24



FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 6	BC white + glass	BC white varnished metal	GU1 GU10 LED 6 x Max 5,5W only LED bulbs	1.543,00
		RO rose gold ^{LS} + glass			1.608,00
		BR bronze + glass			1.608,00
		CR chrome + glass			1.608,00

CE IP20 LED 220-240VAC


example composition code SP FEDOR6 BR BC GU1

LS: stock limitato / limited stock.

SP FEDOR 7

kg 11 m³ 0,25

Limited stock



FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 7	BC white + glass	BC white varnished metal	GU1 GU10 LED 7 x Max 5,5W only LED bulbs	1.817,00
		RO rose gold ^{LS} + glass			1.882,00
		BR bronze + glass			1.882,00
		CR chrome + glass			1.882,00

CE IP20 LED 220-240VAC

example composition code SP FEDOR7 CR BC GU1

LS: stock limitato / limited stock.

Fedora


Dima Loginoff

Collezione composta da faretto ad incasso e lampade a sospensione con struttura in metallo e vetro cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps with metal frame and crystal glass. Available in several colours and sizes. GU10 LED light source.

SP FEDO 12

kg 17,95 m³ 0,41



FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 12	BC white + glass	BC white varnished metal	GU10 GU10 LED 12 x Max 5,5W only LED bulbs	2.980,00
		RO rose gold ^{LS} + glass			3.088,00
		BR bronze + glass			3.088,00
		CR chrome + glass			3.088,00

CE IP20 LED 220-240V_{AC}

example composition code SP FEDOR12 RO BC GU1

LS: stock limitato / limited stock.

Float


Mario Alessiani

Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.


INDOOR ↔ OUTDOOR

Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.

COLOURS




COLOURS TOP



SP FLOAT

kg 0.40 m³ 0.0025



FLOAT INDOOR & OUTDOOR / suspension lamp / wall lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
SP	FLOATX	BC white / BC white	LED 3.5W - diffused beam 2700K	220,00
		LA laguna aqua / BC white		
		NE black / NE black		
		GE concrete - greige / CO concrete - greige		
		MD mauve dust / BC white		
		BL blue / BC white ^{LS}		
		CG concrete green / CO concrete grey ^{LS}		

CE 5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours **LED** ~200 lm* 57.14 lm/W*

example composition code SP FLOATX LA BC LED

LS: stock limitato / limited stock.

Float

Mario Alessiani


INDOOR ↔ OUTDOOR

Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.

Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.

LT FLOAT

kg 1 m³ 0,007



FLOAT INDOOR & OUTDOOR / table lamp / wall lamp / suspension lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
LT	FLOATX	BC white / BC white	LED 3,5W - diffused beam 2700K	260,00
		LA laguna aqua / BC white		
		NE black / NE black		
		GE concrete - greige / CO concrete - greige		
		MD mauve dust / BC white		
		BL blue / BC white ^{LS}		
		CG concrete green / CO concrete grey ^{LS}		

5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours **LED** ~200 lm* 57.14 lm/W*

example composition code LT FLOATX MD BC LED

LS: stock limitato / limited stock.

Float

Mario Alessiani


Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.

INDOOR ↔ OUTDOOR

Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.

PT FLOAT

kg 1,8 m³ 0,01



FLOAT INDOOR & OUTDOOR / floor lamp / wall lamp / suspension lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
PT	FLOATX	BC white / BC white	LED 3,5W - diffused beam 2700K	333,00
		LA laguna aqua / BC white		
		NE black / NE black		
		GE concrete - greige / CO concrete - greige		
		MD mauve dust / BC white		
		BL blue / BC white ^{LS}		
		CG concrete green / CO concrete grey ^{LS}		

CE 5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours **LED** ~200 lm* 57.14 lm/W*

example composition code PT FLOATX LA BC LED

LS: stock limitato / limited stock.

Hoops

Giovanni Barbato

Collezione composta da lampade in acciaio da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of steel ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

COLOURS



white



gold




black



chrome




white canopy



gold canopy




black canopy



chrome canopy

PL HOOPS 2

kg 3,7 m³ 0,43



HOOPS

Type	Article	Colours / Finish	Source	EURO
PL	HOOPS 2	BC white/ BC white	LED 16W - diffused beam 3000K other CCT options available upon request	973,00
		NE black/ NE black		973,00
		OR gold / OR gold		1.158,00
		CR chrome / CR chrome		1.084,00


CE IP20 CRI90 220-240VAC LED ~1430 lm 89 lm/W

example composition code PL HOOPS2 NE NE LED

Casambi compatibile / Casambi compatible.

PL HOOPS 3

kg 4 m³ 0,43



HOOPS

Type	Article	Colours / Finish	Source	EURO
PL	HOOPS 3	BC white/ BC white	LED 16W - diffused beam 3000K other CCT options available upon request	1.006,00
		NE black/ NE black		1.006,00
		OR gold / OR gold		1.238,00
		CR chrome / CR chrome		1.157,00

CE IP20 CRI90 220-240VAC LED ~1430 lm 89 lm/W

example composition code PL HOOPS3 OR OR LED

Casambi compatibile / Casambi compatible.

Hoops


Giovanni Barbato

Collezione composta da lampade in acciaio da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of steel ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

SP HOOPS 2

kg 5,7 m³ 0,43




HOOPS / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 2	BC white/ BC white	LED 32W - diffused beam 3000K other CCT options available upon request	1.514,00
		NE black / NE black		1.514,00
		OR gold / OR gold		1.760,00
		CR chrome / CR chrome		1.687,00

CE IP20 CRI90 220-240VAC LED ~2860 lm 89 lm/W
example composition code SP HOOPS2 OR OR LED
Casambi compatibile / Casambi compatible.

SP HOOPS 3

kg 5,8 m³ 0,43




HOOPS / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 3	BC white/ BC white	LED 32W - diffused beam 3000K other CCT options available upon request	1.536,00
		NE black / NE black		1.536,00
		OR gold / OR gold		1.798,00
		CR chrome / CR chrome		1.706,00

CE IP20 CRI90 220-240VAC LED ~2860 lm 89 lm/W
example composition code SP HOOPS3 OR OR LED
Casambi compatibile / Casambi compatible.

SP HOOPS 4

kg 7,1 m³ 0,43



HOOPS / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 4	BC white/ BC white	LED 32W - diffused beam 3000K other CCT options available upon request	1.730,00
		NE black / NE black		1.730,00
		OR gold / OR gold		2.126,00
		CR chrome / CR chrome		1.997,00

CE IP20 CRI90 220-240VAC LED ~2860 lm 89 lm/W
example composition code SP HOOPS4 OR OR LED
Casambi compatibile / Casambi compatible.

Hoops


Giovanni Barbato

Collezione composta da lampade in acciaio da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of steel ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

SP HOOPS 6

kg 7,7 m³ 0,43



HOOPS / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 6	BC white / BC white	LED 32W - diffused beam 3000K	1.839,00
		NE black / NE black	other CCT options available upon request	1.839,00
		OR gold / OR gold		2.339,00
		CR chrome / CR chrome		2.116,00

CE IP20 CRI90 220-240VAC LED ~2860 lm 89 lm/W

example composition code SP HOOPS6 OR OR LED

Casambi compatibile / Casambi compatible.

Jewel

Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon e fibre di vetro da riciclo. Disponibile in colore nero e quattro versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile.

Collection of aluminum suspended lamps with nylon arch and recycled glass fibers. Available in four pre-defined configurations in black color. Built-in dimmable or not dimmable LED light source.

COLOUR



black




greige



produced with recycled material

SP JEWE / JEWD 01

kg 0,9 m³ 0,039



JEWEL / DRIVER INCLUDED DIMMABLE


Type	Article	Colours / Finish	Source	EURO
SP	JEWD 01	NE black / NE black GE greige / NE black	LED 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	354,00

CE IP20 CRI>90 dimmable 0/1-10V or Push LED ~671 lm* ~103 lm/W* 220-240Vac

example composition code SP JEWD 01 NE NE LED
Casambi compatibile / Casambi compatible.

SP JEWE / JEWD 03

kg 3,5 m³ 0,0208



JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Colours / Finish	Source	EURO
SP	JEWD 03	NE black / NE black GE greige / NE black	LED 3 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	1.047,00

CE IP20 CRI>90 dimmable 0/1-10V or Push LED ~2013 lm* ~103 lm/W* 220-240Vac

example composition code SP JEWD 03 NE NE LED
Casambi compatibile / Casambi compatible.

Jewel


Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon e fibre di vetro da riciclo. Disponibile in colore nero e quattro versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile.

Collection of aluminum suspended lamps with nylon arch and recycled glass fibers. Available in four pre-defined configurations in black color. Built-in dimmable or not dimmable LED light source.

SP JEWE / JEWD 04

kg 8,7 m³ 0,065



JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Colours / Finish	Source	EURO
SP	JEWD 04	NE black / NE black GE greige / NE black	LED 4 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	1.439,00


~2684 lm* ~103 lm/W* 220-240VAC

example composition code SP JEWD 04 NE NE LED

Casambi compatibile / Casambi compatible.

SP JEWD 10

kg 8,7 m³ 0,201



JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Colours / Finish	Source	EURO
SP	JEWD 10	NE black / NE black GE greige / NE black	LED 10 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	2.822,00

~6710 lm* ~103 lm/W* 220-240VAC

example composition code SP JEWD 10 NE NE LED

Casambi compatibile / Casambi compatible.


Jewel Mono

Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon riciclato. Disponibile in diverse versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile. La particolare tecnica di produzione dell' archetto può avere lievi differenze di tonalità.

Collection consisting of suspended lamps made of aluminium and recycled. Available in different versions. Built-in dimmable or not dimmable LED light source. The particular production technique of the small arch could have slight differences of tonality.

COLOUR



black / black

black / gray

gold / black

greige / black

SP JEWEL MONO 01

kg 0,9 m³ 0,004



JEWEL / DRIVER INCLUDED DIMMABLE


Type	Article	Beam- degrees	CCT	Colours / Finish	Source	EURO
SP	JM 01	1 12°	1 2700K	NE black / NE black	LED 6,5W	322,00
		3 38°	2 3000K	NE black / GR gray		322,00
			3500K upon request	OR gold / NE black		361,00
		GE greige / NE black	332,00			

CE IP20 CRI>90 dimmable 0/1-10V or Push LED ~671 lm* ~103 lm/W* 220-240VAc

example composition code SP JM 01 1 1 NE NE LED
Casambi compatibile / Casambi compatible.

SP JEWEL MONO I1 (RECESSED)

kg 0,9 m³ 0,039



JEWEL / DRIVER NOT INCLUDED

Type	Article	Beam- degrees	CCT	Colours / Finish	Source	EURO
SP	JM I1	1 12°	1 2700K	NE black / NE black	LED 6,5W	211,00
		3 38°	2 3000K	NE black / GR gray		211,00
			3500K upon request	OR gold / NE black		250,00
		GE greige / NE black	221,00			

CE IP20 CRI>90 dimmable with dedicated PSU LED ~671 lm* 103 lm/W* 700mA 9,2Vdc

example composition code SP JM I1 1 2 NE NE LED
Casambi compatibile / Casambi compatible.

optional for more info see page 192

Compatible with pivot system
pag.104

CEDLTC00124	dimmmable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
CEDLTC00127	dimmmable 0/1 - 10V - Push - 700mA driver - Max 9W casambi compatible	61,00
CEDLTC00126	dimmmable DALI 700mA driver - Max 20W casambi compatible	83,00
CEDLTC00104	dimmmable DALI - 1 - 10V - Push 700mA driver - Max50W casambi compatible	145,00




Collezione di lampade a soffitto/parete, sospensione e terra con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato opalino. Disponibile in tre colori e due dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum ceiling/wall lamps, suspended and floor lamps with opaline blown glass diffuser. Available in three colours and two sizes. Built-in dimmable LED light source.


COLOURS



intense black



transparent bronze




white

Data la lavorazione artigianale del prodotto ed il particolare processo di finitura, sempre manuale, è possibile riscontrare diversi aspetti e tonalità di finitura tra un prodotto e l'altro che devono essere ritenuti un pregio assoluto del prodotto.

Considering the craftsmanlike manufacturing of the product and the special finishing process, always by hand, you may find different appearances and shades between one product and another and they are to consider as absolute distinction of the item.

PL KWIC 36

kg 1,9 m³ 0,065



KWIC / DRIVER INCLUDED / applicazione a soffitto o parete / application: both as ceiling or wall lamp


Type	Article	Colours	Finishings	Source	EURO
PL	KWIC 36	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	528.00
		BR transparent bronze			572.00
		BC white			528.00

CE IP20 CRI>90 110-240VAc LED ~2255 lm* ~125 lm/W*

example composition code PL KWIC 36 NE XX LED
Casambi compatibile / Casambi compatible.

PL KWIC 48

kg 2,25 m³ 0,074



KWIC / DRIVER INCLUDED / applicazione a soffitto o parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finishings	Source	EURO
PL	KWIC 48	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	567.00
		BR transparent bronze			618.00
		BC white			567.00

CE IP20 CRI>90 110-240VAc LED ~2255 lm* ~125 lm/W*


example composition code PL KWIC 48 NE XX LED
Casambi compatibile / Casambi compatible.

Collezione di lampade a soffitto/parete, sospensione e terra con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato opalino. Disponibile in tre colori e due dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum ceiling/wall lamps, suspended and floor lamps with opaline blown glass diffuser. Available in three colours and two sizes. Built-in dimmable LED light source.

SP KWIC 36

kg 2,25 m³ 0,065



KWIC / DRIVER INCLUDED


Type	Article	Colours	Finishings	Source	EURO
SP	KWIC 36	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	795.00
		BR transparent bronze			829.00
		BC white			795.00

CE IP20 CRI>90 110-240VAC LED ~2255 lm* ~125 lm/W*

example composition code SP KWIC 36 NE XX LED
Casambi compatibile / Casambi compatible.

SP KWIC 48

kg 3,2 m³ 0,074



KWIC / DRIVER INCLUDED


Type	Article	Colours	Finishings	Source	EURO
SP	KWIC 48	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	825.00
		BR transparent bronze			866.00
		BC white			825.00

CE IP20 CRI>90 110-240VAC LED ~2255 lm* ~125 lm/W*

example composition code SP KWIC 48 NE XX LED
Casambi compatibile / Casambi compatible.

PT KWIC 36

kg 10,1 m³ 0,126



KWIC / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
PT	KWIC 36	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	985.00
		BR transparent bronze			1.027.00
		BC white			985.00

CE IP20 CRI>90 110-240VAC LED ~2255 lm* ~125 lm/W*

example composition code PT KWIC 36 NE XX LED

Layers

Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettucce di tessuto pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting light source.



prodotto fonoassorbente / sound absorbing product


COLOURS



white




warm white



white canopy

SPLAY A

kg 26,2 m³ 0,76



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY A XX E27	BC white* BW warm white*	XX	E27 9 x Max 17,5W LED or 9 x Max 70W halogen	3.995,00

CE IP20 +LED 220-240V_{AC}

example composition code SP LAYAXXE27 BC XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,89	1,99	2,67	3,25	3,66	4,54	2,62	2,64

Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting light source.

SP LAY B

kg 48,5 m³ 2,06



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY B XX E27	BC white* BW warm white*	XX	E27 15 x Max 17,5W LED or 15 x Max 70W halogen	7.981,00



IP20 **+LED** 220-240VAC

example composition code SP LAYBXE27 BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.




Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,33	4,12	5,56	7,65	9,54	11,22	5,82	5,78

SP LAY C

kg 41,3 m³ 1,71



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY C XX E27	BC white* BW warm white*	XX	E27 15 x Max 17,5W LED or 15 x Max 70W halogen	6.742,00



IP20 **+LED** 220-240VAC

example composition code SP LAYCXE27 GI XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,23	3,23	3,87	5,12	6,28	7,65	4,10	4,07

Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting light source.

SP LAY D

kg 29,3 m³ 0,76



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY D XX E27	BC white* BW warm white*	XX	E27 9 x Max 17,5W LED or 9 x Max 70W halogen	4.475,00

CE IP20 +LED 220-240V_{AC}

example composition code SP LAYDXXE27 BC XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.




Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,01	2,56	2,87	3,45	4,14	5,25	2,94	2,96

SP LAY E

kg 24,4 m³ 1,71



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY E XX E27	BC white* BW warm white*	XX	E27 9 x Max 17,5W LED or 9 x Max 70W halogen	3.995,00

CE IP20 +LED 220-240V_{AC}

example composition code SP LAYEXXE27 BW XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,34	1,89	2,44	2,87	3,10	3,41	4,23	2,61	2,80

Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettucce di tessuto pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth pongé fabric. Available in several colours and sizes. Screw fitting light source.

SP LAY F

kg 25,1 m³ 0,76



LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY F XX E27	BC white* BW warm white*	XX	E27 9 x Max 17,5W LED or 9 x Max 70W halogen	3.721,00

CE IP20 +LED 220-240V_{AC}

example composition code SP LAYFXXE27 BC XX

* trattamento ignifugo su richiesta con un incremento di prezzo del 5% /
flame-retardant treatment upon request with a price increase of the 5%.




Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,31	1,66	1,94	2,22	2,75	3,66	4,56	2,44	2,30





Liaison compositions

Sara Moroni



Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.



Liaison colors legend

BLACK / MATT GOLD

Arch colors / Final & sphere finishes
NE black / OO matt gold



MATT GOLD / BLACK

Arch colors / Final & sphere finishes
OO matt gold / NE black




BLACK / BLACK

Arch colors / Final & sphere finishes
NE black / NE black



Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAI P 1

kg 1,766 m³ 0,0591



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 1	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	442,00
		NE black / OO matt gold		486,00
		OO matt gold / NE black		522,00


CE IP20 CRI>90 **LED** ~671 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAI P 1 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAI M 1

kg 2,181 m³ 0,0947



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 1	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	491,00
		NE black / OO matt gold		533,00
		OO matt gold / NE black		591,00


CE IP20 CRI>90 **LED** ~671 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAI M 1 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAI G 1

kg 2,448 m³ 0,16



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 1	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	536,00
		NE black / OO matt gold		572,00
		OO matt gold / NE black		666,00


CE IP20 CRI>90 **LED** ~671 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAI G 1 OO NE LED

Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIA P 1I (RECESSED)

kg 1,5 m³ 0,0591



Compatible with pivot system pag.104


LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA P 1I	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	363,00
		NE black / OO matt gold		403,00
		OO matt gold / NE black		454,00

IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm* ~102 lm/W*
example composition code SP LIA P 1I NE NE LED
Casambi compatibile / Casambi compatible.

SP LIA M 1I (RECESSED)

kg 1,9 m³ 0,0947



Compatible with pivot system pag.104


LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA M 1I	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	416,00
		NE black / OO matt gold		466,00
		OO matt gold / NE black		532,00

IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm* ~102 lm/W*
example composition code SP LIA M 1I NE NE LED
Casambi compatibile / Casambi compatible.

SP LIA G 1I (RECESSED)

kg 2,2 m³ 0,16



Compatible with pivot system pag.104

LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA G 1I	NE black / NE black	LED 6,6W - optic ~ 40° beam 3000K* 2700K upon request	475,00
		NE black / OO matt gold		514,00
		OO matt gold / NE black		621,00


IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm* ~102 lm/W*
example composition code SP LIA G 1I NE NE LED
Casambi compatibile / Casambi compatible.

optional accessories for recessed versions . See page 192

	CEDLTC00124	dimmbable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00127	dimmbable 0/1 - 10V - Push - 700mA driver - Max 9W casambi compatible	61,00
	CEDLTC00126	dimmbable DALI 700mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimmbable DALI 700mA driver - Max50W casambi compatible	145,00

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAI P 2

kg 2,549 m³ 0,0591



LIAISON / DRIVER INCLUDED


Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	757,00
		NE black / OO matt gold		854,00
		OO matt gold / NE black		961,00

CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAC

example composition code SP LIAI P 2 NE NE LED
Casambi compatibile / Casambi compatible.

SP LIAI M 2

kg 2,673 m³ 0,0947



LIAISON / DRIVER INCLUDED


Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	867,00
		NE black / OO matt gold		943,00
		OO matt gold / NE black		1.098,00

CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAC

example composition code SP LIAI M 2 OO NE LED
Casambi compatibile / Casambi compatible.

SP LIAI G 2

kg 2,734 m³ 0,16



LIAISON / DRIVER INCLUDED


Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	880,00
		NE black / OO matt gold		958,00
		OO matt gold / NE black		1.252,00

CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAC

example composition code SP LIAI G 2 OO NE LED
Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAI P 4

kg 5,697 m³ 0,1196



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.425,00
		NE black / OO matt gold		1.575,00
		OO matt gold / NE black		1.756,00


CE IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI P 4 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAI M 4

kg 5,945 m³ 0,100



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.469,00
		NE black / OO matt gold		1.632,00
		OO matt gold / NE black		1.909,00


CE IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI M 4 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAI G 4

kg 6,068 m³ 0,200



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.590,00
		NE black / OO matt gold		1.740,00
		OO matt gold / NE black		2.194,00


CE IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI G 4 OO NE LED

Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAI P 8

kg 7,914 m³ 0,1196



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.599,00
		NE black / OO matt gold		2.860,00
		OO matt gold / NE black		3.237,00




IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI P 8 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAI M 8

kg 8,41 m³ 0,240



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.667,00
		NE black / OO matt gold		2.928,00
		OO matt gold / NE black		3.492,00




IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI M 8 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAI G 8

kg 8,656 m³ 0,360



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.943,00
		NE black / OO matt gold		3.191,00
		OO matt gold / NE black		4.088,00




IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAI G 8 OO NE LED

Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAD P 2

kg 3,678 m³ 0,0759



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.108,00
		NE black / OO matt gold		1.240,00
		OO matt gold / NE black		1.450,00


CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAD P 2 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAD M 2

kg 4,12 m³ 0,0947



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.194,00
		NE black / OO matt gold		1.310,00
		OO matt gold / NE black		1.623,00


CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAD M 2 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAD G 2

kg 4,28 m³ 0,1605



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 2	NE black / NE black	LED 2 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	1.322,00
		NE black / OO matt gold		1.486,00
		OO matt gold / NE black		2.027,00


CE IP20 CRI>90 **LED** ~1342 lm* ~102 lm/W* 220-240VAc

example composition code SP LIAD G 2 OO NE LED

Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAD P 4

kg 7,355 m³ 0,0948



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.078,00
		NE black / OO matt gold		2.263,00
		OO matt gold / NE black		2.714,00




IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD P 4 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAD M 4

kg 8,241 m³ 0,2477



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.181,00
		NE black / OO matt gold		2.362,00
		OO matt gold / NE black		3.027,00




IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD M 4 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAD G 4

kg 8,559 m³ 0,1794



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 4	NE black / NE black	LED 4 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	2.405,00
		NE black / OO matt gold		2.731,00
		OO matt gold / NE black		3.518,00




IP20 CRI>90 **LED** ~2684 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD G 4 OO NE LED

Casambi compatibile / Casambi compatible.

Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

SP LIAD P 8

kg 10,631 m³ 0,0948



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	3.734,00
		NE black / OO matt gold		4.084,00
		OO matt gold / NE black		4.998,00


CE IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD P 8 NE NE LED

Casambi compatibile / Casambi compatible.

SP LIAD M 8

kg 12,401 m³ 0,2477



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	3.867,00
		NE black / OO matt gold		4.229,00
		OO matt gold / NE black		5.601,00


CE IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD M 8 OO NE LED

Casambi compatibile / Casambi compatible.

SP LIAD G 8

kg 13,039 m³ 0,1794



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 8	NE black / NE black	LED 8 x 6,6W - optic ~ 40° beam 3000K* 2700K upon request	4.444,00
		NE black / OO matt gold		5.156,00
		OO matt gold / NE black		6.779,00

CE IP20 CRI>90 **LED** ~5368 lm* ~102 lm/W* 220-240Vac

example composition code SP LIAD G 8 OO NE LED

Casambi compatibile / Casambi compatible.

Lik

S. & R. Cornelissen

Lampada da parete in alluminio disponibile in tre colori. Sorgente luminosa a LED integrato dimmerabile.

Aluminium wall lamp available in three colours. Built-in dimmable LED.

COLOURS



wrinkled white




matt bronze



matt nickel

AP LIK

kg 0,5 m³ 0,02



LIK INDOOR

Type	Article	Colours	Code End	Source	EURO
AP	LIK XXX	BC wrinkled white	XX	LED 16W - diffused beam 3000K* 2700K upon request	217,00
		BR matt bronze			237,00
		NI matt nickel			237,00

CE IP20 CRI90 220-240VAc **LED** ~1545 lm* 97 lm/W*

example composition code AP LIKXXX BR XX LED

Casambi compatibile / Casambi compatible.

Lik Plus

S. & R. Cornelissen

INDOOR ↔ OUTDOOR

DIM TO WARM

Lampada da parete in alluminio disponibile in due colori. Sorgente luminosa a LED integrato con tecnologia Dim To Warm. Per interni ed esterni.

Aluminium wall lamp available in two colours. Integrated LED light source with Dim To Warm technology. For indoors and outdoors.

COLOURS




wrinkled white



greige

AP LIK PLU

kg 0,5 m³ 0,02



LIK PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Code End	Source	EURO
AP	LIK PLU	BC wrinkled white	XX	DTW LED ~8.6W Dim To Warm from ~2500K to ~4100K*	283,00
		GE greige			293,00

CE IP55** CRI>90 dimmable 24Vdc LED ~528 lm* ~61lm/W*

example composition code AP LIKPLU BC XX DTW

** Attività test in corso / Testing activities in progress.

Inclusa connessione integrata con cavo elettrico IP55 3m / including integrated connection with IP55 electrical cable 3m

optional for more info see page 196

	CEDLTC00126	dimnable DALI driver - Max 20W - IP20 casambi compatibile	83,00
	CEDLTC00132	dimnable 0/1 - 10V - Dim Push driver - Max 20W - IP20 casambi compatibile	56,00
	CEDMWC00206	dimnable 1-10V driver - Max 40W - IP65 casambi compatibile	121,00
	CEDLTF00601	dimnable 0 - 10V - ELV - Phase Cut driver - Max 12W - IP64 casambi compatibile	87,00

Manifesto

Timo Ripatti


Manifesto è una lampada da muro e da soffitto, realizzata interamente in metallo. LED driver dimmerabile incluso nel corpo lampada. La lampada potrà fissarsi direttamente al punto luce (versione plafone / parete).

Manifesto is a wall and ceiling lamp, entirely realized in metal with build in dimmable LED driver. The lamp can be fixed directly to the wiring system (ceiling/wall version).

COLOURS




intense black



desert white




earth red



mirrored steel

AP MANIFESTO

kg 2 m³ 0,11



Ø 61 cm

8 cm



Ø 61 cm

MANIFESTO / DRIVER INCLUDED

Type	Article	CCT	Body Colours	Source	EURO
AP	MANIFESTOX	1 2700K	NE intense black	LED 18.2 W	698,00
		2 3000K*	DW desert white		698,00
			ER earth red		698,00
			IX mirrored steel		1.130,00

110-240VAc **LED** ~2020 lm* 111 lm/W*

example composition code AP MANIFESTOX 2 DW
 Casambi compatibile / Casambi compatible.

Manto

Davide Besozzi



Collezione di lampade a sospensione con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato e tessuto elastico removibile e lavabile. Il diffusore in vetro è regolabile nella posizione in altezza. Disponibile in tre dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminum and steel suspended lamps. Blown opaline glass and elastic removable and washable fabric diffuser. The height position of the glass diffusor can be adjusted. Available in three sizes. Built-in dimmable LED light source.



COLOUR



white fabric and light grey finishings

SP MAN 070

kg 4,36 m³ 0,382



MANTO / DRIVER INCLUDED



Type	Article	Colours	Finishings	Source	EURO
SP	MAN 070	GR light grey	XX	LED 15,3W - diffused beam 3000K*, 2700K 3500K upon request	1.332,0

CE IP20 CRI>90 dimmable 0/1-10V or Push 100-277VAC LED ~1924 lm* ~125 lm/W*

example composition code SP MAN070 GR XX LED
Casambi compatibile / Casambi compatible.

SP MAN 120

kg 6,27 m³ 0,194



MANTO / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	MAN 120	GR light grey	XX	LED 21W - diffused beam 3000K*, 2700K 3500K upon request	1.477,00

CE IP20 CRI>90 dimmable 0/1-10V or Push 100-277VAC LED ~2438 lm* ~116 lm/W*

example composition code SP MAN120 GR XX LED
Casambi compatibile / Casambi compatible.

Manto



Davide Besozzi

Collezione di lampade a sospensione con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato e tessuto elastico removibile e lavabile. Il diffusore in vetro è regolabile nella posizione in altezza. Disponibile in tre dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminum and steel suspended lamps. Blown opaline glass and elastic removable and washable fabric diffuser. The height position of the glass diffuser can be adjusted. Available in three sizes. Built-in dimmable LED light source.

SP MAN 180

kg 9,23 m³ 0,475




MANTO / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	MAN 180	GR light grey	XX	LED 24.6W - diffused beam 3000K*, 2700K 3500K upon request	1.670,00

IP20 CRI>90 dimmable 0/1-10V or Push 100-277VAC **LED** ~2911 lm* ~118 lm/W*

example composition code **SP MAN 180 GR XX LED**

Casambi compatibile / Casambi compatible.



Mountain View

Dima Loginoff

Lampada a sospensione realizzata in vetro soffiato trasparente disponibile in vari colori. Sorgente luminosa a LED integrato dimmerabile.

Suspended lamp made of transparent blown glass, available in several colours. Built-in dimmable LED light source.



COLOURS



crystal / chrome



crystal / gold



crystal / black nickel



chrome canopy




black / chrome



black / gold



black / black nickel



gold canopy



amber / gold



amber / black nickel



grey / chrome




black nickel canopy



grey / black nickel

SP MOUNTA

kg 16 m³ 0,22



MOUNTAIN VIEW / DRIVER INCLUDED

Type	Article	Colours / Finish	Source	EURO
SP	MOUNTA	CS / CR crystal / chrome	LED 17W - 3000K*, 2700K	2.296,00
		CS / OR crystal / gold		2.495,00
		CS / NN crystal / black nickel		2.495,00
		MA / CR black / chrome		2.598,00
		MA / OR black / gold		2.598,00
		MA / NN black / black nickel		2.598,00
		AM / OR amber / gold		2.495,00
		AM / NN amber / black nickel		2.495,00
		GR / CR grey / chrome		2.495,00
		GR / NN grey / black nickel		2.495,00

CR>90 **LED** ~2210 lm* 130 lm/W* 220-240Vac
 example composition code SP MOUNTA AM OR LED
 Casambi compatibile / Casambi compatible.

Muse / Muse plus

Sandro Santantonio

Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

COLOURS



white



multicolor



flower




sticks

Vedi pagina 185 per colori in stock limitato / see page 185 for limited stock colors.

PL MUSE 40

kg 1 m³ 0,03



MUSE / tessuto INCLUSO / fabric INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 40	BC white	X	X	E27 1 x Max 7W LED or 1 x Max 70W halogen	E27: 216,00 L01: 366,00
		FI flower	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 302,00 L01: 446,00
		ST sticks	X	2 3000K		E27: 302,00 L01: 446,00
		MC multicolour				E27: 302,00 L01: 446,00

CE IP20 CRI>90 dimmable phase cut 220-240VAC LED

example composition code PL MUSE40 BC X1 L01

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE40	white	82,00
TSPLMUSE40FI	flower	159,00
TSPLMUSE40ST	sticks	159,00
TSPLMUSE40MC	multicolour	159,00

Vedi pagina 185 per colori in stock limitato / see page 185 for limited stock colors

Muse / Muse plus


Sandro Santantonio

Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

PL MUSE 60

kg 1,5 m³ 0,09



MUSE / tessuto INCLUSO / fabric INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 60	BC white	X	X	E27 2 x Max 7W LED or 2 x Max 70W halogen	E27: 276,00 L01: 408,00
		FI flower	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 372,00 L01: 495,00
		ST sticks	X	2 3000K		E27: 372,00 L01: 495,00
		MC multicolour				E27: 372,00 L01: 495,00

CE IP20 CRI>90 220-240V_{ac} **LED**

example composition code **PL MUSE60 BC X2 L01**

Casambi compatibile / Casambi compatible.


TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE60	white	93,00
TSPLMUSE60FI	flower	195,00
TSPLMUSE60ST	sticks	195,00
TSPLMUSE60MC	multicolour	195,00

Vedi pagina 185 per colori in stock limitato / see page 185 for limited stock colors

PL MUSE 80

kg 4 m³ 0,13



MUSE / tessuto INCLUSO, kit lente per E27 NON INCLUSO / fabric INCLUDED, glass diffuser kit for E27 NOT INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 80	BC white	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 492,00 L01: 625,00 L02: 744,00
		FI flower	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 695,00 L01: 775,00 L02: 893,00
		ST sticks	X	2 3000K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	E27: 695,00 L01: 775,00 L02: 893,00
		MC multicolour				E27: 695,00 L01: 775,00 L02: 893,00

CE IP20 CRI>90 220-240V_{ac} **LED**

example composition code **PL MUSE80 BC X1 L01**

KPLMUSE optional: kit lente **solo** per E27 con lampadina LED
optional: glass diffuser kit **only** for E27 when mounting LED bulb

149,00

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE80	white	169,00
TSPLMUSE80FI	flower	312,00
TSPLMUSE80ST	sticks	312,00
TSPLMUSE80MC	multicolour	312,00

Vedi pagina 185 per colori in stock limitato / see page 185 for limited stock colors

Muse / Muse plus


Sandro Santantonio

Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

PL MUS 120

kg 7 m³ 0,31



MUSE / tessuto INCLUSO, kit lente per E27 NON INCLUSO / fabric INCLUDED, glass diffuser kit for E27 NOT INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUS 120	BC white	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 622,00 L02: 857,00
		FI flower	X	1 2700K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	E27: 857,00 L02: 1.134,00
		ST sticks	X	2 3000K		E27: 857,00 L02: 1.134,00
		MC multicolour				E27: 857,00 L02: 1.134,00

CE IP20 CRi>90  220-240VAC **LED**

example composition code PL MUS120 BC X2 L02

KPLMUSE optional: kit lente **solo** per E27 con lampadina LED
optional: glass diffuser kit **only** for E27 when mounting LED bulb **149,00**

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSEI20	white	223,00
TSPLMUSEI20FI	flower	487,00
TSPLMUSEI20ST	sticks	487,00
TSPLMUSEI20MC	multicolour	487,00

Vedi pagina 185 per colori in stock limitato / see page 185 for limited stock colors

Nelly/ Nelly plus

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

COLOURS




white



white pattern

PL NELL 60

kg 2 m³ 0,06



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Code	CCT	Source	EURO
PL	NELL 60	BC white	X	X	E27 2 x Max 16W LED or 2 x Max 70W halogen	E27: 227,00 L01: 398,00
		FB white pattern	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 227,00 L01: 404,00
			X	2 3000K		

CE IP20 CRI>90 220-240VAc LED

example composition code PL NELL60 BC XX E27


TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY60BC	white	119,00
TSPLNELLY60FB	white pattern	125,00

Casambi compatibile / Casambi compatible.

PL NEL 100

kg 4 m³ 0,17



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Code	CCT	Source	EURO
PL	NEL 100	BC white	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 368,00 L01: 555,00 L02: 674,00
		FB white pattern	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 368,00 L01: 570,00 L02: 688,00
			X	2 3000K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	

CE IP20 CRI>90 220-240VAc LED

example composition code PL NEL100 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY100BC	white	221,00
TSPLNELLY100FB	white pattern	232,00

Casambi compatibile / Casambi compatible.

Nelly straight/ Nelly straight plus

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

COLOURS




white



white pattern


PL NEL S 60

kg 2 m³ 0,06



NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Code	CCT	Source	EURO
PL	NEL S 60	BC white	X	X	E27 2 x Max 16W LED or 2 x Max 70W halogen	E27: 244,00 L01: 412,00
		FB white pattern	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 244,00 L01: 417,00
			X	2 3000K		

CE IP20 CRI>90  220-240V_{AC} LED

example composition code PL NELS60 BC XX E27


TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ60BC	white	119,00
TSPLNELLYQ60FB	white pattern	125,00

Casambi compatibile / Casambi compatible.


PL NE S 100

kg 4 m³ 0,17



NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Code	CCT	Source	EURO
PL	NE S 100	BC white	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 398,00 L01: 575,00 L02: 694,00
		FB white pattern	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 398,00 L01: 585,00 L02: 703,00
			X	2 3000K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	

CE IP20 CRI>90  220-240V_{AC} LED

example composition code PL NES100 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ100BC	white	221,00
TSPLNELLYQ100FB	white pattern	232,00

Casambi compatibile / Casambi compatible.

Nelly

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

COLOURS



white



white pattern




ivory pattern

PL NEL 140

kg 6 m³ 0,5

Limited stock



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NEL 140	BC white FB white pattern FA ivory pattern	XX white metal	E27 4 x Max 16W LED or 4 x Max 70W halogen	853,00



IP20 +LED

220-240V_{ac}

example composition code PL NEL140 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY140BC	white	295,00
TSPLNELLY140FB	white pattern	295,00
TSPLNELLY140FA	ivory pattern	295,00

Nelly straight

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

COLOURS



white pattern




ivory pattern

PL NE S 140

kg 6 m³ 0,5

Limited stock



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NE S 140	FB white pattern FA ivory pattern	XX white metal	E27 4 x Max 16W LED or 4 x Max 70W halogen	859,00



IP20 +LED

220-240V_{ac}

example composition code PL NE S 140 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ140FB	white pattern	295,00
TSPLNELLYQ140FA	ivory pattern	295,00

Orchid

Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio e acciaio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and steel wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.


COLOURS



white



sand



anthracite grey



greige
limited edition


DETAILS



white canopy

AP ORCHID

kg 1 m³ 0,02



ORCHID / applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code End	Source	EURO
AP	ORCHID	BC white	XX	LED 15W - diffused beam 3000K* 2700K upon request	229,00
		SA sand			
		AN anthracite grey			
		GE greige limited edition			


CE IP20 CRI90 220-240V_{AC} LED ~1375 lm* ~91,6lm/W*

example composition code AP ORCHID SA XX LED

Casambi compatibile / Casambi compatible.

PL ORCHID

kg 6 m³ 0,07



ORCHID

Type	Article	Colours	Code End	Source	EURO
PL	ORCHID	BC white	XX	LED 3 x 15W - diffused beam 3000K* 2700K upon request	769,00
		SA sand			
		AN anthracite grey			

CE IP20 CRI90 220-240V_{AC} LED 3 x ~1375 lm* ~91,6lm/W*

example composition code PL ORCHID SA XX LED

Casambi compatibile / Casambi compatible.

Orchid


Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio e acciaio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and steel wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.


SP ORCHI 3

kg 6 m³ 0,18



ORCHID

Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 3	BC white SA sand AN anthracite grey	XX	LED 3 x 15W - diffused beam 3000K* 2700K upon request	1.059,00


CE IP20 CRI90  220-240V_{AC} LED 3 x ~1375 lm* ~91,6lm/W*

example composition code SP ORCHI3 SA XX LED

Casambi compatibile / Casambi compatible.


SP ORCHI 4

kg 8 m³ 0,2



ORCHID

Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 4	BC white SA sand AN anthracite grey	XX	LED 4 x 15W - diffused beam 3000K* 2700K upon request	1.282,00


CE IP20 CRI90  220-240V_{AC} LED 4 x ~1375 lm* ~91,6lm/W*

example composition code SP ORCHI4 BC XX LED

Casambi compatibile / Casambi compatible.


PT ORCHID

kg 13 m³ 0,2



ORCHID / DIMMER INCLUDED

Type	Article	Colours	Code End	Source	EURO
PT	ORCHID	BC white SA sand AN anthracite grey	XX	LED 3 x 6,5W - diffused beam 3000K* 2700K upon request	1.126,00

CE IP20 CRI90  110-240V_{AC} LED 3 x ~671 lm* ~103lm/W*

example composition code PT ORCHID AN XX LED

Orchid


Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio e acciaio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium and steel wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.

LT ORCHID

kg 2,5 m³ 0,07



ORCHID / DIMMER INCLUDED


Type	Article	Colours	Code End	Source	EURO
LT	ORCHID	BC white SA sand AN anthracite grey	XX	LED 6,5W - diffused beam 3000K* 2700K upon request	498,00

IP20 CRI90 110-240VAC ~671 lm* ~103lm/W

example composition code LT ORCHID BC XX LED

Paralela

Nahrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

COLOURS




white



greige



earth red




pine green
limited edition




black

Elementi del sistema per la configurazione del modulo singolo (DRIVER NON INCLUSO) System elements for single module configuration (DRIVER NOT INCLUDED)




Elementi del sistema per la configurazione di moduli multipli (DRIVER NON INCLUSO) System elements for multiple modules configuration (DRIVER NOT INCLUDED)



Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione orizzontale / Horizontal suspension 118,6cm - 1 punto di connessione / 1 connection point

PARALELA HORIZONTAL SUSPENSION - GLASS TUBE 118,6cm 1 CONNECTION POINT (DRIVER NOT INCLUDED)


Type	Article	Steel cable on connection point	Steel cable external cap	CCT	Electrical cable	Code	Size	Connection point	Colours	LED - Source
AC	TU	X without/ senza	C with/con	27 2700K	X without/ senza	X	BI 118,6cm	1	BC white	~19W (~1418lm)
		C with/con		30 3000K	E with/con				ER earth red	
					GE greige					
					NE black					
								PG pine green limited edition		



IP20 CR>90 24Vdc **LED**

example composition code AC TU C C (27)* X X BI 1 (PG)* ()* CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + CAVO ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE ALTO / GLASS TUBE 118,6cm + STEEL CABLE (3m) + 1 CONNECTION POINT UP

EURO 583,00

example composition code AC TU X C (30)* X X BI 1 (ER)*

kg 1,2 m³ 0,007




TUBO IN VETRO 118,6cm + CAVO ACCIAIO (3m) + CAVO ELETTRICO (4m) + 1 PUNTO DI CONNESSIONE ALTO / GLASS TUBE 118,6cm + STEEL CABLE (3m) + ELECTRICAL CABLE (4m) + 1 CONNECTION POINT UP

EURO 630,00

example composition code AC TU X C (27)* E X BI 1 (GE)*

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + CAVO ACCIAIO (3m) SU PUNTO DI CONNESSIONE + CAVO ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE / GLASS TUBE 118,6cm + STEEL CABLE (3m) ON CONNECTION POINT + STEEL CABLE (3m) + 1 CONNECTION POINT

EURO 596,00

example composition code AC TU C C (30)* X X BI 1 (PG)*

kg 1,2 m³ 0,007




TUBO IN VETRO 118,6cm + CAVO ACCIAIO (3m) SU PUNTO DI CONNESSIONE + CAVO ACCIAIO (3m) + CAVO ELETTRICO (4m) + 1 PUNTO DI CONNESSIONE / GLASS TUBE 118,6cm + STEEL CABLE (3m) ON CONNECTION POINT + STEEL CABLE (3m) + ELECTRICAL CABLE (4m) + 1 CONNECTION POINT

EURO 642,00

example composition code AC TU C C (27)* E X BI 1 (NE)*

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione orizzontale / Horizontal suspension 93,6cm

PARALELA HORIZONTAL SUSPENSION - GLASS TUBE 93,6cm (DRIVER NOT INCLUDED)


Type	Article	Steel cable on connection point	Steel cable external cap	CCT	Electrical cable	Code	Size	Connection point	Colours	LED - Source
AC	TU	X without/ senza	C with/con	27 2700K	X without/ senza	X	LA 93,6cm	1	BC white	~14,9W (~1103lm)
		C with/con		30 3000K	E with/con				ER earth red	
					GE greige					
					NE black					
					PG pine green limited edition					



IP20 CRI>90 24Vdc **LED**

example composition code AC TU C C (27)* E X LA 1 (PG)* ○* CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 0,8 m³ 0,006




TUBO IN VETRO 93,6cm + CAVO ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE ALTO / GLASS TUBE 93,6cm + STEEL CABLE (3m) + 1 CONNECTION POINT UP

EURO 529,00

example composition code AC TU X C (30)* X X LA 1 (ER)*

kg 1 m³ 0,006




TUBO IN VETRO 93,6cm + CAVO ACCIAIO (3m) + CAVO ELETTRICO (4m) + 1 PUNTO DI CONNESSIONE ALTO / GLASS TUBE 93,6cm + STEEL CABLE (3m) + ELECTRICAL CABLE (4m) + 1 CONNECTION POINT UP

EURO 576,00

example composition code AC TU X C (27)* E X LA 1 (GE)*

kg 0,8 m³ 0,006




TUBO IN VETRO 93,6cm + CAVO ACCIAIO (3m) SU PUNTO DI CONNESSIONE + CAVO ACCIAIO (3m) + 1 PUNTO DI CONNESSIONE / GLASS TUBE 93,6cm + STEEL CABLE (3m) ON CONNECTION POINT + STEEL CABLE (3m) + 1 CONNECTION POINT

EURO 541,00

example composition code AC TU C C (30)* X X LA 1 (PG)*

kg 1 m³ 0,006




TUBO IN VETRO 93,6cm + CAVO ACCIAIO (3m) SU PUNTO DI CONNESSIONE + CAVO ACCIAIO (3m) + CAVO ELETTRICO (4m) + 1 PUNTO DI CONNESSIONE / GLASS TUBE 93,6cm + STEEL CABLE (3m) ON CONNECTION POINT + STEEL CABLE (3m) + ELECTRICAL CABLE (4m) + 1 CONNECTION POINT

EURO 587,00

example composition code AC TU C C (27)* E X LA 1 (NE)*

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione orizzontale / Horizontal suspension 118,6cm - 2 punti di connessione / 2 connection points

PARALELA HORIZONTAL SUSPENSION - GLASS TUBE 118,6cm 2 CONNECTION POINTS (DRIVER NOT INCLUDED)


Type	Article	Steel cable on connection point	Steel cable external cap	CCT	Electrical cable	Code	Size	Connection point	Colours	LED - Source
AC	TU	X without/senza	X without/senza	27 2700K	X without/senza	X	BI 118,6cm	2	BC white	~19W (~1418lm)
		C with/con		30 3000K					ER earth red	
									GE greige	
									NE black	
									PG pine green limited edition	



IP20 CRI>90 24Vdc **LED**

example composition code AC TU X X (27)* X X BI 2 (PG)* ○* CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + 2 PUNTI DI CONNESSIONE ALTO / GLASS TUBE 118,6cm + 2 CONNECTION POINTS UP

EURO 688,00

example composition code AC TU X X (27)* X X BI 2 (BC)*

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + CAVI ACCIAIO (3m) SU PUNTI DI CONNESSIONE + 2 PUNTI DI CONNESSIONE / GLASS TUBE 118,6cm + STEEL CABLES (3m) ON CONNECTION POINTS + 2 CONNECTION POINTS

EURO 694,00

example composition code AC TU C X (30)* X X BI 2 (ER)*

Paralela

Nahtrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

SOSPENSIONE ORIZZONTALE / HORIZONTAL SUSPENSION

CINTURE CON APERTURA A CALAMITA / BELTS WITH MAGNETIC COVER

Big: kg 0,085 m³ 0,003 Small: kg 0,045 m³ 0,002




PARALELA HORIZONTAL SUSPENSION - BELT

Type	Article	Size	Electric cable entry	Typology variant	Code	Colours	EURO
AC	DIST	BI big	X without/senza	OR	XX	BC white	173,00 without 178,00 with
		SM small	F with/con			ER earth red	141,00 without 146,00 with
						GE greige	
						NE black	
						PG pine green limited edition	

example composition code AC DIST SM F OR XX BC

TAPPO DI CHIUSURA CON CAVO D'ACCIAIO (3m) / END CUP WITH STEEL CABLE (3m)

kg 0,02 m³ 0,001



Code	Colours	EURO
ACTESTAC001XX	BC white	77,00
	ER earth red	
	GE greige	
	NE black	
	PG pine green limited edition	


Solo per sospensione singola con 1 tubo in vetro /
Only for single suspension with 1 glass tube

example composition code ACTESTAC001XX BC

CAVI ELETTRICI PER INGRESSO DA CINTURA / ELECTRIC CABLES FOR BELT ENTRY

(FOR DC SECONDARY CIRCUIT)

kg 0,13 (2 poles) / 0,22 (4 poles)



Code	Poles	Colours	EURO
ACCAVOEL	2X001	BC white	19,00 *
	4X001	NE black	23,00 *


* prezzo per 1m / price for 1m

example composition code ACCAVOEL 4X001 BC

Solo per ingresso dal cintura, lunghezza cavo 1m / Only for belt input, cable length 1m

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

SOSPENSIONE ORIZZONTALE / HORIZONTAL SUSPENSION

ROSONE PER SISTEMA AD INCASSO / CANOPY FOR RECESSED SYSTEM

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,20




Code	Colours	EURO
ACCANOPYIN001	BC white	57,00

example composition code ACCANOPYIN001 BC


ROSONE / CANOPY

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,07 m³ 0,004



4,7 cm




Code	Colours	EURO
ACCANOPYTO004	BC white	85,00

example composition code ACCANOPYTO004 BC


PLACCA DI COPERTURA / COVER PLATED

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,19 m³ 0,004



0,44 cm





Code	Colours	EURO
ACCANOPYIN003	BC white	55,00

example composition code ACCANOPYIN003 BC

ROSONE / CANOPY

(DRIVER NON INCLUSO MA INSERIBILE: CEDMWC00206, CEDLTC00129, CEDLTC00132, CEDLTF00600 / DRIVER NOT INCLUDED BUT CAN BE INSERT: CEDMWC00206, CEDLTC00129, CEDLTC00132, CEDLTF00600)

kg 1,5




Code	Colours	EURO
ACCANOPYRE001	BC white	159,00
	ER earth red	
	GE greige	
	NR black	
	PG pine green limited edition	

example composition code ACCANOPYRE001 BC

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

SOSPENSIONE ORIZZONTALE / HORIZONTAL SUSPENSION

ROSONE / CANOPY

(DRIVER NON INCLUSO. INSERIBILI 1 O 2 DRIVERS / DRIVER NOT INCLUDED. 1 OR 2 DRIVERS CAN BE INSERTED)

kg 2,5




Code	Colours	EURO
ACCANOPYTO001	BC white	277,00
	ER earth red	
	GE greige	
	NR black	
	PG pine green limited edition	

example composition code ACCANOPYTO001 ER

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.


Sospensione orizzontale / Horizontal suspension

Esempi compositivi con 1 tubo in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with 1 glass tube (CANOPY AND DRIVER ARE NOT INCLUDED)

CCT 3000K - color white

HORIZONTAL 1



ACTUXC30EXLA1BC + ACTESTAC001XXBC + ACDISTSXORXXBC


EURO 794,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUXC30XXLA1BC + ACTESTAC001XXBC + ACDISTSXFORXXBC +
ACCAVOEL2X001BC (3m)

EURO 809,00

HORIZONTAL 2



ACTUXC30EXLA1BC + ACTESTAC001XXBC + ACDISTBIXORXXBC

EURO 826,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUXC30XXLA1BC + ACTESTAC001XXBC + ACDISTBIFORXXBC +
ACCAVOEL2X001BC (3m)

EURO 841,00

HORIZONTAL 3



ACTUXC30EXBI1BC + ACTESTAC001XXBC + ACDISTSXORXXBC

EURO 848,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUXC30XXBI1BC + ACTESTAC001XXBC + ACDISTSXFORXXBC +
ACCAVOEL2X001BC (3m)

EURO 863,00

HORIZONTAL 4



ACTUXC30EXBI1BC + ACTESTAC001XXBC + ACDISTBIXORXXBC

EURO 880,00


Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUXC30XXBI1BC + ACTESTAC001XXBC + ACDISTBIFORXXBC +
ACCAVOEL2X001BC (3m)

EURO 895,00

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.


Sospensione orizzontale / Horizontal suspension

Esempi compositivi con 2 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with 2 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)

CCT 3000K - color white

HORIZONTAL 5



ACTUCC30EXLA1BC + ACDISTSMXORXXBC + ACTUXC30XXLA1BC


EURO 1.257,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUCC30XXLA1BC + ACDISTSMFORXXBC + ACTUXC30XXLA1BC +
ACCAVOEL2X001BC (3m)

EURO 1.273,00

HORIZONTAL 6



ACTUCC30EXLA1BC + ACDISTBIXORXXBC + ACTUXC30XXLA1BC


EURO 1.289,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUCC30XXLA1BC + ACDISTBIFORXXBC + ACTUXC30XXLA1BC +
ACCAVOEL2X001BC (3m)

EURO 1.305,00

HORIZONTAL 7



ACTUCC30EXB11BC + ACDISTSMXORXXBC + ACTUXC30XXB11BC


EURO 1.366,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUCC30XXB11BC + ACDISTSMFORXXBC + ACTUXC30XXB11BC +
ACCAVOEL2X001BC (3m)

EURO 1.382,00

HORIZONTAL 8



ACTUCC30EXB11BC + ACDISTBIXORXXBC + ACTUXC30XXB11BC


EURO 1.398,00

Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUCC30XXB11BC + ACDISTBIFORXXBC + ACTUXC30XXB11BC +
ACCAVOEL2X001BC (3m)

EURO 1.414,00

HORIZONTAL 9



ACTUCC30EXLA1BC + ACDISTBIXORXXBC + ACTUXC30XXB11BC

EURO 1.343,00


Variante codice con entrata cavo elettrico da cintura /
Code variant with electric cable entry from belt

ACTUCC30XXLA1BC + ACDISTBIFORXXBC + ACTUXC30XXB11BC +
ACCAVOEL2X001BC (3m)

EURO 1.359,00

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione orizzontale / Horizontal suspension


Esempi compositivi con 3 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with 3 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)


CCT 3000K - color white




Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry



Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry




Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry



Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.


Sospensione orizzontale / Horizontal suspension

Esempi compositivi con 3 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with 3 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)

CCT 3000K - color white

HORIZONTAL 14




ACTUXC30XXLA1BC + ACDISTSMFORXXBC + ACTUCX30XXBI2BC + ACDISTSMXORXXBC + ACTUXC30XXLA1BC + ACCAVOEL4X001BC (3m)

EURO 2.108,00

Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry

HORIZONTAL 15




ACTUXC30XXLA1BC + ACDISTSMFORXXBC + ACTUCX30XXBI2BC + ACDISTBIXORXXBC + ACTUXC30XXLA1BC + ACCAVOEL4X001BC (3m)

EURO 2.140,00

Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry

HORIZONTAL 16




ACTUCC30XXLA1BC + ACDISTSMFORXXBC + ACTUXX30XXBI2BC + ACDISTBIXORXXBC + ACTUCC30XXLA1BC + ACCAVOEL4X001BC (3m)

EURO 2.158,00

Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry

HORIZONTAL 17




ACTUCC30XXLA1BC + ACDISTSMFORXXBC + ACTUXX30XXBI2BC + ACDISTSMXORXXBC + ACTUCC30XXLA1BC + ACCAVOEL4X001BC (3m)

EURO 2.126,00

Si può scegliere quale cintura avrà l'entrata cavo elettrico (cavo a 4 poli) /
You can choose which belt will have the electric cable (4-pole cable) entry

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione orizzontale / Horizontal suspension

Esempi compositivi con 4 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with 4 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)


CCT 3000K - color white



ACTUCC30XXLA1BC + ACDISTSMXORXXBC + ACTUXX30XXBI2BC + ACDISTBIFORXXBC +
ACTUCX30XXBI2BC + ACDISTSMXORXXBC + ACTUCX30XXLA1BC + ACCAVOEL4X001BC (3m)

L'entrata cavo elettrico (cavo a 4 poli) dovrà essere solamente nella cintura centrale /
The electric cable (4-pole cable) entry must only be in the central belt

EURO 2.981,00




----- ATTENTION -----

Con il cavo elettrico quadripolare si possono alimentare fino a 4 tubi in vetro.
In caso di composizioni più estese bisognerà aggiungere ulteriori connessioni elettriche /
Up to 4 glass tubes can be powered with the quadripolar electric cable.
In the case of more extensive compositions, it will be necessary to add further electrical connections

Paralela

Nahrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione verticale / Vertical suspension 60,4cm - 93,6cm

PARALELA VERTICAL SUSPENSION - GLASS TUBE (DRIVER NOT INCLUDED)


Type	Article	Code	Code	CCT	Electrical cable	Code	Size	Code	Colours	LED - Source
AC	TU	X	X	27 2700K	E	X	SM 60,4cm	X	BC white	~9,2W (~681lm)
				30 3000K			LA 93,6cm		ER earth red	~14,9W (~1103lm)
									GE greige	
									NE black	
									PG pine green limited edition	



IP20 CRI>90 24Vdc **LED**

example composition code AC TU X X (30)* E X SM X (GE)* ○ CCT e Colori non influiscono sui prezzi / CCT and Colours have no impact on prices

kg 0,5 m³ 0,0035




TUBO IN VETRO 60,4cm + CAVO ELETTRICO (2,5m) / GLASS TUBE 60,4cm + ELECTRICAL CABLE (2,5m)

EURO 377,00

example composition code AC TU X X (27)* E X SM X (BC)*

kg 0,8 m³ 0,006




TUBO IN VETRO 93,6cm + CAVO ELETTRICO (2,5m) / GLASS TUBE 93,6cm + ELECTRICAL CABLE (2,5m)

EURO 443,00

example composition code AC TU X X (30)* E X LA X (GE)*

Paralela

Nahtrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

SOSPENSIONE VERTICALE / VERTICAL SUSPENSION

CINTURE / BELTS

Big: kg 0,085 m³ 0,003 Small: kg 0,045 m³ 0,002



PARALELA VERTICAL SUSPENSION - BELT

Type	Article	Size	Electric cable entry	Typology variant	Code	Colours	EURO
AC	DIST	BI* big	X without/senza	VE	XX	BC white	161,00
		SM small				ER earth red	120,00
		GE greige					
		NE black					
						PG pine green limited edition	


example composition code AC DIST BI X VE XX ER

* Cintura BIG non applicabile con Canopy 2 e Canopy 3 / Belt big not applicable with Canopy 2 and Canopy 3

ROSONE PER SISTEMA AD INCASSO / CANOPY FOR RECESSED SYSTEM

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0.20




Code	Colours	EURO
ACCANOPYIN001	BC white	57,00

example composition code ACCANOPYIN001 BC

ROSONE / CANOPY

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0.07 m³ 0,004




Code	Colours	EURO
ACCANOPYTO004	BC white	85,00

example composition code ACCANOPYTO004 BC

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

SOSPENSIONE VERTICALE / VERTICAL SUSPENSION

PLACCA DI COPERTURA / COVER PLATED

(DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,19 m³ 0,004




Code	Colours	EURO
ACCANOPYIN003	BC white	55,00

example composition code ACCANOPYIN003 BC

ROSONE 2 / CANOPY 2

(DRIVER NON INCLUSO MA INSERIBILE / DRIVER NOT INCLUDED BUT CAN BE INSERT)

kg 0,9 m³ 0,025




Code	Colours	EURO
ACCANOPYTO002	BC white	148,00
	ER earth red	
	GE greige	
	NE black	
	PG pine green limited edition	

example composition code ACCANOPYTO002 BC

ROSONE 3 / CANOPY 3

(DRIVER NON INCLUSO MA INSERIBILE / DRIVER NOT INCLUDED BUT CAN BE INSERT)

kg 0,9 m³ 0,025




Code	Colours	EURO
ACCANOPYTO003	BC white	164,00
	ER earth red	
	GE greige	
	NE black	
	PG pine green limited edition	

example composition code ACCANOPYTO003 ER

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione verticale / Vertical suspension

Esempi compositivi con 1, 2 e 3 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)


Compositional examples with 1, 2 and 3 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)

CCT 3000K - color white

<p>VERTICAL 1</p>	<p>VERTICAL 2</p>	<p>VERTICAL 3</p>	<p>VERTICAL 4</p>	<p>VERTICAL 5</p>
<p>ACTUXX30EXSMXBC</p>	<p>ACTUXX30EXLAXBC</p>	<p>ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXSMXBC</p>	<p>ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC</p>	<p>ACTUXX30EXLAXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC</p>
<p>EURO 377,00</p>	<p>EURO 443,00</p>	<p>EURO 874,00</p>	<p>EURO 940,00</p>	<p>EURO 1.006,00</p>
<p>VERTICAL 6</p>	<p>VERTICAL 7</p>	<p>VERTICAL 8</p>	<p>VERTICAL 9</p>	
<p>ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXSMXBC</p>	<p>ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC</p>	<p>ACTUXX30EXSMXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC</p>	<p>ACTUXX30EXLAXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC ACDISTSMTXVEXXBC ACTUXX30EXLAXBC</p>	
<p>EURO 1.371,00</p>	<p>EURO 1.437,00</p>	<p>EURO 1.503,00</p>	<p>EURO 1.569,00</p>	

Paralela

Nahrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Sospensione verticale / Vertical suspension

Esempi compositivi con più di 3 tubi in vetro (NON SONO INCLUSI ROSONE E DRIVER)

Compositional examples with more than 3 glass tubes (CANOPY AND DRIVER ARE NOT INCLUDED)

CCT 3000K - color white




ACTUX30EXSMXBC + ACDISTSMXVEXXBC + ACTUX30EXLAXBC + ACDISTBIXVEXXBC + ACTUX30EXLAXBC + ACDISTSMXVEXXBC +
ACTUX30EXSMXBC + ACDISTBIXVEXXBC + ACTUX30EXLAXBC + ACDISTBIXVEXXBC + ACTUX30EXLAXBC + ACDISTBIXVEXXBC +
ACTUX30EXSMXBC + ACDISTBIXVEXXBC + ACTUX30EXSMXBC + ACDISTBIXVEXXBC + ACTUX30EXLAXBC + ACDISTSMXVEXXBC + ACTUX30EXSMXBC

EURO 5.426,00

Paralela

Nahtrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Parete e soffitto / Wall and ceiling 29,7cm - 93,6cm - 118,6cm

PARALELA WALL - GLASS TUBE (DRIVER NOT INCLUDED)


Type	Article	Code	Code	CCT	Code	Code	Size	Connection point	Colours	LED - Source
AC	TU	X	X	27 2700K	X	X	MI 29,7cm	1	BC white	~4W (~315lm)
				30 3000K			LA 93,6cm	2	ER earth red	~14,9W (~1103lm)
							BI 118,6cm		GE greige NE black PG pine green limited edition	~19W (~1418lm)



IP20 CRI>90 24Vdc **LED**

example composition code AC TU X X (30)* X X BI 1 (NE)* ()* CCT e Colori non influiscono sui prezzi /
CCT and Colours have no impact on prices

kg 0,3 m³ 0,0018




TUBO IN VETRO 29,7cm + 1 PUNTO DI CONNESSIONE /
GLASS TUBE 29,7cm + 1 CONNECTION POINT

EURO 377,00

example composition code AC TU X X (27)* X X MI 1 (BC)*

kg 0,8 m³ 0,006



TUBO IN VETRO 93,6cm + 1 PUNTO DI CONNESSIONE /
GLASS TUBE 93,6cm + 1 CONNECTION POINT

EURO 518,00

example composition code AC TU X X (30)* X X LA 1 (GE)*

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + 1 PUNTO DI CONNESSIONE /
GLASS TUBE 118,6cm + 1 CONNECTION POINT

EURO 573,00

example composition code AC TU X X (27)* X X BI 1 (PG)*

kg 1 m³ 0,007




TUBO IN VETRO 118,6cm + 2 PUNTI DI CONNESSIONE /
GLASS TUBE 118,6cm + 2 CONNECTION POINTS

EURO 688,00

example composition code AC TU X X (27)* X X BI 2 (BC)*

Paralela

Nahtrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

PARETE E SOFFITTO / WALL AND CEILING

CINTURE CON APERTURA A CALAMITA / BELTS WITH MAGNETIC COVER

Small: kg 0,045 m³ 0,002 Mini: kg 0,02 m³ 0,001




PARALELA WALL - BELT

Type	Article	Size	Code	Variant typology	Code	Colours	EURO
AC	DIST	SM small	X	AP	XX	BC white	164,00
						ER earth red	131,00
		GE greige					
		NE black					
		PG pine green limited edition					

example composition code AC DIST MI X AP XX NE

STAFFA / STIRRUP

kg 0,02 m³ 0,001




Code	Colours	EURO
ACSTAFFA001XX	BC white	70,00
	ER earth red	
	GE greige	
	NE black	
	PG pine green limited edition	

Solo per tubo in vetro LA 93,6cm e BI 118,6cm /
Only for glass tube LA 93,6cm and BI 118,6cm

example composition code ACSTAFFA001XX BC

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.


Parete e soffitto / Wall and ceiling

Esempi compositivi con 2 tubi in vetro (DRIVER NON INCLUSO)

Compositional examples with 2 glass tubes (DRIVER NOT INCLUDED)

CCT 3000K - color white


WALL 1



ACTUXX30XXMI1BC + ACDISTMIXAPXXBC + ACTUXX30XXMI1BC

EURO 885,00

WALL 2



ACTUXX30XXMI1BC + ACDISTSXAPXXBC + ACTUXX30XXMI1BC

EURO 918,00


WALL 3



ACTUXX30XXMI1BC + ACDISTMIXAPXXBC + ACTUXX30XXLA1BC
+ ACSTAFFA001XXBC

EURO 1.096,00


WALL 4



ACTUXX30XXMI1BC + ACDISTSXAPXXBC + ACTUXX30XXLA1BC
+ ACSTAFFA001XXBC

EURO 1.129,00

WALL 5



ACTUXX30XXMI1BC + ACDISTMIXAPXXBC + ACTUXX30XXBI1BC
+ ACSTAFFA001XXBC

EURO 1.151,00

WALL 6



ACTUXX30XXMI1BC + ACDISTSXAPXXBC + ACTUXX30XXBI1BC
+ ACSTAFFA001XXBC

EURO 1.184,00


WALL 7



ACTUXX30XXLA1BC + ACDISTMIXAPXXBC + ACTUXX30XXLA1BC
+ 2 X ACSTAFFA001XXBC

EURO 1.307,00

WALL 8




ACTUXX30XXLA1BC + ACDISTSXAPXXBC + ACTUXX30XXLA1BC
+ 2 X ACSTAFFA001XXBC

EURO 1.340,00

Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.





Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Parete e soffitto / Wall and ceiling

Esempi compositivi con 2 tubi in vetro (DRIVER NON INCLUSO)


Compositional examples with 2 glass tubes (DRIVER NOT INCLUDED)

CCT 3000K - color white



Paralela

Nahrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.







Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Parete e soffitto / Wall and ceiling

Esempi compositivi con 3 tubi in vetro (DRIVER NON INCLUSO)


Compositional examples with 3 glass tubes (DRIVER NOT INCLUDED)

CCT 3000K - color white



Paralela

Nahtrang Studio



Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.


Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

Parete e soffitto / Wall and ceiling

Esempi compositivi con 4 tubi in vetro (DRIVER NON INCLUSO)


Compositional examples with 4 glass tubes (DRIVER NOT INCLUDED)

CCT 3000K - color white



L'entrata cavo elettrico (cavo a 4 poli) dovrà essere solamente nella cintura centrale /
The electric cable (4-pole cable) entry must only be in the central belt


EURO 2.978,00



Con il cavo elettrico quadripolare si possono alimentare fino a 4 tubi in vetro.
In caso di composizioni più estese bisognerà aggiungere ulteriori connessioni elettriche /
Up to 4 glass tubes can be powered with the quadripolar electric cable.
In the case of more extensive compositions, it will be necessary to add further electrical connections

Paralela Drivers ○○○○

Dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	121,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00129	Dimmable 1-10V	60	120-277Vac 50-60 Hz	24VDC constant 2,5A	net kg 0,115	99,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	178,00



Casambi compatibile / Casambi compatible.

Dimmable DALI




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	172,00



Casambi compatibile / Casambi compatible.

Dimmable Triac/ELV/0-10V



DRIVER 24V


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTF00600	Dimmable Triac/ELV/0-10V	25	100-305Vac 50-60 Hz	24VDC constant 1,1A	net kg 0,14	99,00



Casambi compatibile / Casambi compatible.


Paralela Drivers

Dimmable 0/1-10V - Push



DRIVER 24V


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00132	Dimmable 0/1-10V, PUSH	20	110-240Vac 50-60 Hz	24Vdc	net kg 0,115	56.00



Casambi compatibile / Casambi compatible.

Paralela

Nahtrang Studio




Collezione composta da lampade in vetro modulari e multidimensionali a sospensione, parete e soffitto; lampade da terra e tavolo.

Collection composed of: modular and multidimensional suspensions, wall and ceiling lamps; floor and table lamps, made of glass.

LAMPADA DA TERRA / FLOOR LAMP

kg 8,5 m³ 0,097



PARALELA FLOOR LAMP

Type	Article	CCT	Code	Colours	LED - Source	EURO
PT	PARALELA	27	X	BC white	~14,9W (~1103lm)	950,00*
		2700K		ER earth red		
		30		GE greige		
		3000K		NE black		
				PG pine green limited edition		




example composition code PT PARALELA 30 X GE

* Apparecchiatura di alimentazione e controllo non inclusa / Power and control equipment not included

LAMPADA DA TAVOLO / TABLE LAMP

kg 3 m³ 0,04



PARALELA TABLE LAMP

Type	Article	CCT	Code	Colours	LED - Source	EURO
LT	PARALELA	27	X	BC white	~4W (~315lm)	590,00*
		2700K		ER earth red		
		30		GE greige		
		3000K		NE black		
				PG pine green limited edition		




example composition code LT PARALELA 27 X PG

* Apparecchiatura di alimentazione e controllo non inclusa / Power and control equipment not included

APPARECCHIATURA DI ALIMENTAZIONE E CONTROLLO / POWER AND CONTROL EQUIPMENT

kg 0,3 m³ 0,003




ACCONTROLPT0001

Power and control equipment (dimmer, driver, cables, plug)
100-240Vac input, 25W, 24Vdc output
Plugs: EU, USA (Japan), UK, CCC
Color: black

163,00

Consigliata per lampada da terra, utilizzabile anche per lampada da tavolo
Recommended for floor lamp, can also be used for table lamp

kg 0,3 m³ 0,003



ACCONTROLLT0001


Power and control equipment (dimmer, driver, cables, plug)
100-240Vac input, 16W, 24Vdc output
Plugs: EU, USA (Japan), UK, CCC
Color: black

140,00

Consigliata per lampada da tavolo, utilizzabile anche per lampada da terra
Recommended for table lamp, can also be used for floor lamp

Pivot

Ryosuke Fukusada



Compatibile con quattro collezioni di sospensioni: Jewel Mono (p. 46), Liaison (p. 56), Urban mini (p. 175), Virtus (p. 184)

Compatible with four pendants collections: Jewel Mono (p. 46), Liaison (p. 56), Urban mini (p. 175), Virtus (p. 184)

Collezione in alluminio composta da plafoniere e sospensioni modulari. Disponibile in diversi colori, fasci di luce e CCT.

Aluminum collection consisting of modular ceiling - suspension lamps. Available in different colors, beam angles and CCT.

COLOURS



white




black



greige

PIVOT

kg 0,57 m³ 0,005



PIVOT / DRIVER INCLUDED (DIMMABLE)

Type	Article	Light number	Beam	CCT	Colours	LED - Source	EURO
PL	PIVO	01	1 12°	1 2700K	BC white	1 X 6,5W	259,00
			3 38°	2 3000K*	NE black	259,00	
				3 3500K	GE greige	285,00	


CE IP20 CRI90 220-240VAC **LED** ~671 lm* 103 lm/W*

example composition code PL PIVO 01 32 BC XXX

Casambi compatibile / Casambi compatible.

SPOTLIGHT X REC

kg 0,663



RECESSED ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED

Code	Beam	CCT	Colours	LED - Source	EURO
SATELTURNXI	1 12°	1 2700K	BC white	1 X 6,5W	164,00
	3 38°	2 3000K*	NE black	2 164,00	
		3 3500K	GE greige	3 181,00	

IP20 CRI90 **LED** 700mA - 9,2 Vdc ~671 lm* 103 lm/W*


example composition code SATELTURNXI 1 1 BC

optional for more info see page 192

	CEDLTC00124	dimmmable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00127	dimmmable 0/1 - 10V - Push - 700mA driver - Max 9W casambi compatible	61,00
	CEDLTC00126	dimmmable DALI 700mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimmmable DALI 700mA driver - Max 50W casambi compatible	145,00

Pivot

Ryosuke Fukusada




Collezione in alluminio composta da plafoniere e sospensioni modulari.
Disponibile in diversi colori, fasci di luce e CCT.

Aluminum collection consisting of modular ceiling - suspension lamps.
Available in different colors, beam angles and CCT.

PIVOT PENDANT

kg 0,9 m³ 0,004



PIVOT PENDANT / DRIVER INCLUDED (DIMMABLE)

Type	Article	Light number	Beam	CCT	Colours	Code	LED - Source	EURO
SP	PIVO	01	1 12°	1 2700K	BC white	XXX	1 X 6,5W	285,00
			3 38°	2 3000K*	NE black			285,00
			3 3500K	GE greige				299,00


CE IP20 CRI90 dimmable 0/1-10V or Push 220-240VAC **LED** ~671 lm* 103 lm/W*

example composition code SP PIVO 01 11 BC XXX

Casambi compatibile / Casambi compatible.

PIVOT PENDANT (RECESSED)

kg 0,9 m³ 0,039



PIVOT PENDANT (RECESSED) / DRIVER NOT INCLUDED

Type	Article	Light number	Beam	CCT	Colours	Code	LED - Source	EURO
SP	PIVOI	01	1 12°	1 2700K	BC white	XX	1 X 6,5W	185,00
			3 38°	2 3000K*	NE black			185,00
			3 3500K	GE greige				190,00

CE IP20 CRI90 dimmable with dedicated PSU 700mA - 9,2 Vdc **LED** ~671 lm* 103 lm/W*


example composition code SP PIVOI 01 11 BC XX

optional for more info see page 192

	CEDLTC00124	dimmmable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00127	dimmmable 0/1 - 10V - Push - 700mA driver - Max 9W casambi compatible	61,00
	CEDLTC00126	dimmmable DALI 700mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimmmable DALI - 1-10V - Push 700mA driver - Max50W casambi compatible	145,00

CANOPY

kg 1,25




CANOPY WITH SPINNING DEVICES / DRIVER NOT INCLUDED

Code	Colours	XX	EURO
ROSONEPIVOT	BC white		229,00
	NE black		229,00
	GE greige		252,00

example composition code ROSONEPIVOT BC XX

SPOTLIGHT

kg 0,574



SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED


Code	Beam	CCT	Colours	LED - Source	EURO
SATELLPIVOT	1 12°	1 2700K	BC white	1 X 6,5W	171,00
	3 38°	2 3000K*	NE black		171,00
		3 3500K	GE greige		188,00

 IP20 CRI90  **LED** 700mA - 9,2 Vdc ~671 lm* 103 lm/W*

example composition code SATELLPIVOT 1 1 BC

SPOTLIGHT X

kg 0,547



ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED / COMPATIBLE ONLY WITH PENDANTS SATELLITE


Code	Beam	CCT	Colours	LED - Source	EURO
SATELTURNXX	1 12°	1 2700K	BC white	1 X 6,5W	164,00
	3 38°	2 3000K*	NE black		164,00
		3 3500K	GE greige		181,00

 IP20 CRI90  **LED** 700mA - 9,2 Vdc ~671 lm* 103 lm/W*

example composition code SATELTURNXX 1 1 BC

PENDANTS

kg 0,240




PENDANTS SATELLITE / DRIVER NOT INCLUDED

Code	Colours	EURO
PENDANTSATELL	BC white	101,00
	NE black	101,00
	GE greige	111,00

example composition code PENDANTSATELL BC

DISCO COPERTURA PER PENDANTS SATELLITE (CON BIADESIVO, OPZIONALE) / COVER DISK FOR PENDANTS SATELLITE (WITH DOUBLE-SIDED ADHESIVE, OPTIONAL)




Code	Colours	EURO
KITDISCOPIVOT	BC white	18,00
	NE black	18,00
	GE greige	18,00

Pivot Accessori / Accessories

ROD 35 CM

kg 0,035




PIVOT / ROD 35 cm

Code	Colours		EURO
KITPIVOT035	BC white	XX	26,00
	NE black		26,00
	GE greige		28,00

example composition code KITPIVOT035 BC XX

ROD 65 CM

kg 0,065




PIVOT / ROD 65 cm

Code	Colours		EURO
KITPIVOT065	BC white	XX	44,00
	NE black		44,00
	GE greige		48,00

example composition code KITPIVOT065 BC XX

ROD 100 CM

kg 0,1





PIVOT / ROD 100 cm

Code	Colours		EURO
KITPIVOT100	BC white	XX	70,00
	NE black		70,00
	GE greige		76,00

example composition code KITPIVOT100 BC XX

JUNCTION KIT




PIVOT / JUNCTION KIT

Code	Colours	EURO
KITJUNCTIPIV	BC white	12,00
KITJUNCTIGPIV	NE black	12,00
	GE greige	19,00

example composition code KITJUNCTIGPIV BC

DIMMABLE 1 - 10V



DRIVER 700mA DIMMABLE 1 - 10V & PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00128	Dimmable 0/1 - 10V Push	37	110-240V 50-60 Hz	700mA constant 10-53 Vdc	net kg 0,215	133,00




for more info see page 192

Casambi compatibile / Casambi compatible.

Pivot

Ryosuke Fukusada



Collezione in alluminio composta da plafoniere e sospensioni modulari.
Disponibile in diversi colori, fasci di luce e CCT.

*Aluminum collection consisting of modular ceiling - suspension lamps.
Available in different colors, beam angles and CCT.*

Esempi compositivi (DRIVER NON INCLUSO) / *Compositional examples (DRIVER NOT INCLUDED)* Beam angle 38° - CCT 3000K - colour black - rods 35 cm


COMPOSITION 1



1 X ROSONEPIVOTNEXX
2 X SATELLPIVOT32NE
2 X KITPIVOT035NEXX

EURO 623,00


COMPOSITION 2



1 X ROSONEPIVOTNEXX
3 X SATELLPIVOT32NE
3 X KITPIVOT035NEXX

EURO 820,00


COMPOSITION 3



1 X ROSONEPIVOTNEXX
4 X SATELLPIVOT32NE
4 X KITPIVOT035NEXX

EURO 1.017,00


COMPOSITION 4



1 X ROSONEPIVOTNEXX
5 X SATELLPIVOT32NE
5 X KITPIVOT035NEXX

EURO 1.214,00


COMPOSITION 5



1 X ROSONEPIVOTNEXX
6 X SATELLPIVOT32NE
6 X KITPIVOT035NEXX

EURO 1.411,00


COMPOSITION 6



1 X ROSONEPIVOTNEXX
7 X SATELLPIVOT32NE
7 X KITPIVOT035NEXX

EURO 1.608,00


COMPOSITION 7



1 X ROSONEPIVOTNEXX
8 X SATELLPIVOT32NE
8 X KITPIVOT035NEXX

1.805,00


COMPOSITION 8



1 X ROSONEPIVOTNEXX
9 X SATELLPIVOT32NE
9 X KITPIVOT035NEXX

EURO 2.002,00

COMPOSITION 9



1 X ROSONEPIVOTNEXX
10 X SATELLPIVOT32NE
10 X KITPIVOT035NEXX

EURO 2.199,00

Pivot system compatibility

JEWEL MONO



Code

SP JEWEL MONO II (RECESSED)

for more info see page 46

LIAISON



Code

SP LIA P 1I (RECESSED)

SP LIA M 1I (RECESSED)

SP LIA G 1I (RECESSED)

for more info see page 56

URBAN MINI / LCC



Code

SP URBMI PI (RECESSED)

SP URBMI MI (RECESSED)

SP URBMI GI (RECESSED)

for more info see page 175

VIRTUS SUSPENSION




Code

E 2 101 4 11 1 X (RECESSED)

for more info see page 184

Poses


Axolight Lab




Lampada modulare in alluminio, da soffitto, parete e sospensione, che consente la creazione di innumerevoli forme geometriche.

Aluminum modular pendant, wall and ceiling fixture which allows the creation of countless geometrical shapes.


COLOURS



desert white



greige



laguna aqua



earth red




intense black



white only for recessed canopy

POSES

kg 1,04 - 0,60 - 0,33



POSES

Type	Article	Length	CCT	Light	Colours	LED - Source	EURO
AC	POSES	0451	3000K*	ON light	DW desert white	8,6W ~840lm* ~97lm/W*	299,00 on 214,00 off
		0821		OFF no light	GE greige	16,5W ~1608lm* ~97lm/W*	378,00 on 238,00 off
		1421			LA laguna aqua	29,5W ~2867lm* ~97lm/W*	500,00 on 292,00 off
					ER earth red		
					NE intense black		

CE IP20 CRI90 24Vdc LED

example composition code AC POSES 0821 ON LA
3500K, 2700K available upon request


Poses Componenti / Components

SATELLITE - ACSATXX

kg 0,25

1 HOLE

ACSATXX01XXXX



Colours


- DW desert white
- GE greige
- LA laguna aqua
- ER earth red
- NE intense black

example composition code ACSATXX01 XX XX GE


EURO 60,00

2 HOLES


ACSATXX02XXXX
(2 holes 90°)




ACSATXX03XXXX
(2 holes 180°)




ACSATXX07XXXX
(2 holes 120°)



ACSATXX08XXXX
(2 holes 150°)



ACSATXX14XXXX
(2 holes 60°)



Colours


- DW desert white
- GE greige
- LA laguna aqua
- ER earth red
- NE intense black

example composition code ACSATXX02 XX XX ER


EURO 60,00

3 HOLES


ACSATXX04XXXX
(3 holes 120°)




ACSATXX09XXXX
(3 holes 90°)




ACSATXX10XXXX
(2 holes 120° + 1 hole 60° DX)




ACSATXX11XXXX
(2 holes 120° + 1 hole 60° SX)




ACSATXX15XXXX
(3 holes 60°)




ACSATXX16XXXX
(2 holes 90° + 1 hole 60° DX)



ACSATXX18XXXX
(2 holes 60° + 1 hole 30° DX)



ACSATXX19XXXX
(2 holes 90° + 1 hole 150° DX)



Colours


- DW desert white
- GE greige
- LA laguna aqua
- ER earth red
- NE intense black

example composition code ACSATXX04 XX XX LA

EURO 60,00

4 HOLES


ACSATXX05XXXX
(4 holes 90°)



ACSATXX13XXXX
(2 holes 60° + 2 holes 60°)



ACSATXX17XXXX
(2 holes 90° + 1 hole 30° SX)



Colours

- DW desert white
- GE greige
- LA laguna aqua
- ER earth red
- NE intense black


example composition code ACSATXX05 XX XX DW

EURO 62,00

Poses Componenti / Components

SPACER ROD

kg 0,15



Code

ACPIEDIN007

Colours

DW desert white
GE greige
LA laguna aqua
ER earth red
NE intense black


EURO

46,00

example composition code ACPIEDIN007 XX LA

SPACER ROD

kg 0,25



Code

ACPIEDIN022

Colours

DW desert white
GE greige
LA laguna aqua
ER earth red
NE intense black


EURO

56,00

example composition code ACPIEDIN022 XX GE

CANOPY (DRIVER NOT INCLUDED BUT CAN BE INSERT)

kg 1,5



Code

ACCANOPYRE001

Colours

DW desert white
GE greige
LA laguna aqua
ER earth red
NE intense black


EURO

159,00

example composition code ACCANOPYRE001 DW

CANOPY (DRIVER NOT INCLUDED. 1 OR 2 DRIVERS CAN BE INSERTED)

kg 2,5



Code

ACCANOPYTO001

Colours

DW desert white
GE greige
LA laguna aqua
ER earth red
NE intense black


EURO

277,00

example composition code ACCANOPYTO001 ER

CANOPY FOR RECESSED SYSTEM (DRIVER NOT INCLUDED)

kg 0,20



Code

ACCANOPYIN001

Colours

BC white

EURO

57,00


example composition code ACCANOPYIN001 BC

Poses Componenti / Components

ELECTRIC CABLES

(FOR DC DECONDARY CIRCUIT)

kg 0,13 (2 poles) / 0,22 (4 poles)




Code	Poles	Colours	EURO
ACCAVOEL	2X001	AN anthracite grey	19,00*
	4X001	BC white	23,00*
		BR bronze	
		TR transparent	
		AQ laguna aqua	

* price for 1m

example composition code ACCAVOEL 4X001 BC

CABLE LOCK

kg 0,015




Code	Colours	EURO
ACBLOCCACAV01	DW desert white	22,00
	GE greige	
	LA laguna aqua	
	ER earth red	
	NE intense black	

example composition code ACBLOCCACAV01 DW

SUSPENSION CABLE

kg 0,040




Code	Colours	EURO
ACCAVINOX0300	CR chrome	32,00

example composition code ACCAVINOX0300 CR

CORNER CONNECTION

kg 0,17




Code	Colours	EURO
ACANGOLO90001	DW desert white	UPON REQUEST
	GE greige	
	LA laguna aqua	
	ER earth red	
	NE intense black	

example composition code ACANGOLO90001 DW

Poses Drivers

Dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	121,00



Casambi compatibile / *Casambi compatible.*




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	139,00



Casambi compatibile / *Casambi compatible.*




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	178,00



Casambi compatibile / *Casambi compatible.*




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00129	Dimmable 1-10V	60	120-277Vac 50-60 Hz	24VDC constant 2,5A	net kg 0,115	99,00



Casambi compatibile / *Casambi compatible.*

Dimmable DALI




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	139,00



Casambi compatibile / *Casambi compatible.*




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	172,00



Casambi compatibile / *Casambi compatible.*

Dimmable Triac/ELV/0-10V



DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTF00600	Dimmable Triac/ELV/0-10V	25	100-305Vac 50-60 Hz	24VDC constant 1,1A	net kg 0,14	99,00



Casambi compatibile / *Casambi compatible.*

Salina

Francesca De Giorgi


INDOOR ↔ OUTDOOR

DIM TO WARM


Salina è una lampada a sospensione, in tessuto e acciaio INOX per interni ed esterni disponibile in 2 dimensioni. Con tecnologia Dim To Warm.

Salina is a hanging, fabric and INOX steel lamp for indoors and outdoors available in 2 sizes. With Dim To Warm technology.


INDOOR / OUTDOOR
FABRIC COLOUR



granite



rose sand



vanilla


Fabric by
kvadrat

INDOOR / OUTDOOR
FABRIC COLOUR



cream

FINISHES




micalized brown

SP SALIN G

SP 070: kg 1,81 m³ 0,036

SP 110: kg 1,87 m³ 0,041



SALINA INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Size	Rod Size	Colours	Finishes	Source	EURO
SP	SALIN G	070		CR cream	MM micalized brown	LED ~8,6W Dim To Warm from ~2500K to ~4100K*	070: 978,00
				110			110: 998,00
		110	GN granite	070: 1.220,00			
			110: 1.237,00				
070	RD rose sand	070: 1.220,00					
	110: 1.237,00						
070	VA vanilla	070: 1.220,00					
	110: 1.237,00						

CE IP55** CRI>90 dimmable 24Vdc LED ~528 lm* ~61lm/W*

example composition code SP SALIN G 070 GN MM


Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

SP SALIN P

SP 070: kg 1,14 m³ 0,036

SP 110: kg 1,54 m³ 0,041



SALINA INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Size	Rod Size	Colours	Finishes	Source	EURO
SP	SALIN P	070		CR cream	MM micalized brown	LED ~8,6W Dim To Warm from ~2500K to ~4100K*	070: 895,00
				110			110: 910,00
		110	GN granite	070: 994,00			
			110: 1.008,00				
070	RD rose sand	070: 994,00					
	110: 1.008,00						
070	VA vanilla	070: 994,00					
	110: 1.008,00						

CE IP55** CRI>90 dimmable 24Vdc LED ~528 lm* ~61lm/W*

example composition code SP SALIN P 110 VA MM

Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

Salina

Francesca De Giorgi

INDOOR ↔ OUTDOOR


DIM TO WARM

Salina è una lampada a sospensione, in tessuto e acciaio INOX per interni ed esterni disponibile in 2 dimensioni. Con tecnologia Dim To Warm.

Salina is a hanging, fabric and INOX steel lamp for indoors and outdoors available in 2 sizes. With Dim To Warm technology.

SP SALINA G

kg 1,68 m³ 0,035



SALINA INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Size	Code	Colours	Finishes	Source	EURO
SP	SALINA	G	XX	CR cream	MM micalized brown	LED ~8.6W Dim To Warm from ~2500K to ~4100K*	922,00
				GN granite			1.128,00
				RD rose sand			1.128,00
				VA vanilla			1.128,00


CE IP55** CRI>90 dimmable 24Vdc LED ~528 lm* ~61lm/W*

example composition code SP SALINA G XX RD MM

** Attività test in corso / Testing activities in progress.

SP SALINA P

kg 1,35 m³ 0,035



SALINA INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Size	Code	Colours	Finishes	Source	EURO
SP	SALINA	P	XX	CR cream	MM micalized brown	LED ~8.6W Dim To Warm from ~2500K to ~4100K*	822,00
				GN granite			903,00
				RD rose sand			903,00
				VA vanilla			903,00

CE IP55** CRI>90 dimmable 24Vdc LED ~528 lm* ~61lm/W*

example composition code SP SALINA P XX RD MM

** Attività test in corso / Testing activities in progress.

optional for more info see page 196

CEDLTC00126	dimmbale DALI driver - Max 20W - IP20 casambi compatibile	83,00
CEDLTC00132	dimmbale 0/1 - 10V - Dim Push driver - Max 20W - IP20 casambi compatibile	56,00
CEDMWC00206	dimmbale 1-10V driver - Max 40W - IP65 casambi compatibile	121,00
CEDLTF00601	dimmbale 0 - 10V - ELV - Phase Cut driver - Max 12W - IP64 casambi compatibile	87,00

Salina

Francesca De Giorgi


Salina è una lampada a sospensione, in tessuto e acciaio INOX per interni ed esterni disponibile in 2 dimensioni. Con tecnologia Dim To Warm.

Salina is a hanging, fabric and INOX steel lamp for indoors and outdoors available in 2 sizes. With Dim To Warm technology.

ROSONE / CANOPY (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

INSERIBILE MORSETTIERA PER CONNESSIONE IP55: ACCONNECTION001 / CAN BE INSERT TERMINAL BLOCK FOR IP55: ACCONNECTION001
SOLO PER VERSIONI CON CAVO / ONLY FOR CABLE VERSIONS

kg 0,07 m³ 0,004




Code	Colours	EURO
ACCANOPYTO005	MM micalized brown	88,00

example composition code ACCANOPYTO005 MM

ROSONE / CANOPY (DRIVER NON INCLUSO MA INSERIBILE: CEDLTF00601 / DRIVER NOT INCLUDED BUT CAN BE INSERT: CEDLTF00601)

INSERIBILE MORSETTIERA PER CONNESSIONE IP55: ACCONNECTION001 / CAN BE INSERT TERMINAL BLOCK FOR IP55: ACCONNECTION001
SOLO PER VERSIONI CON CAVO / ONLY FOR CABLE VERSIONS

kg 0,66 m³ 0,004




Code	Colours	EURO
ACCANOPYTO008	MM micalized brown	151,00

example composition code ACCANOPYTO008 MM

PLACCA DI COPERTURA / COVER PLATED (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

SOLO PER VERSIONI CON CAVO / ONLY FOR CABLE VERSIONS

kg 0,25 m³ 0,004




Code	Colours	EURO
ACCANOPYIN005	MM micalized brown	58,00

example composition code ACCANOPYIN005 MM

SCATOLA CON MORSETTIERA PER CONNESSIONE IP55 / BOX WITH TERMINAL BLOCK FOR IP55

kg 0,015



Code	EURO
ACCONNECTION001	24,00

CE IP68 Max 250Vac Max 2x0 75mm²

example composition code ACCONNECTION001


Skin

Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

COLOURS




white



ivory white



brown



black

DIFFUSER COLOURS



white



warm white




white canopy

Altri colori disponibili su richiesta / Other colors available on request.

PL SKI 070

kg 6 m³ 0,33



SKIN

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 070 E27	BC white	BC white	E27 2 x Max 17,5W LED or 2 x Max 20W fluo	1.089,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			

CE IP20 +LED 220-240V_{ac}

example composition code PL SKI070E27 BC BC

PL SKI 100

kg 12 m³ 0,98



SKIN

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 100 E27	BC white	BC white	E27 3 x Max 17,5W LED or 3 x Max 23W fluo	1.913,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			

CE IP20 +LED 220-240V_{ac}

example composition code PL SKI100E27 BA BW

Skin


Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

PL SKI 160

kg 24 m³ 2,22



SKIN


Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 160 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 5 x Max 17,5W LED or 5 x Max 23W fluo	5.242,00

CE IP20 +LED 220-240V_{ac}

example composition code PL SKI160E27 MA BW

SP SKI 070

kg 10 m³ 0,33



SKIN / con illuminazione verso alto e basso / with upward and downward lighting


Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 070 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 4 x Max 17,5W LED or 4 x Max 20W fluo	1.597,00

CE IP20 +LED 220-240V_{ac}

example composition code SP SKI070E27 MA BW

SP SKI 100

kg 15 m³ 1,08



SKIN / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 6 x Max 17,5W LED or 6 x Max 20W fluo	2.613,00

CE IP20 +LED 220-240V_{ac}

example composition code SP SKI100E27 MA BW


Skin

Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

SP SKI 100 LED



SKIN / con illuminazione verso alto e basso / with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 LED	BC white BA ivory white MA brown NE matt black	BC white BW warm white	LED 98W - diffused beam 3000K* 4000K upon request	3.979,00


CE IP20 CRI90 ~10719 lm* 109 lm/W* 110-240Vac

example composition code SP SKI100LED BC BW

Casambi compatibile / Casambi compatible.

SP SKI 160

kg 23 m³ 2,15




SKIN / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 6 x Max 17,5W LED or 6 x Max 20W fluo	5.693,00

CE IP20 +LED 220-240Vac

example composition code SP SKI160E27 MA BW

SP SKI 160 LED



SKIN / con illuminazione verso alto e basso / with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 LED	BC white BA ivory white MA brown NE matt black	BC white BW warm white	LED 98W - diffused beam 3000K* 4000K upon request	6.362,00

CE IP20 CRI90 ~10719 lm* 109 lm/W* 110-240Vac

example composition code SP SKI160LED BA BW

Casambi compatibile / Casambi compatible.

Skirt

Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.




prodotto fonoassorbente / sound absorbing product


COLOURS




white




orange




blue




light grey



red



light green



black net cover fabric (optional)




white canopy

Altri colori disponibili su richiesta / Other colors available on request.

PL SKR 070

kg 5,5 m³ 0,43



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 070 E27	XX no black net	BC white	E27 1 x Max 175W LED or 1 x Max 70W halogen	1.393,00 + black net 2.030,00
		NE black net	AR orange		1.488,00 + black net 2.125,00
			BL blue		1.488,00 + black net 2.125,00
			GR light grey		1.488,00 + black net 2.125,00
			RS red		1.488,00 + black net 2.125,00
			VE light green		1.488,00 + black net 2.125,00

CE IP20 +LED 220-240Vac

example composition code PL SKR070E27 XX GR



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,39	0,44	0,58	0,68	0,76	0,81	1,02	0,67	0,67

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,54	0,60	0,78	0,85	0,92	1,18	0,75	0,74

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

PL SKR 100

kg 10 m³ 1,06



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 100 E27	XX no black net	BC white	E27 3 x Max 17,5W LED or 3 x Max 70W halogen	2.304,00 + black net 3.494,00
		NE black net	AR orange		2.484,00 + black net 3.674,00
			BL blue		2.484,00 + black net 3.674,00
			GR light grey		2.484,00 + black net 3.674,00
			RS red		2.484,00 + black net 3.674,00
			VE light green		2.484,00 + black net 3.674,00



CE IP20 +LED 220-240V_{ac}

example composition code PL SKR100E27 NE BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

PL SKR 150

kg 25 m³ 2,54



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 150 E27	XX no black net	BC white	E27 4 x Max 17,5W LED or 4 x Max 70W halogen	4.168,00 + black net 5.640,00
		NE black net	AR orange		4.658,00 + black net 6.129,00
			BL blue		4.658,00 + black net 6.129,00
			GR light grey		4.658,00 + black net 6.129,00
			RS red		4.658,00 + black net 6.129,00
			VE light green		4.658,00 + black net 6.129,00



CE IP20 +LED 220-240VAc

example composition code PL SKR150E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

PL SK 100 2

kg 18 m³ 1,06



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SK 100 2 E27	XX no black net	BC white	E27 3 x Max 17,5W LED or 3 x Max 70W halogen	2.922,00 + black net 4.519,00
		NE black net	AR orange		3.282,00 + black net 4.879,00
			BL blue		3.282,00 + black net 4.879,00
			GR light grey		3.282,00 + black net 4.879,00
			RS red		3.282,00 + black net 4.879,00
			VE light green		3.282,00 + black net 4.879,00



CE IP20 +LED 220-240V_{AC}

example composition code PL SK1002E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

PL SK 150 2

kg 30 m³ 2,54



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SK 150 2 E27	XX no black net	BC white	E27 4 x Max 17,5W LED or 4 x Max 70W halogen	5.498,00 + black net 7.919,00
		NE black net	AR orange		6.181,00 + black net 8.602,00
			BL blue		6.181,00 + black net 8.602,00
			GR light grey		6.181,00 + black net 8.602,00
			RS red		6.181,00 + black net 8.602,00
			VE light green		6.181,00 + black net 8.602,00



CE IP20 +LED 220-240V_{ac}

example composition code PL SK1502E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,66	2,67	2,96	3,54	3,73	4,23	5,08	3,27	3,41

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,68	2,75	3,30	3,56	3,78	4,45	6,12	3,52	3,55

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 050

kg 3,5 m³ 0,13



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 050 E27	XX no black net	BC white	E27 1 x Max 17,5W LED or 1 x Max 70W halogen	934,00 + black net 1.210,00
		NE black net	AR orange		1.041,00 + black net 1.317,00
			BL blue		1.041,00 + black net 1.317,00
			GR light grey		1.041,00 + black net 1.317,00
			RS red		1.041,00 + black net 1.317,00
			VE light green		1.041,00 + black net 1.317,00



CE IP20 +LED 220-240V_{AC}

example composition code SP SKR050E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,18	0,29	0,35	0,38	0,35	0,41	0,48	0,35	0,36

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,21	0,32	0,41	0,44	0,48	0,51	0,59	0,42	0,44

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 070

kg 6,5 m³ 0,43



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 070 E27	XX no black net	BC white	E27 1 x Max 175W LED or 1 x Max 70W halogen	1.422,00 + black net 1.897,00
		NE black net	AR orange		1.606,00 + black net 2.081,00
			BL blue		1.606,00 + black net 2.081,00
			GR light grey		1.606,00 + black net 2.081,00
			RS red		1.606,00 + black net 2.081,00
			VE light green		1.606,00 + black net 2.081,00

CE IP20 +LED 220-240V_{AC}

example composition code SP SKR070E27 XX RS



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,39	0,44	0,58	0,68	0,76	0,81	1,02	0,67	0,67

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,54	0,60	0,78	0,85	0,92	1,18	0,75	0,74

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 100

kg 12,5 m³ 1,06



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 100 E27	XX no black net	BC white	E27 4 x Max 17,5W LED or 4 x Max 70W halogen	2.517,00 + black net 3.452,00
		NE black net	AR orange		2.614,00 + black net 3.549,00
			BL blue		2.614,00 + black net 3.549,00
			GR light grey		2.614,00 + black net 3.549,00
			RS red		2.614,00 + black net 3.549,00
			VE light green		2.614,00 + black net 3.549,00



CE IP20 +LED 220-240V_{AC}

example composition code SP SKR100E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 100 LED

SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED



Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 100 LED	XX no black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	3.732,00 + black net 4.654,00
		NE black net	AR orange		3.970,00 + black net 4.892,00
			BL blue		3.970,00 + black net 4.892,00
			GR light grey		3.970,00 + black net 4.892,00
			RS red		3.970,00 + black net 4.892,00
			VE light green		3.970,00 + black net 4.892,00

CE IP20 CRI90 ~10719 lm* 109 lm/W* 110-240Vac

example composition code **SP SKR100LED XX RS**
Casambi compatibile / Casambi compatible.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 140

kg 11,5 m³ 0,65



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 140 E27	XX no black net	BC white	E27 4 x Max 17,5W LED or 4 x Max 57W halogen	2.720,00 + black net 3.450,00
		NE black net	AR orange		2.990,00 + black net 3.720,00
			BL blue		2.990,00 + black net 3.720,00
			GR light grey		2.990,00 + black net 3.720,00
			RS red		2.990,00 + black net 3.720,00
			VE light green		2.990,00 + black net 3.720,00



CE IP20 +LED 220-240V_{AC}

example composition code SP SKR140E27 XX RS

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	1,02	1,08	1,75	2,04	2,26	2,84	1,63	1,62

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 150

kg 19 m³ 2,54



SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 150 E27	XX no black net	BC white	E27 4 x Max 175W + 1 x Max 10W LED	4.535,00 + black net 6.019,00
		NE black net	AR orange		or
			BL blue	4 x Max 70W + 1 x Max 57W halogen	5.024,00 + black net 6.508,00
			GR light grey		5.024,00 + black net 6.508,00
			RS red		5.024,00 + black net 6.508,00
			VE light green		5.024,00 + black net 6.508,00



CE IP20 +LED 220-240V_{AC}

example composition code SP SKR150E27 XX BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20


Skirt

Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SKR 150 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 150 LED	XX no black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	5.605,00 + black net 7.132,00
		NE black net	AR orange		6.094,00 + black net 7.622,00
			BL blue		6.094,00 + black net 7.622,00
			GR light grey		6.094,00 + black net 7.622,00
			RS red		6.094,00 + black net 7.622,00
			VE light green		6.094,00 + black net 7.622,00

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240Vac

example composition code SP SKR150LED NE BC

Casambi compatibile / Casambi compatible.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SK 100 2

kg 18 m³ 1,06



SKIRT / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 E27	XX no black net	BC white	E27 4 x Max 17,5W LED or 4 x Max 70W halogen	3.045,00 + black net 4.448,00
		NE black net	AR orange		3.326,00 + black net 4.729,00
			BL blue		3.326,00 + black net 4.729,00
			GR light grey		3.326,00 + black net 4.729,00
			RS red		3.326,00 + black net 4.729,00
			VE light green		3.326,00 + black net 4.729,00

CE IP20 +LED 220-240V_{AC}

example composition code SP SK1002E27 XX BC



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13


Skirt

Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SK 100 2 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 LED	XX no black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	4.320,00 + black net 5.717,00
		NE black net	AR orange		4.680,00 + black net 6.077,00
			BL blue		4.680,00 + black net 6.077,00
			GR light grey		4.680,00 + black net 6.077,00
			RS red		4.680,00 + black net 6.077,00
			VE light green		4.680,00 + black net 6.077,00

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240Vac

example composition code SP SK1002LED NE BC

Casambi compatibile / Casambi compatible.



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13

Skirt


Manuel Vivian

Collezione di lampade da soffitto e a sospensione con paralume in tessuto riciclato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling and suspended lamps in recycled fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

SP SK 150 2

kg 23 m³ 2,54



SKIRT / diffuser INCLUDED, with upward and downward lighting

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 E27	XX no black net	BC white	E27 4 x Max 17,5W + 1 x Max 10W LED or 4 x Max 70W + 1 x Max 57W halogen	5.412,00 + black net 8.337,00
		NE black net	AR orange		6.095,00 + black net 9.020,00
			BL blue	6.095,00 + black net 9.020,00	
			GR light grey	6.095,00 + black net 9.020,00	
			RS red	6.095,00 + black net 9.020,00	
			VE light green	6.095,00 + black net 9.020,00	


CE IP20 +LED 220-240V_{AC}

example composition code SP SK1502E27 NE BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,66	2,67	2,96	3,54	3,73	4,23	5,08	3,27	3,41

SP SK 150 2 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 LED	NE black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	6.829,00 + black net 8.386,00
		XX no black net	AR orange		7.512,00 + black net 9.069,00
			BL blue	7.512,00 + black net 9.069,00	
			GR light grey	7.512,00 + black net 9.069,00	
			RS red	7.512,00 + black net 9.069,00	
			VE light green	7.512,00 + black net 9.069,00	

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240V_{AC}

example composition code SP SK1502LED XX BC

Casambi compatibile / Casambi compatible.

Equivalent Sound Absorption Area (A) in m² per lamp (with black net)

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,68	2,75	3,30	3,56	3,78	4,45	6,12	3,52	3,55

Spillray

Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

COLOURS



crystal



grey



metallic bronze



red^{LS}




orange^{LS}


CANOPIES



monopoint canopy



3 lights canopy




linear multipoint canopy



circular multipoint canopy



RECESSED VERSION



LS: stock limitato / limited stock.

AP SPILLR

kg 1,2 m³ 0,03



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
AP	SPILLR	CS crystal	CR chrome	G4L G4 1xMax 1,5W 12Vbc LED	298,00
		GR grey			336,00
		RS red ^{LS}			298,00
		AR orange ^{LS}			298,00

CE IP20 LED 90-264Vac

example composition code AP SPILLR CS CR G4L

LS: stock limitato / limited stock.



LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

PL SPIL P I (RECESSED)

kg 0,7 m³ 0,02



SPILLRAY / DRIVER NOT INCLUDED





Type	Article	Colours	Finish	Source	EURO
PL	SPIL P I	CS crystal	CR chrome	G4L G4 1xMax 1,5W 12Vdc LED	190,00
		GR grey			227,00
		RS red ^{LS}			190,00
		AR orange ^{LS}			190,00



foro - hole Ø 4 cm / profondità min - min depth 10 cm


example composition code PL SPILPI CS CR G4L

LS: stock limitato / limited stock.
optional for more info see page 194

	CEDMWC00200	(G4L) on/off driver - Max 8W	21,00
	CEDMWC00201	(G4L) on/off driver - Max 12W	27,00
	CEDLTC00124	dimnable Phase Cut driver - Max 11W - 12Vdc trailing and leading edge. Casambi compatible	72,00
	LAMPG41,5WL3002	1,5W G4 LED bulb - 3000K - Dimmable	10,00

PL SPIL M I (RECESSED)

kg 0,6 m³ 0,02



SPILLRAY / DRIVER NOT INCLUDED





Type	Article	Colours	Finish	Source	EURO
PL	SPIL M I	CS crystal	CR chrome	G4L G4 1xMax 1,5W 12Vdc LED	212,00
		GR grey			249,00
		RS red ^{LS}			212,00
		AR orange ^{LS}			212,00



foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code PL SPILMI CS CR G4L

LS: stock limitato / limited stock.
optional for more info see page 194

	CEDMWC00200	(G4L) on/off driver - Max 8W	21,00
	CEDMWC00201	(G4L) on/off driver - Max 12W	27,00
	CEDLTC00124	dimnable Phase Cut driver - Max 11W - 12Vdc trailing and leading edge. Casambi compatible	72,00
	LAMPG41,5WL3002	1,5W G4 LED bulb - 3000K - Dimmable	10,00

Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

PL SPIL G I (RECESSED)

kg 0,6 m³ 0,023



SPILLRAY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPIL G I	CS crystal	CR chrome	G4L G4 1xMax 1,5W 12Vdc LED	233,00
		GR grey			269,00
		RS red ^{LS}			233,00
		AR orange ^{LS}			233,00





foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code PL SPILGI CS CR G4L

LS: stock limitato / limited stock.

optional for more info see page 194

	CEDMWC00200	(G4L) on/off driver - Max 8W	21,00
	CEDMWC00201	(G4L) on/off driver - Max 12W	27,00
	CEDLTC00124	dimnable Phase Cut driver - Max 11W - 12Vdc trailing and leading edge. Casambi compatible	72,00
	LAMPG41,5WL3002	1,5W G4 LED bulb - 3000K - Dimmable	10,00

Spillray

Manuel Vivian



Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPILL P

kg 1,2 m³ 0,02

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL P	CS crystal	CR chrome	G4L G41xMax 1,5W 12Vdc LED	363,00
		GR grey			427,00
		BR metallic bronze			475,00
		RS red ^{LS}			363,00
		AR orange ^{LS}			363,00

CE IP20 LED 90-264V_{ac}

example composition code SP SPILLP BR CR G4L

LS: stock limitato / limited stock.





LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

SP SPIL P I (RECESSED)

kg 1,2 m³ 0,03



SPILLRAY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL P I	CS crystal	CR chrome	G4L G41xMax 1,5W 12Vdc LED	265,00
		GR grey			327,00
		BR metallic bronze			378,00
		RS red ^{LS}			265,00
		AR orange ^{LS}			265,00

CE IP20 LED

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code SP SPILPI BR CR G4L

LS: stock limitato / limited stock.

optional for more info see page 194



CEDMWC00200

(G4L) on/off driver - Max 8W

21,00

CEDMWC00201

(G4L) on/off driver - Max 12W

27,00

CEDLTC00124

dimmable Phase Cut driver - Max 1,1W - 12Vdc trailing and leading edge. Casambi compatible

72,00



LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

Spillray

Manuel Vivian



Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPILL M

kg 1,4 m³ 0,05

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL M	CS crystal	CR chrome	G4L G41xMax 1.5W 12Vdc LED	332,00
		GR grey			389,00
		BR metallic bronze			438,00
		RS red ^{LS}			332,00
		AR orange ^{LS}			332,00

CE IP20 LED 90-264V_{AC}



example composition code SP SPILLM BR CR G4L

LS: stock limitato / limited stock.

	LAMPG41,5WL3002	1.5W G4 LED bulb - 3000K - Dimmable	10,00
---	-----------------	-------------------------------------	-------

SP SPIL M I (RECESSED)

kg 1,4 m³ 0,05



SPILLRAY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL M I	CS crystal	CR chrome	G4L G41xMax 1.5W 12Vdc LED	234,00
		GR grey			292,00
		BR metallic bronze			341,00
		RS red ^{LS}			234,00
		AR orange ^{LS}			234,00



CE IP20 LED

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code SP SPILMI BR CR G4L

LS: stock limitato / limited stock.

optional for more info see page 194

	CEDMWC00200	(G4L) on/off driver - Max 8W	21,00
	CEDMWC00201	(G4L) on/off driver - Max 12W	27,00
	CEDLTC00124	dimmbable Phase Cut driver - Max 11W - 12Vdc trailing and leading edge. Casambi compatible	72,00
	LAMPG41,5WL3002	1.5W G4 LED bulb - 3000K - Dimmable	10,00

Spillray

Manuel Vivian



Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPILL G

kg 1,6 m³ 0,05

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL G	CS crystal	CR chrome	G4L G41xMax1,5W 12Vdc LED	358,00
		GR grey			416,00
		BR metallic bronze			475,00
		RS red ^{LS}			358,00
		AR orange ^{LS}			358,00

CE IP20 LED 90-264VAC

example composition code SP SPILLG BR CR G4L

LS: stock limitato / limited stock.





LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

SP SPIL G I (RECESSED)

kg 1,6 m³ 0,05



SPILLRAY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL G I	CS crystal	CR chrome	G4L G41xMax1,5W 12Vdc LED	260,00
		GR grey			319,00
		BR metallic bronze			378,00
		RS red ^{LS}			260,00
		AR orange ^{LS}			260,00

CE IP20 LED with integrated PSU

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code SP SPILGI BR CR G4L

LS: stock limitato / limited stock.

optional for more info see page 194



CEDMWC00200

(G4L) on/off driver - Max 8W

21,00

CEDMWC00201

(G4L) on/off driver - Max 12W

27,00

CEDLTC00124

dimnable Phase Cut driver - Max 1,1W - 12Vdc trailing and leading edge. Casambi compatible

72,00



LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPILL 3

kg 1,8 m³ 0,05



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL 3	CS crystal	CR chrome	G4L G43xMax1,5W12Vbc LED	767,00
		GR grey			964,00
		BR metallic bronze			1.123,00
		RS red ^{LS}			767,00
		AR orange ^{LS}			767,00

CE IP20 LED 90-264V_{AC}


example composition code SP SPILL3 BR CR G4L

LS: stock limitato / limited stock.

	LAMPG41,5WL3002	1,5W G4 LED bulb - 3000K - Dimmable	10,00
---	-----------------	-------------------------------------	-------

SP SPILL 6

kg 4,5 m³ 0,13



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL 6	CS crystal	CR chrome	G4L G4 6xMax1,5W 12Vbc LED	1.574,00
		GR grey			1.975,00
		BR metallic bronze			2.293,00
		RS red ^{LS}			1.574,00
		AR orange ^{LS}			1.574,00

CE IP20 LED 90-264V_{AC}

example composition code SP SPILL6 BR CR G4L

LS: stock limitato / limited stock.

	LAMPG41,5WL3002	1,5W G4 LED bulb - 3000K - Dimmable	10,00
---	-----------------	-------------------------------------	-------

Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPIL 10

kg 7 m³ 0,22



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 10	CS crystal	CR chrome	G4L G410xMax1,5W 12Vdc LED	2.663,00
		GR grey			3.333,00
		BR metallic bronze			3.862,00
		RS red ^{LS}			2.663,00
		AR orange ^{LS}			2.663,00

CE IP20 LED 90-264V_{ac}

example composition code SP SPIL10 BR CR G4L

LS: stock limitato / limited stock.




LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

SP SPIL 12

kg 9 m³ 0,13



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 12	CS crystal	CR chrome	G4L G412xMax1,5W 12Vdc LED	2.724,00
		GR grey			3.522,00
		BR metallic bronze			4.221,00
		RS red ^{LS}			2.724,00
		AR orange ^{LS}			2.724,00

CE IP20 LED 90-264V_{ac}

example composition code SP SPIL12 BR CR G4L

LS: stock limitato / limited stock.



LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

Spillray

Manuel Vivian


Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. LED light source.

SP SPIL 20

kg 22 m³ 1,08

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 20	CS crystal	CR chrome	G4L G420xMax 1,5W 12Vdc LED	7.648,00
		GR grey			8.573,00
		RS red ^{LS}			7.648,00
		AR orange ^{LS}			7.648,00

CE IP20 LED 90-264V_{AC}

example composition code SP SPIL20 CS CR G4L

LS: stock limitato / limited stock.



LAMPG41,5WL3002


1,5W G4 LED bulb - 3000K - Dimmable

10,00

SP SPIL 26

kg 23,5 m³ 0,86

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 26	CS crystal	CR chrome	G4L G426xMax 1,5W 12Vdc LED	8.367,00
		GR grey			9.539,00
		RS red ^{LS}			8.367,00
		AR orange ^{LS}			8.367,00

CE IP20 LED 90-264V_{AC}

example composition code SP SPIL26 CS CR G4L

LS: stock limitato / limited stock.



LAMPG41,5WL3002


1,5W G4 LED bulb - 3000K - Dimmable

10,00

SP SPIL 30

kg 31 m³ 1,31

Limited stock



SPILLRAY / DRIVER NOT DIMMABLE INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 30	CS crystal	CR chrome	G4L G4 30xMax 1,5W 12Vdc LED	10.953,00
		GR grey			12.342,00
		RS red ^{LS}			10.953,00
		AR orange ^{LS}			10.953,00

CE IP20 LED 90-264V_{AC}

example composition code SP SPIL30 CS CR G4L

LS: stock limitato / limited stock.



LAMPG41,5WL3002

1,5W G4 LED bulb - 3000K - Dimmable

10,00

Spillray Plus

Manuel Vivian

Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

COLOURS



crystal



grey



metallic bronze



red^{LS}



orange^{LS}

LS: stock limitato / limited stock.

FINISHES



chrome





chrome

SP SP070P / SP110P

SP 070: kg 0,57 m³ 0,025

SP 110: kg 0,64 m³ 0,027

SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED



Type	Article	Colours	Finish	Source	EURO
SP	SP 070 P	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	070: 458,00 110: 483,00
		GR grey			070: 511,00 110: 536,00
	BR metallic bronze	070: 570,00 110: 595,00			
	RS red ^{LS}	070: 496,00 110: 521,00			
	AR orange ^{LS}	070: 496,00 110: 521,00			

CE IP55** CRI>90 dimmable 200mA 11Vdc LED ~128 lm* ~58 lm/W*

example composition code SP SP070P BR CR INT

LS: stock limitato / limited stock.

Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

Spillray Plus

Manuel Vivian

Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.



Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

SP SP070M / SP110M

SP 070: kg 0,62 m³ 0,025

SP 110: kg 0,68 m³ 0,027



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SP 070 M	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	070: 433,00
		110: 457,00			
	SP 110 M	GR grey	070: 480,00		
		110: 505,00			
		BR metallic bronze	070: 537,00		
110: 561,00					
		RS red ^{LS}		070: 468,00	
				110: 492,00	
		AR orange ^{LS}		070: 468,00	
				110: 492,00	

CE IP55** CRI>90  200mA 11Vbc **LED** ~128 lm* ~58 lm/W*

example composition code SP SP070M BR CR INT

LS: stock limitato / limited stock.



Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

SP SP070G / SP110G

SP 070: kg 0,65 m³ 0,026

SP 110: kg 0,72 m³ 0,027



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SP 070 G	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	070: 461,00
		110: 486,00			
	SP 110 G	GR grey	070: 509,00		
		110: 534,00			
		BR metallic bronze	070: 577,00		
		RS red ^{LS}		110: 602,00	
		AR orange ^{LS}		070: 496,00	
				110: 521,00	

CE IP55** CRI>90  200mA 11Vbc **LED** ~128 lm* ~58 lm/W*

example composition code SP SP070G BR CR INT

LS: stock limitato / limited stock.

Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

Spillray Plus

Manuel Vivian



Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

SP SPILL P

kg 0,38 m³ 0,025



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL P	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	275,00
		GR grey			328,00
		BR metallic bronze			387,00
		RS red ^{LS}			313,00
		AR orange ^{LS}			313,00



CE IP55** CRI>90 dimmable 200mA 11Vdc LED ~128 lm* ~58 lm/W*
example composition code SP SPILLP CS CR INT

LS: stock limitato / limited stock.

** Attività test in corso / Testing activities in progress.

SP SPILL M

kg 0,44 m³ 0,025



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL M	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	251,00
		GR grey			300,00
		BR metallic bronze			357,00
		RS red ^{LS}			287,00
		AR orange ^{LS}			287,00

CE IP55** CRI>90 dimmable 200mA 11Vdc LED ~128 lm* ~58 lm/W*
example composition code SP SPILLM GR CR INT

LS: stock limitato / limited stock.

** Attività test in corso / Testing activities in progress.

Spillray Plus

Manuel Vivian



Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

SP SPILL G

kg 0,47 m³ 0,042



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPILL G	CS crystal	CR chrome	INT Integrated LED 2,2W ~3300K*	280,00
		GR grey			328,00
		BR metallic bronze			398,00
		RS red ^{LS}			315,00
		AR orange ^{LS}			315,00

200mA 11Vdc **LED** ~128 lm* ~58 lm/W*
 example composition code SP SPILLG CS CR INT

LS: stock limitato / limited stock.

** Attività test in corso / Testing activities in progress.

optional for more info see page 195



CEDWSC00500	dimmbale DALI - Dim Push driver - Max 12W - IP20 casambi compatible	53,00
CEDSCC00400	dimmbale ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatible	51,00

Spillray Plus


Manuel Vivian

Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

ROSONE / CANOPY SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,07 m³ 0,004




Code	Colours	EURO
ACCANOPYTO005	CR chrome	99,00

example composition code ACCANOPYTO005 CR

ROSONE / CANOPY SOLO PER VERSIONI CON CAVO / ONLY FOR CABLE VERSIONS (DRIVER NON INCLUSO MA INSERIBILE: CEDWSC00500 CEDSCC00400 / DRIVER NOT INCLUDED BUT CAN BE INSERT: CEDWSC00500 CEDSCC00400)

kg 0,8 m³ 0,004




Code	Colours	EURO
ACCANOPYTO007	CR chrome	163,00

example composition code ACCANOPYTO007 CR

ROSONE PER SISTEMA AD INCASSO / CANOPY FOR RECESSED SYSTEM SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,08 m³ 0,004




Code	Colours	EURO
ACCANOPYIN002	CR chrome	64,00

example composition code ACCANOPYIN002 CR

PLACCA DI COPERTURA / COVER PLATED SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,19 m³ 0,004




Code	Colours	EURO
ACCANOPYIN004	CR chrome	73,00
	BC white	52,00

example composition code ACCANOPYIN004 CR

SCATOLA CON MORSETTIERA PER CONNESSIONE IP55 / BOX WITH TERMINAL BLOCK FOR IP55

kg 0,015



Code	EURO
ACCONNECTION001	24,00

CE IP68 Max 250Vac Max 2x0 75mm²

example composition code ACCONNECTION001

Spillray Plus


Manuel Vivian

Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

ROSONE 1 LUCE / CANOPY 1 LIGHT SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO / DRIVER NOT INCLUDED)

kg 0,42 m³ 0,0052




Code	Colours	EURO
ACCANOPYTO009	CR chrome	129,00

example composition code ACCANOPYTO009 CR

ROSONE 3 LUCI / CANOPY 3 LIGHTS SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO MA INSERIBILE: 1pz CEDWSC00500 o 1pz CEDSCC00400 / DRIVER NOT INCLUDED BUT CAN BE INSERT: 1pc CEDWSC00500 or 1pc CEDSCC00400)

kg 1,28 m³ 0,010




Code	Colours	EURO
ACCANOPYTO010	CR chrome	388,00

example composition code ACCANOPYTO010 CR

ROSONE 6 LUCI / CANOPY 6 LIGHTS SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO MA INSERIBILE: 2pz CEDWSC00500 o 2pz CEDSCC00400 / DRIVER NOT INCLUDED BUT CAN BE INSERT: 2pcs CEDWSC00500 or 2pcs CEDSCC00400)

kg 2,92 m³ 0,039




Code	Colours	EURO
ACCANOPYRE002	CR chrome	520,00

example composition code ACCANOPYRE002 CR

ROSONE 10 LUCI / CANOPY 10 LIGHTS SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO MA INSERIBILE: 4pz CEDWSC00500 o 4pz CEDSCC00400 / DRIVER NOT INCLUDED BUT CAN BE INSERT: 4pcs CEDWSC00500 or 4pcs CEDSCC00400)

kg 4,5 m³ 0,019




Code	Colours	EURO
ACCANOPYRE003	CR chrome	846,00

example composition code ACCANOPYRE003 CR

ROSONE 12 LUCI / CANOPY 12 LIGHTS SOLO PER VERSIONI CON CAVO DA INTERNO / ONLY FOR INDOOR CABLE VERSIONS (DRIVER NON INCLUSO MA INSERIBILE: 4pz CEDWSC00500 o 4pz CEDSCC00400 / DRIVER NOT INCLUDED BUT CAN BE INSERT: 4pcs CEDWSC00500 or 4pcs CEDSCC00400)

kg 5 m³ 0,039



Code	Colours	EURO
ACCANOPYTO011	CR chrome	1.080,00

example composition code ACCANOPYTO011 CR

Spillray Plus

Manuel Vivian


Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

PL SPILX P

kg 0,45 m³ 0,02



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILX P	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	256,00
		GR grey			300,00
		RS red ^{LS}			291,00
		AR orange ^{LS}			291,00

IP55** CRI>90 200mA 11Vdc ~147 lm* ~66 lm/W*
 example composition code PL SPILXP GR CR INT


LS: stock limitato / limited stock.

Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

PL SPILX M

kg 0,54 m³ 0,02



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILX M	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	278,00
		GR grey			331,00
		RS red ^{LS}			314,00
		AR orange ^{LS}			314,00

IP55** CRI>90 200mA 11Vdc ~147 lm* ~66 lm/W*
 example composition code PL SPILXM GR CR INT

LS: stock limitato / limited stock.

Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

Spillray Plus

Manuel Vivian


Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

PL SPILX G

kg 0,46 m³ 0,023



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILX G	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	285,00
		GR grey			329,00
		RS red ^{LS}			320,00
		AR orange ^{LS}			320,00

CE IP55** CR>90 dimmable 200mA 11Vbc LED ~147 lm* ~66 lm/W*

example composition code PL SPILXG GR CR INT

LS: stock limitato / limited stock.


Morsettiera per connessione IP55 inclusa / Terminal block for IP55 included.

** Attività test in corso / Testing activities in progress.

INDOOR ↔ OUTDOOR

PL SPILI P

kg 0,46 m³ 0,02



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILI P	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	212,00
		GR grey			256,00
		RS red ^{LS}			247,00
		AR orange ^{LS}			247,00

CE IP55** CR>90 dimmable 200mA 11Vbc LED ~147 lm* ~66 lm/W*

example composition code PL SPILIP GR CR INT

LS: stock limitato / limited stock.

** IP55 in caso di installazione in controsoffitto chiuso / IP55 in case of closed false ceiling installation.

** Attività test in corso / Testing activities in progress.

Spillray Plus

Manuel Vivian


Collezione composta da plafoniere e lampade a sospensione in vetro con montatura in metallo cromato per interni ed esterni. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrata.

Collection consisting of glass ceiling and pendant lamps with chrome-plated metal frames for indoors and outdoors. Available in various colors and sizes. Integrated LED light source.

INDOOR ↔ OUTDOOR

PL SPILI M

kg 0,55 m³ 0,02



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILI M	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	234,00
		GR grey			287,00
		RS red ^{LS}			270,00
		AR orange ^{LS}			270,00

IP55** CRI>90 200mA 11Vbc **LED** ~147 lm* ~66 lm/W*
 example composition code PL SPILIM GR CR INT


LS: stock limitato / limited stock.

** IP55 in caso di installazione in controsoffitto chiuso / IP55 in case of closed false ceiling installation.

** Attività test in corso / Testing activities in progress.

PL SPILI G

kg 0,47 m³ 0,023



SPILLRAY PLUS INDOOR & OUTDOOR / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPILI G	CS crystal	CR chrome	INT Integrated LED 2,2W ~3326K*	241,00
		GR grey			285,00
		RS red ^{LS}			276,00
		AR orange ^{LS}			276,00

IP55** CRI>90 200mA 11Vbc **LED** ~147 lm* ~66 lm/W*
 example composition code PL SPILIG GR CR INT

LS: stock limitato / limited stock.

** IP55 in caso di installazione in controsoffitto chiuso / IP55 in case of closed false ceiling installation.

** Attività test in corso / Testing activities in progress.

optional for more info see page 195

	CEDWSC00500	dimmbale DALI - Dim Push driver - Max 12W - IP20 casambi compatibile	53,00
	CEDSCC00400	dimmbale ELV - TRIAC - 0 - 10V/1 -10V driver - Max 10W - IP20 casambi compatibile	51,00


Sunday

Axolight Lab


Plafoniera con struttura del corpo lampada interamente realizzato in metallo, emissione della luce diffusa da uno schermo in PMMA opalino, che ne determina l'efficienza ed il comfort visivo.

Ceiling light with lamp body structure made entirely of metal, light emission diffused by an opal PMMA screen, which determines its efficiency and visual comfort.


COLOURS



desert white



greige



laguna aqua




earth red



intense black

PL SUNDAY

kg 13 m³ 0,11



∅ 64,9 cm

4,7 cm

SUNDAY / DRIVER INCLUDED

Type	Article	CCT	Code	Colours	Source	EURO
PL	SUNDAY	27 2700K	XXX	DW desert white	LED 25W	914,00
		30 3000K*		GE greige		914,00
				LA laguna aqua		914,00
				ER earth red		914,00
				NE intense black		914,00



IP20 CRI>90



120-277VAC



~4242 lm* ~168 lm/W*

example composition code PL SUNDAY 27 XXX GE

Casambi compatibile / Casambi compatible.

U-Light

Timo Ripatti



Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

prodotto fonoassorbente / sound absorbing product

COLOURS



anthracite grey



canopy



rust brown



canopy

WALL AND CEILING LAMP VERSION



wall or ceiling details



wall or ceiling lamp
canopy version



wall or ceiling lamp
recessed version



acoustic performance
see page 165

U-Light

Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

PL UL 1 090 h10 cm canopy


PL UL 2 090 h25 cm canopy

PL UL 1: kg 5,8 m³ 0,128


PL UL 2: kg 6,3 m³ 0,128



rosone standard / standard canopy



altezze disponibili
available heights



10 cm
height

25 cm
height

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED /

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 63W - diffused beam 3000K*, 2700K other CCT options available upon request	2.095,00
	UL 2 090 LED (h25 cm)	RU rust brown			2.113,00

CE IP20 CRI90 ~5158 lm* 82 lm/W* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2090LED AN XX

Casambi compatibile / Casambi compatible.

	KITFAPLULA090AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 165	640,00
--	---	--------

Equivalent Sound Absorption Area (A) in m² per lamp


FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,01	0,11	0,32	0,68	0,63	0,63	0,58	0,42	0,54

PL UL 1 090 h10 cm recessed



PL UL 2 090 h25 cm recessed

PL UL 1: kg 2,7 m³ 0,126


PL UL 2: kg 3,1 m³ 0,126



rosone incasso / recessed canopy



altezze disponibili
available heights



10 cm
height

25 cm
height

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 54W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	1.874,00
	UL 2 090 LED (h25 cm)	RU rust brown			1.890,00

CE IP20 CRI90 ~5158 lm* 95 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1090LED RU IN
Casambi compatibile / Casambi compatible.

optional for more info see page 194

	CEDMWC00202 dimmable 1-10V 24VDC driver max 80W x1 pcs casambi compatible	139,00
	CEDMWC00204 dimmable DALI 24VDC driver max 75W x1 pcs casambi compatible	139,00

	KITFAPLUL090IAV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 165	704,00
--	---	--------

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,01	0,11	0,32	0,68	0,63	0,63	0,58	0,42	0,54

U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

PL UL 1 120 h10 cm canopy PL UL 2 120 h25 cm canopy

PL UL 1: kg 6,6 m³ 0,180
PL UL 2: kg 7 m³ 0,180



U-LIGHT / h10cm or h25cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 86W - diffused beam 3000K*, 2700K other CCT options available upon request	2.542,00
	UL 2 120 LED (h25 cm)	RU rust brown			2.559,00

CE IP20 CRI90 LED ~7736 lm* 90 lm/W* 100-240VAc

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1120LED RU XX
Casambi compatibile / Casambi compatible.

KITFAPLULA120AV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165


771,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,15	0,43	0,91	0,84	0,83	0,74	0,56	0,73

PL UL 1 120 h10 cm recessed PL UL 2 120 h25 cm recessed

PL UL 1: kg 3,2 m³ 0,150
PL UL 2: kg 3,6 m³ 0,150



U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 74W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	2.253,00
	UL 2 120 LED (h25 cm)	RU rust brown			2.268,00

CE IP20 CRI90 LED ~7736 lm* 104 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2120LED AN IN
Casambi compatibile / Casambi compatible.

optional for more info see page 194

CEDMWC00203 dimmable 1-10V 24VDC driver max 100W casambi compatible

178,00

CEDMWC00205 dimmable DALI 24VDC driver max 100W casambi compatible

172,00

KITFAPLULA120IAV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165

835,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,15	0,43	0,91	0,84	0,83	0,74	0,56	0,73

U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

PL UL 1 160 h10 cm canopy PL UL 2 160 h25 cm canopy

PL UL 1: kg 9,2 m³ 0,310
PL UL 2: kg 9,6 m³ 0,310



U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 125W - diffused beam 3000K*, 2700K other CCT options available upon request	2.912,00
	UL 2 160 LED (h25 cm)	RU rust brown			2.927,00

CE IP20 CRI90 LED ~9025 lm* 72 lm/W* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2160LED AN XX
Casambi compatibile / Casambi compatible.



KITFAPLULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165


997,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,29	0,93	1,48	1,60	1,52	1,45	1,04	1,34

PL UL 1 160 h10 cm recessed PL UL 2 160 h25 cm recessed

PL UL 1: kg 5 m³ 0,280
PL UL 2: kg 5,4 m³ 0,280



U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 102W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	2.568,00
	UL 2 160 LED (h25 cm)	RU rust brown			2.584,00

CE IP20 CRI90 LED ~9025 lm* 88 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1160LED RU IN
Casambi compatibile / Casambi compatible.

optional for more info see page 194



CEDMWC00202 dimmerable 1-10V 24VDC driver max 80W x 2 pcs.
casambi compatible

139,00

CEDMWC00204 dimmerable DALI 24VDC driver max 75W x 2 pcs.
casambi compatible

139,00



KITFAPLUL000IAV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165

1.062,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,29	0,93	1,48	1,60	1,52	1,45	1,04	1,34

U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

PL UL 1 180 h10 cm canopy PL UL 2 180 h25 cm canopy


PL UL 1: kg 10,4 m³ 0,330
PL UL 2: kg 11,0 m³ 0,330



rosone standard / standard canopy



altezze disponibili
available heights



10 cm height

25 cm height

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 180 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 153W - diffused beam 3000K*, 2700K other CCT options available upon request	3.602,00
	UL 2 180 LED (h25 cm)	RU rust brown			3.624,00

CE IP20 CRI90 ~10315 lm* 67 lm/W* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2180LED AN XX
Casambi compatibile / Casambi compatible.



KITFAPLULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165


997,00

Equivalent Sound Absorption Area (A) in m² per lamp


FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,66	1,65	2,86	2,96	2,68	2,46	1,91	2,49

PL UL 1 180 h10 cm recessed PL UL 2 180 h25 cm recessed

PL UL 1: kg 5,7 m³ 0,310
PL UL 2: kg 6,1 m³ 0,310



rosone incasso / recessed canopy
hole Ø 4,5 cm



min depth 10cm



10 cm height

25 cm height

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 180 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 123W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	3.083,00
	UL 2 180 LED (h25 cm)	RU rust brown			3.099,00

CE IP20 CRI90 ~10315 lm* 84 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1180LED RU IN
Casambi compatibile / Casambi compatible.

optional for more info see page 194



CEDMWC00203 dimmable 1-10V 24VDC driver max 100W x 2 pcs.
casambi compatibile

178,00

CEDMWC00205 dimmable DALI 24VDC driver max 100W x 2 pcs.
casambi compatibile

172,00



KITFAPLUL000IAV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165

1.062,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,66	1,65	2,86	2,96	2,68	2,46	1,91	2,49

U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

SP ULA 090 canopy SP ULA 090 recessed

canopy kg 5,8 m³ 0,128
recessed kg 2,5 m³ 0,126

Installazione downlight o uplight.
Downlight or uplight mounting.



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 63W - diffused beam 3000K*, 2700K other CCT options available upon request	2.118,00

CE IP20 CRI90 LED ~5158 lm* 82 lm/W* 100-240VAC

Casambi compatibile / Casambi compatible.

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 54W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	1.890,00

CE IP20 CRI90 LED ~5158 lm* 951 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA090LED AN IN

Casambi compatibile / Casambi compatible.

optional for more info see page 194

	CEDMWC00202	dimmmable 1-10V 24VDC driver max 80W casambi compatible	139,00
	CEDMWC00204	dimmmable DALI 24VDC driver max 75W casambi compatible	139,00



KITFASPULA090AV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165

775,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,18	0,57	1,11	1,11	1,15	1,04	0,74	0,93

U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

SP ULA 120 canopy SP ULA 120 recessed

canopy kg 6,5 m³ 0,180
recessed kg 3 m³ 0,150

Installazione downlight o uplight.
Downlight or uplight mounting.



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 86W - diffused beam 3000K*, 2700K other CCT options available upon request	2.633,00

CE IP20 CRI90 dimmable 1-10V LED ~7736 lm* 90 lm/W* 100-240VAc

Casambi compatibile / Casambi compatible.

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 74W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	2.289,00

CE IP20 CRI90 dimmable with dedicated PSU LED ~7736 lm* 104 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA120LED RU IN
Casambi compatibile / Casambi compatible.

optional for more info see page 194

	CEDMWC00203	dimmable 1-10V 24VDC driver max 100W casambi compatible	178,00
	CEDMWC00205	dimmable DALI 24VDC driver max 100W casambi compatible	172,00



KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.
For more information see page 165

1.040,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,04	0,35	1,23	2,03	2,13	2,09	2,02	1,41	1,80

U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

SP ULA 160 canopy SP ULA 160 recessed


canopy kg 9,1 m³ 0,310
recessed kg 4,8 m³ 0,280
Installazione downlight o upright.
Downlight or upright mounting.



rosone standard / standard canopy



rosone incasso / recessed canopy



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 125W - diffused beam 3000K*, 2700K other CCT options available upon request	3.014,00

CE IP20 CRI90 LED ~9025 lm* 72 lm/W* 100-240VAC

Casambi compatibile / Casambi compatible.

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 102W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	2.659,00

CE IP20 CRI90 LED ~9025 lm* 88 lm/W* 24VDC

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA160LED AN IN

Casambi compatibile / Casambi compatible.

optional for more info see page 194

	CEDMWC00202	dimmbale 1-10V 24VDC driver max 80W x 2 pcs. casambi compatibile	139,00
	CEDMWC00204	dimmbale DALI 24VDC driver max 75W x 2 pcs. casambi compatibile	139,00

	KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 165	1.040,00
--	--	-----------------

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,11	0,65	2,06	3,63	3,63	3,64	3,45	2,45	3,11

U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

SP ULA 180 canopy SP ULA 180 recessed

canopy kg 10,5 m³ 0,330
recessed kg 5,4 m³ 0,310


Installazione downlight o uplight.
Downlight or uplight mounting.



rosone standard / standard canopy



rosone incasso / recessed canopy



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 180 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 153W - diffused beam 3000K*, 2700K other CCT options available upon request	3.523,00

CE IP20 CRI90 LED ~10315 lm* 67 lm/W* 100-240VAC

Casambi compatibile / Casambi compatible.

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 180 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 123W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	3.031,00

CE IP20 CRI90 LED ~10315 lm* 84 lm/W* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA180LED AN IN

Casambi compatibile / Casambi compatible.

optional for more info see page 194

	CEDMWC00203	dimmmable 1-10V 24VDC driver max 100W x 2 pcs. casambi compatible	178,00 each
	CEDMWC00205	dimmmable DALI 24VDC driver max 100W x 2 pcs. casambi compatible	172,00 each

	KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 165	1.040,00
--	--	-----------------

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,11	0,65	2,06	3,63	3,63	3,64	3,45	2,45	3,11

U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

SP ULI 090

kg 7,2 m³ 0,19



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 090 LED	AN anthracite grey RU rust brown	XX	LED 63W - diffused beam 3000K*, 2700K other CCT options available upon request	2.514,00

CE IP20 CRI90 LED ~5158 lm* 82 lm/W* 100-240Vac

example composition code SP ULI090LED RU XX

Casambi compatibile / Casambi compatible.



KITFASPULO90AAV opzione fonoassorbente per versione antracite / sound absorbing option anthracite - see page 165

774,00

KITFASPULO90RAV opzione fonoassorbente ruggine / sound absorbing option rust brown - see page 165


774,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,18	0,57	1,11	1,11	1,15	1,04	0,74	0,93

SP ULI 120

kg 8,2 m³ 0,33



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 120 LED	AN anthracite grey RU rust brown	XX	LED 86W - diffused beam 3000K*, 2700K other CCT options available upon request	3.083,00

CE IP20 CRI90 LED ~7736 lm* 90 lm/W* 100-240Vac

example composition code SP ULI120LED RU XX

Casambi compatibile / Casambi compatible.



KITFASPUL120AAV opzione fonoassorbente per versione antracite / sound absorbing option anthracite - see page 165

1.031,00

KITFASPUL120RAV opzione fonoassorbente ruggine / sound absorbing option rust brown - see page 165



1.031,00

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,04	0,35	1,23	2,03	2,13	2,09	2,02	1,41	1,80

SP ULI 160

kg 18,8 m³ 0,6



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 160 LED	AN anthracite grey RU rust brown	XX	LED 125W - diffused beam 3000K*, 2700K other CCT options available upon request	3.538,00

CE IP20 CRI90 LED ~9025 lm* 72 lm/W* 100-240Vac

example composition code SP ULI090LED RU XX


Casambi compatibile / Casambi compatible.

pannello fonoassorbente non disponibile / sound absorbing panel not available


U-Light

Opzione fonoassorbente / Sound absorbing option

COLOURS



anthracite grey ring & warm white panel




rust brow ring & warm white panel

The panels are:


Ø590mm weight 1.3 Kg 0.107 m³
 Ø790mm weight 1.9 Kg 0.166 m³
 Ø1090mm weight 3.1 Kg 0.32 m³

Thickness: 40mm
 Sound absorption factor: about 0.6
 Fire resistance: B-S1, d0 (EN13501)
 Emissions (SP Ref. F122842): odor free, emits no gases


PL UL X 090 / 120 / 160 / 180



SP ULA 090 / 120 / 160 / 180



SP ULI 090 / 120



Ukiyo

Manuel Vivian


Collezione composta da lampade da parete o da soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in tre dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in three sizes. Screw fitting light bulb.

Limited stock collection



COLOURS



white^{LS}


LS:

Quantità in stock limitato. In caso di esaurimento delle quantità producibili, può essere ordinata la versione con il tessuto bianco della collezione Muse.

Quantity in limited stock. If the quantities in stock run out, the version with the white fabric from the Muse collection can be ordered.

PL UKIYO P

kg 1,7 m³ 0,06



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp


Type	Article	Colours	Finish	Source	EURO
PL	UKIYO P	BC white ^{LS}	XX white metal	E27 3 x Max 7W LED or 3 x Max 42W halogen	414,00

CE IP20 +LED 220-240V_{ac}

example composition code PL UKIYOP BC XX E27

PL UKI 110

kg 3 m³ 0,12



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp


Type	Article	Colours	Finish	Source	EURO
PL	UKI 110	BC white ^{LS}	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	441,00

CE IP20 +LED 220-240V_{ac}

example composition code PL UKI110 BC XX E27

PL UKIYO G

kg 3,6 m³ 0,24



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	UKIYO G	BC white ^{LS}	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	611,00

CE IP20 +LED 220-240V_{ac}

example composition code PL UKIYOG BC XX E27

Urban

Dima Loginoff

1 edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

COLOURS



wrinkled white



matt bronze



matt nickel




standard canopy



recessed canopy

PL URBAN P

kg 1,6 m³ 0,02



URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	218,00
		BR matt bronze			245,00
		NI matt nickel			245,00


CE IP20 CRI90 220-240VAC LED ~1375 lm* ~92 lm/W*

example composition code PL URBANP NI XX LED

Casambi compatibile / Casambi compatible.

PL URBAN M

kg 1,3 m³ 0,02



URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	272,00
		BR matt bronze			289,00
		NI matt nickel			289,00

CE IP20 CRI90 220-240VAC LED ~1375 lm* ~92 lm/W*

example composition code PL URBANM NI XX LED

Casambi compatibile / Casambi compatible.

Urban

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

PL URBAN G

kg 1,7 m³ 0,025



URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN G	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	295,00
		BR matt bronze			310,00
		NI matt nickel			310,00


220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code **PL URBAN G NI XX LED**

Casambi compatibile / Casambi compatible.

SP URBAN P

kg 1,9 m³ 0,02



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	331,00
		BR matt bronze			376,00
		NI matt nickel			376,00


220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code **SP URBAN P BR XX LED**

Casambi compatibile / Casambi compatible.

SP URBAN M

kg 2,3 m³ 0,025



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	398,00
		BR matt bronze			413,00
		NI matt nickel			413,00

220-240VAC **LED** ~1375 lm* ~92 lm/W*

example composition code **SP URBAN M BR XX LED**

Casambi compatibile / Casambi compatible.

Urban

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

SP URBA P I (RECESSED)

kg 1,7 m³ 0,02



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBA P I	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	320,00
		BR matt bronze			344,00
		NI matt nickel			344,00


CE IP20 CRI90  220-240VAC LED ~1375 lm* ~92 lm/W*

foro - hole 1 x Ø 3 cm + 2 x Ø 1,4 cm / profondità min - min depth 10 cm

example composition code SP URBAPI BR XX LED
Casambi compatibile / Casambi compatible.

SP URBA M I (RECESSED)

kg 2,1 m³ 0,025



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBA M I	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K 4000K	367,00
		BR matt bronze			380,00
		NI matt nickel			380,00

CE IP20 CRI90  220-240VAC LED ~1375 lm* ~92 lm/W*

foro - hole 1 x Ø 3 cm + 2 x Ø 1,4 cm / profondità min - min depth 10 cm

example composition code SP URBAMI BR XX LED
Casambi compatibile / Casambi compatible.

Urban

Dima Loginoff

New LCC edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

COLOURS



wrinkled white



matt bronze



matt nickel



standard canopy




recessed canopy

PL URBAN P

kg 1,6 m³ 0,02



8,3 cm



Ø 13,5 cm

URBAN / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN P	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	193,00
		2X 3000K*	BR matt bronze		220,00
		3X 3500K	NI matt nickel		220,00



IP20 CRI90



500mA - 34,7Vdc



~2200 lm* ~125 lm/W*

example composition code PL URBANP 2X NI LCC

Casambi compatibile / Casambi compatible.



CEDLTC00124 dimmable Phase Cut 500mA driver - Max 20W trailing and leading edge. Casambi compatible

72,00

CEDLTC00126 dimmable DALI 500mA driver - Max 20W casambi compatible

83,00

CEDLTC00104 dimmable 1-10V - DALI - Push 500mA driver - Max35W casambi compatible

145,00

CEDLTC00128 dimmable 1-10V - Push 500mA driver - Max26,5W casambi compatible

133,00

Urban

Dima Loginoff


New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

PL URBAN M

kg 1,3 m³ 0,02



URBAN / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN M	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	294,00
		2X 3000K*	BR matt bronze		310,00
		3X 3500K	NI matt nickel		310,00



CE IP20 CRI90 220-240VAC LED ~2200 lm* ~125 lm/W*

example composition code PL URBANM 2X BC LCC

Casambi compatibile / Casambi compatible.

PL URBAN G

kg 1,7 m³ 0,025



URBAN / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN G	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	324,00
		2X 3000K*	BR matt bronze		335,00
		3X 3500K	NI matt nickel		335,00

CE IP20 CRI90 220-240VAC LED ~2200 lm* ~125 lm/W*

example composition code PL URBANG 2X NI LCC

Casambi compatibile / Casambi compatible.

Urban

Dima Loginoff


New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.


SP URBAN P

kg 1,9 m³ 0,02



URBAN / solo con illuminazione verso il basso / downward lighting only / driver included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN P	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	371,00
		2X 3000K*	BR matt bronze		404,00
		3X 3500K	NI matt nickel		404,00

CE IP20 CRI90  220-240VAC **LED** ~2200 lm* ~125 lm/W*

example composition code **SP URBANP 2X BR LCC**
Casambi compatibile / Casambi compatible.


SP URBAN M

kg 2,3 m³ 0,025



URBAN / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN M	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	415,00
		2X 3000K*	BR matt bronze		455,00
		3X 3500K	NI matt nickel		455,00

CE IP20 CRI90  220-240VAC **LED** ~2200 lm* ~125 lm/W*

example composition code **SP URBANM 2X NI LCC**
Casambi compatibile / Casambi compatible.

Urban

Dima Loginoff

New LCC edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

SP URBAN PI (RECESSED)

kg 1,7 m³ 0,02

URBAN / solo con illuminazione verso il basso / downward lighting only / driver not included



Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN PI	1 2700K	BC wrinkled white	LCC 17,5W - diffused beam	281,00
		2 3000K*	BR matt bronze		316,00
		3 3500K	NI matt nickel		316,00

CE IP20 CRI90 500mA - 34,7Vdc **LED** ~2200 lm* ~125 lm/W*


foro - hole 1 x Ø 3 cm + 2 x Ø 1.4 cm / profondità min - min depth 10 cm

example composition code **SP URBANPI3 BR LCC**
Casambi compatibile / Casambi compatible.

SP URBAN MI (RECESSED)

kg 2,1 m³ 0,025

URBAN / solo con illuminazione verso il basso / downward lighting only / driver not included



Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN MI	1 2700K	BC wrinkled white	LCC 17,5W - diffused beam	321,00
		2 3000K*	BR matt bronze		346,00
		3 3500K	NI matt nickel		346,00

CE IP20 CRI90 500mA - 34,7Vdc **LED** ~2200 lm* ~125 lm/W*

foro - hole 1 x Ø 3 cm + 2 x Ø 1.4 cm / profondità min - min depth 10 cm

example composition code **SP URBANMI3 BR LCC**
Casambi compatibile / Casambi compatible.

	CEDLTC00124	dimmbale Phase Cut 500mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00126	dimmbale DALI 500mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimmbale 1-10V - DALI - Push 500mA driver - Max35W casambi compatible	145,00
	CEDLTC00128	dimmbale 1-10V - Push 500mA driver - Max26,5W casambi compatible	133,00

Urban mini

Dima Loginoff

New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

COLOURS



wrinkled white



matt bronze



matt nickel




standard canopy



recessed canopy

PL URBMI P

kg 0,4 m³ 0,004



URBAN MINI / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI P	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	118,00
		2X 3000K*	BR matt bronze		133,00
		3X 3500K	NI matt nickel		133,00

CE IP20 CRI90 700mA - 9,2Vdc **LED** ~671 lm* ~103 lm/W*


example composition code PL URBMIP 2X BR LCC

Casambi compatibile / Casambi compatible.

	CEDLTC00124	dimmmable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00127	dimmmable 0/1 - 10V - Push -700mA driver - Max 9W casambi compatible	61,00
	CEDLTC00126	dimmmable DALI 700mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimmmable 1-10V - DALI - Push 700mA driver - Max 50W casambi compatible	145,00

PL URBMI M

kg 0,5 m³ 0,02



URBAN MINI / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI M	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	238,00
		2X 3000K*	BR matt bronze		262,00
		3X 3500K	NI matt nickel		262,00

CE IP20 CRI90 220-240VAC **LED** ~671 lm* ~103 lm/W*

example composition code PL URBMIM 2X BR LCC

Casambi compatibile / Casambi compatible.

Urban mini

Dima Loginoff


New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

PL URBMI G

kg 0,8 m³ 0,025




URBAN MINI / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI G	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	269,00
		2X 3000K*	BR matt bronze		287,00
		3X 3500K	NI matt nickel		287,00

220-240V_{ac} **LED** ~671 lm* ~103 lm/W*
 example composition code **PL URBMIG 2X BR LCC**
 Casambi compatibile / Casambi compatible.

SP URBMI PI (RECESSED)

kg 0,5 m³ 0,004



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI PI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	229,00
		2 3000K*	BR matt bronze		256,00
		3 3500K	NI matt nickel		256,00

700mA - 9,2Vdc **LED** ~671 lm* ~103 lm/W*
 foro - hole Ø 5,5 cm / profondità min - min depth 10 cm
 example composition code **SP URBMIPI2 NI LCC**
 Casambi compatibile / Casambi compatible.

Compatible with pivot system
pag.104

SP URBMI MI (RECESSED)

kg 0,7 m³ 0,02



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI MI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	243,00
		2 3000K*	BR matt bronze		271,00
		3 3500K	NI matt nickel		271,00

700mA - 9,2Vdc **LED** ~671 lm* ~103 lm/W*
 foro - hole Ø 5,5 cm / profondità min - min depth 10 cm
 example composition code **SP URBMIMI2 NI LCC**
 Casambi compatibile / Casambi compatible.

Compatible with pivot system
pag.104

Urban mini

Dima Loginoff


New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.


SP URBMI GI (RECESSED)

kg 1 m³ 0,025



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI GI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	268,00
		2 3000K*	BR matt bronze		293,00
		3 3500K	NI matt nickel		293,00

CE IP20 CRI90  700mA - 9,2Vdc **LED** ~671 lm* ~103 lm/W*

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm

example composition code SP URBMI GI 2 NI LCC

Casambi compatibile / Casambi compatible.

	CEDLTC00124	dimnable Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
	CEDLTC00127	dimnable 0/1 - 10V - Push -700mA driver - Max 9W casambi compatible	61,00
	CEDLTC00126	dimnable DALI 700mA driver - Max 20W casambi compatible	83,00
	CEDLTC00104	dimnable 1-10V - DALI - Push 700mA driver - Max 50W casambi compatible	145,00

Urban mini

Dima Loginoff


New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in più colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in several colours and sizes. Built-in dimmable LED light source.

SP URBMI P

kg 0,5 m³ 0,004



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI P	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	302,00
		2X 3000K*	BR matt bronze		328,00
		3X 3500K	NI matt nickel		328,00

CE IP20 CRI90  220-240V_{AC} **LED** ~671 lm* ~103 lm/W*

example composition code SP URBMIP2X BR LCC
Casambi compatibile / Casambi compatible.

SP URBMI M

kg 0,5 m³ 0,04



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI M	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	307,00
		2X 3000K*	BR matt bronze		331,00
		3X 3500K	NI matt nickel		331,00

CE IP20 CRI90  220-240V_{AC} **LED** ~671 lm* ~103 lm/W*

example composition code SP URBMIM2X BC LCC
Casambi compatibile / Casambi compatible.

SP URBMI G

kg 0,5 m³ 0,04



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI G	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	350,00
		2X 3000K*	BR matt bronze		369,00
		3X 3500K	NI matt nickel		369,00

CE IP20 CRI90  220-240V_{AC} **LED** ~671 lm* ~103 lm/W*

example composition code SP URBMIG2X NI LCC
Casambi compatibile / Casambi compatible.

Velvet

Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.



prodotto fonoassorbente / sound absorbing product

COLOURS



ice white



ivory white



blue



brown




black

RADIAL DIFFUSER COLOURS



white




warm white

Altri colori disponibili su richiesta / Other colors available upon request.

PL VEL 070

kg 7 m³ 0,28



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 070 E27	BC ice white	BC white	E27 2 x Max 17,5W LED or 2 x Max 20W fluo	1.127,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 +LED 220-240V_{ac}

example composition code PL VEL070E27 BC BC



Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,22	0,27	0,32	0,37	0,50	1,15	0,42	0,32

Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

PL VEL 100

kg 9 m³ 0,98



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 100 E27	BC ice white	BC white	E27 3 x Max 17,5W LED or 3 x Max 57W halogen	2.264,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 +LED 220-240V_{ac}


example composition code PL VEL100E27 NE BW

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,14	0,34	0,67	0,78	0,92	1,23	2,24	0,90	0,79

PL VEL 160

kg 32 m³ 2,22



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 160 E27	BC ice white	BC white	E27 5 x Max 17,5W LED or 5 x Max 46W halogen	5.235,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 +LED 220-240V_{ac}

example composition code PL VEL160E27 BL BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,45	1,17	1,49	1,56	1,72	1,97	3,16	1,65	1,59

Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

SP VEL 050

kg 5 m³ 0,25



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 050 E27	BC ice white BA ivory white BL blue MA brown NE black	BC white BW warm white	E27 1 x Max 17,5W LED or 1 x Max 23W halogen	995,00

CE IP20 +LED 220-240V_{AC}


example composition code SP VEL050E27 BC BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,10	0,15	0,22	0,26	0,21	0,26	0,64	0,26	0,23

SP VEL 070

kg 6,5 m³ 0,48



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 070 E27	BC ice white BA ivory white BL blue MA brown NE black	BC white BW warm white	E27 1 x Max 17,5W LED or 1 x Max 70W halogen	1.362,00

CE IP20 +LED 220-240V_{AC}

example composition code SP VEL070E27 NE BW

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,44	0,51	0,66	0,73	0,75	1,01	0,61	0,63

Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

SP VEL 100

kg 17,5 m³ 1,16



VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 E27	BC ice white BA ivory white BL blue MA brown NE black	BC white BW warm white	E27 4 x Max 17,5W LED or 4 x Max 57W halogen	3.431,00


CE IP20 +LED 220-240V_{ac}

example composition code SP VEL100E27 MA BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,58	0,89	0,95	0,85	0,87	1,27	1,87	1,04	0,89

SP VEL 100 LED



VELVET / diffusore INCLUDED, with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 LED	BC ice white BA ivory white BL blue MA brown NE black	BC white BW warm white	LED 98W - diffused beam 3000K* 4000K upon request	4.629,00

CE IP20 CRI90  LED ~10719 lm* 109 lm/W* 110-240V_{ac}

example composition code SP VEL100LED NE BC

Casambi compatibile / Casambi compatible.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,58	0,89	0,95	0,85	0,87	1,27	1,87	1,04	0,89

Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

SP VEL 160

kg 25 m³ 4,32



VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 160 E27	BC ice white	BC white	E27 4 x Max 17,5W + 1 x Max 10W LED	7.204,00
		BA ivory white	BW warm white		
		BL blue		4 x Max 57 W + 1 x Max 46W halogen	
		MA brown			
		NE black			


CE IP20 +LED 220-240VAc

example composition code SP VEL160E27 BL BC

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,41	2,32	2,29	1,87	1,98	3,08	4,53	2,50	2,05

SP VEL 160 LED



VELVET / diffuser INCLUDED, with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 160 LED	BC ice white	BC white	LED 98W - diffused beam 3000K* 4000K upon request	9.264,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 CRI90 LED ~10719 lm* 109 lm/W* 110-240VAc

example composition code SP VEL160LED MA BC

Casambi compatibile / Casambi compatible.

Equivalent Sound Absorption Area (A) in m² per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,41	2,32	2,29	1,87	1,98	3,08	4,53	2,50	2,05

Virtus

Manuel Vivian

Collezione composta da lampade a sospensione in alluminio in vari colori.
Disponibile anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of suspended lamps in aluminium, also in a recessed version.
Available in several colours. Built-in dimmable LED light source.

COLOURS



matt white RAL 9016 wrinkled



anthracite grey wrinkled / final black polished nickel



anthracite grey wrinkled / final polished gold



rust brown wrinkled / final black polished nickel



rust brown wrinkled / final polished gold

CANOPIES DETAILS



white for white version



anthracite grey for anthracite version




rust brown for rust brown version



white for recessed versions

VIRTUS SUSPENSION

kg 0,89 m³ 0,015



VIRTUS / DRIVER INCLUDED

Zone	Type	Article	Canopy type	Finish	CCT	Code	Source	EURO
E	2	101	1 monopoint canopy version	07 matt white RAL 9016 wrinkled	1 2700K	X	LED 6,5W	315,00
				10 anthracite grey wrinkled / final black polished nickel	2 3000K*	334,00		
				11 anthracite grey wrinkled / final polished gold	3 3500K	334,00		
				12 rust brown wrinkled / final black polished nickel		334,00		
				13 rust brown wrinkled / final polished gold		334,00		

CE IP20 CRI90 LED 700mA ~671 lm* ~103 lm/W* 220-240VAc

example composition code E 2 101 1 11 1 X

Casambi compatibile / Casambi compatible.


optional accessories

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

13,00

VIRTUS SUSPENSION

kg 0,89 m³ 0,0015



Compatible with pivot system
pag.104

VIRTUS RECESSED / DRIVER NOT INCLUDED

Zone	Type	Article	System compatibility	Finish	CCT	Code	Source	EURO
E	2	101	4 recessed canopy	07 matt white RAL 9016 wrinkled	1 2700K	X	LED 6,5W	262,00
				10 anthracite grey wrinkled / final black polished nickel	2 3000K*			276,00
				11 anthracite grey wrinkled / final polished gold	3 3500K			276,00
				12 rust brown wrinkled / final black polished nickel				276,00
				13 rust brown wrinkled / final polished gold				276,00



IP20 CRI>90



700mA 9,2Vdc ~671 lm* ~103 lm/W*

example composition code E 2 101 4 11 1 X

Casambi compatibile / Casambi compatible.

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

optional accessories for recessed versions . See page 192

E000700900	Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.	13,00
CEDLTC00124	dimmbale Phase Cut 700mA driver - Max 20W trailing and leading edge. Casambi compatible	72,00
CEDLTC00127	dimmbale 0/1 - 10V - Push - 700mA driver - Max 9W casambi compatible	61,00
CEDLTC00126	dimmbale DALI 700mA driver - Max 20W casambi compatible	83,00
CEDLTC00104	dimmbale 1-10V - DALI - Push 700mA driver - Max50W casambi compatible	145,00

Muse / Muse plus

Sandro Santantonio

Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.


Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

**Limited stock
colours**


COLOURS




orange



light blue



dark blue



fuchsia




yellow




pink



red



green



violet

Muse / Muse plus

Sandro Santantonio


Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

Limited stock
colours

PL MUSE 40

kg 1 m³ 0,03



MUSE / tessuto INCLUSO / fabric INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 40	AR orange	X	X	E27 1 x Max 7W LED or 1 x Max 70W halogen	E27: 272,00 L01: 383,00
		AZ light blue	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 216,00 L01: 383,00
		BL dark blue	X	2 3000K		E27: 216,00 L01: 383,00
		FU fuchsia				E27: 216,00 L01: 383,00
		GI yellow				E27: 272,00 L01: 383,00
		RO pink				E27: 216,00 L01: 383,00
		RS red				E27: 216,00 L01: 383,00
		VE green				E27: 216,00 L01: 383,00
		VI violet				E27: 216,00 L01: 383,00

CE IP20 CRI>90 220-240V_{AC} LED

example composition code PL MUSE40 BC X1 L01

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE40AR	orange	116,00
TSPLMUSE40AZ	light blue	82,00
TSPLMUSE40BL	dark blue	82,00
TSPLMUSE40FU	fuchsia	82,00
TSPLMUSE40GI	yellow	116,00
TSPLMUSE40RO	pink	82,00
TSPLMUSE40RS	red	82,00
TSPLMUSE40VE	green	82,00
TSPLMUSE40VI	violet	82,00

Muse / Muse plus

Sandro Santantonio


Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

Limited stock
colours

PL MUSE 60

kg 1,5 m³ 0,09



MUSE / tessuto INCLUSO / fabric INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 60	AR orange	X	X	E27 2 x Max 7W LED or 2 x Max 70W halogen	E27: 331,00 L01: 431,00
		AZ light blue	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 276,00 L01: 431,00
		BL dark blue	X	2 3000K		E27: 276,00 L01: 431,00
		FU fuchsia				E27: 276,00 L01: 431,00
		GI yellow				E27: 331,00 L01: 431,00
		RO pink				E27: 276,00 L01: 431,00
		RS red				E27: 276,00 L01: 431,00
		VE green				E27: 276,00 L01: 431,00
		VI violet				E27: 276,00 L01: 431,00

CE IP20 CRI>90  220-240V_{AC} **LED**

example composition code PL MUSE60 BC X2 L01

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE60AR	orange	158,00
TSPLMUSE60AZ	light blue	93,00
TSPLMUSE60BL	dark blue	93,00
TSPLMUSE60FU	fuchsia	93,00
TSPLMUSE60GI	yellow	158,00
TSPLMUSE60RO	pink	93,00
TSPLMUSE60RS	red	93,00
TSPLMUSE60VE	green	93,00
TSPLMUSE60VI	violet	93,00

Muse / Muse plus

Sandro Santantonio


Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

Limited stock
colours

PL MUSE 80

kg 4 m³ 0,13



MUSE / tessuto INCLUSO, kit lente per E27 NON INCLUSO / fabric INCLUDED, glass diffuser kit for E27 NOT INCLUDED
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUSE 80	AR orange	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 551,00 L01: 656,00 L02: 775,00
		AZ light blue	X	1 2700K	L01 LED 15W 2700K: ~1260lm 3000K: ~1375lm	E27: 492,00 L01: 656,00 L02: 775,00
		BL dark blue	X	2 3000K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	E27: 492,00 L01: 656,00 L02: 775,00
		FU fuchsia				E27: 492,00 L01: 656,00 L02: 775,00
		GI yellow				E27: 551,00 L01: 656,00 L02: 775,00
		RO pink				E27: 492,00 L01: 656,00 L02: 775,00
		RS red				E27: 492,00 L01: 656,00 L02: 775,00
		VE green				E27: 492,00 L01: 656,00 L02: 775,00
		VI violet				E27: 492,00 L01: 656,00 L02: 775,00

CE IP20 CR>90 220-240VAC LED

example composition code PL MUSE80 BC X1 L01

KPLMUSE optional: kit lente **solo** per E27 con lampadina LED
optional: glass diffuser kit **only** for E27 when mounting LED bulb **149,00**

Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE80AR	orange	255,00
TSPLMUSE80AZ	light blue	169,00
TSPLMUSE80BL	dark blue	169,00
TSPLMUSE80FU	fuchsia	169,00
TSPLMUSE80GI	yellow	255,00
TSPLMUSE80RO	pink	169,00
TSPLMUSE80RS	red	169,00
TSPLMUSE80VE	green	169,00
TSPLMUSE80VI	violet	169,00

Muse / Muse plus

Sandro Santantonio


Collezione di lampade da soffitto e parete con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni.

Collection consisting of ceiling and wall lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes.

Limited stock
colours

PL MUS 120

kg 7 m³ 0,31



MUSE / tessuto INCLUSO, kit lente per E27 NON INCLUSO / fabric INCLUDED, glass diffuser kit for E27 NOT INCLUDED / applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Code	CCT	Source	EURO
PL	MUS 120	AR orange	X	X	E27 3 x Max 16W LED or 3 x Max 70W halogen	E27: 661,00 L02: 899,00
		AZ light blue	X	1 2700K	L02 LED 30W 2700K: ~2520lm 3000K: ~2750lm	E27: 622,00 L02: 899,00
		BL dark blue	X	2 3000K		E27: 622,00 L02: 899,00
		FU fuchsia			E27: 622,00 L02: 899,00	
		GI yellow			E27: 661,00 L02: 899,00	
		RO pink			E27: 622,00 L02: 899,00	
		RS red			E27: 622,00 L02: 899,00	
		VE green			E27: 622,00 L02: 899,00	
		VI violet			E27: 622,00 L02: 899,00	

CE IP20 CR>90 220-240VAC LED

example composition code PL MUS120 BC X2 L02

KPLMUSE optional: kit lente **solo** per E27 con lampadina LED
optional: glass diffuser kit **only** for E27 when mounting LED bulb **149,00**


Casambi compatibile / Casambi compatible.

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSEI20AR	orange	370,00
TSPLMUSEI20AZ	light blue	223,00
TSPLMUSEI20BL	dark blue	223,00
TSPLMUSEI20FU	fuchsia	223,00
TSPLMUSEI20GI	yellow	370,00
TSPLMUSEI20RO	pink	223,00
TSPLMUSEI20RS	red	223,00
TSPLMUSEI20VE	green	223,00
TSPLMUSEI20VI	violet	223,00

Drivers for Ego - 250mA

ON/OFF




DRIVER 250mA ON/OFF

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00123	Standard Not dimmable	10	100-240Vac 50-60 Hz	250mA constant 2-43Vdc	net kg 0,06	33,00



DIMMABLE PHASE CUT




DRIVER 250mA DIMMABLE PHASE CUT

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00124	Dimmable phase cut	12	220-240Vac 50-60 Hz	250mA constant 15-48Vdc	net kg 0,108	72,00



Casambi compatibile / Casambi compatible.

DIMMABLE DALI 0/1-10V - PUSH




DRIVER 250mA DIMMABLE DALI, 0/1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00125	Dimmable DALI- 0/1-10V - Push	28	110-240Vac 50-60 Hz	250mA constant 20-112Vdc	net kg 0,215	139,00



Casambi compatibile / Casambi compatible.

DIMMABLE DALI




DRIVER 250mA DIMMABLE DALI

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00126	Dimmable DALI - DALI2	12	110-240Vac 50-60 Hz	250mA constant 15-49Vdc	net kg 0,106	83,00



Casambi compatibile / Casambi compatible.

Dimmable ELV - TRIAC - 0-10V/ 1-10V



DRIVER 250mA DIMMABLE ELV, TRIAC, 0-10V/1-10V


Code	Product	W Max	Input	Output	Weight	EURO
CEDSCC00400	Dimmable ELV, TRIAC 0-10V/1-10V	10	100-277Vac 50-60 Hz	250mA 3-40Vdc	net kg 0,076	51,00



Casambi compatibile / Casambi compatible.

Drivers 350mA

ON/OFF




DRIVER 350mA ON/OFF

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00100	not dimmable	8	100-240V 50-60 Hz	350mA constant 2-22Vdc	net kg 0,04	33,00



DIMMABLE 1-10V PUSH




DRIVER 350mA DIMMABLE 1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00102	Dimmable 1-10V - Push	6	220-240V 50-60 Hz	350mA constant 2-18Vdc	net kg 0,06	50,00



Casambi compatibile / Casambi compatible.




DRIVER 350mA DIMMABLE 1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00103	Dimmable 1-10V - Push	25	110-240V 50-60 Hz	350mA constant 2-74Vdc	net kg 0,15	139,00



Casambi compatibile / Casambi compatible.

DIMMABLE 1-10V DALI - PUSH




DRIVER 350mA DIMMABLE 1-10V, DALI, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable 1-10V - DALI - Push	25	110-240V 50-60 Hz	350mA constant 2-74Vdc	net kg 0,15	145,00



Casambi compatibile / Casambi compatible.

Dimmable ELV - TRIAC - 0-10V/ 1-10V



DRIVER 350mA DIMMABLE ELV, TRIAC, 0-10V/1-10V


Code	Product	W Max	Input	Output	Weight	EURO
CEDSCC00400	Dimmable ELV, TRIAC 0-10V/1-10V	10	100-277Vac 50-60 Hz	350mA 3-29Vdc	net kg 0,076	51,00



Casambi compatibile / Casambi compatible.

Drivers 700mA

DIMMABLE PHASE CUT




DRIVER 700mA DIMMABLE PHASE CUT

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00124	Dim Phase cut Trailing edge Leading edge	20	220-240Vac 50-60 Hz	700mA constant 5 - 29 Vdc	net kg 0,108	72,00




Casambi compatibile / Casambi compatible.

DIMMABLE 0/1-10V PUSH




DRIVER 700mA DIMMABLE 0/1 - 10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00127	Dimmable 0/1 - 10V Push	9	220-240V 50-60 Hz	700mA constant 14 Vdc	net kg 0,47	61,00



Casambi compatibile / Casambi compatible.

DIMMABLE DALI




DRIVER 700mA DIMMABLE DALI

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00126	Dimmable DALI DALI 2	20	110-240Vac 50-60 Hz	700mA constant 3 - 28 Vdc	net kg 0,106	83,00



Casambi compatibile / Casambi compatible.

DIMMABLE DALI 1-10V - PUSH




DRIVER 700mA DIMMABLE DALI, 1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable DALI 1- 10V Push	50	110-240V 50-60 Hz	700mA constant 2 - 72 VDC	net kg 0,15	145,00



Casambi compatibile / Casambi compatible.

DIMMABLE 0/1-10V - PUSH



DRIVER 700mA DIMMABLE 0/1-10V, PUSH


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00128	Dimmable 0/1 - 10V Push	37	110-240V 50-60 Hz	700mA constant 10 - 53 Vdc	net kg 0,215	133,00



Casambi compatibile / Casambi compatible.

Drivers 700mA

DIMMABLE 0/1-10V - PUSH




DRIVER 700mA DIMMABLE 0/1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00103	Dimmable 0/1 - 10V Push	50	110-240V 50-60 Hz	700mA constant 2-72Vdc	net kg 0,15	139,00

Casambi compatibile / Casambi compatible.

DIMMABLE DALI - 0/1-10V - PUSH





DRIVER 700mA DIMMABLE DALI, 0/1-10V, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00125	Dimmable DALI - DALI 2 0/1-10V - Push	60	110-240Vac 50-60 Hz	700mA constant 2-86Vdc	net kg 0,215	139,00

Casambi compatibile / Casambi compatible.

Drivers for Spillray LED 12V

ON/OFF



DRIVER 12V / LED 1+5 x 1,5W

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00200	not dimmable	8	100-264Vac 50-60 Hz	12VDC constant 0,67mA	net kg 0,09	21,00




DRIVER 12V / LED 1+8 x 1,5W

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00201	not dimmable	12	100-264Vac 50-60 Hz	12VDC constant 1A	net kg 0,08	27,00



DIMMABLE PHASE CUT




DRIVER 700mA DIMMABLE PHASE CUT

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00124	Dim Phase cut Trailing edge Leading edge	11	220-240Vac 50-60 Hz	12VDC	net kg 0,108	72,00





Casambi compatibile / Casambi compatible.

Drivers for U-Light 24V - dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	139,00




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	178,00




Drivers for U-Light 24V - dimmable DALI



DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	139,00




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	172,00






Driver for Spillray Plus

Dimmable DALI - Push




DRIVER							
Code	Product	W Max	Input	Output	Weight	EURO	
CEDWSC00500	Dimmable DALI PUSH	8,4	220-240Vac 50-60 Hz	200mA 9-42Vdc	net kg 0,08	53,00	








Casambi compatibile / Casambi compatible.

Dimmable ELV - TRIAC - 0-10V/ 1-10V




DRIVER							
Code	Product	W Max	Input	Output	Weight	EURO	
CEDSCC00400	Dimmable ELV TRIAC 0-10V/1-10V	8,4	100-277Vac 50-60 Hz	200mA 3-42Vdc	net kg 0,076	51,00	

Casambi compatibile / Casambi compatible.

Driver for Lik Plus and Salina

Dimmable DALI




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00126	Dimmable DALI - DALI 2	16	110-240Vac 50-60 Hz	24 Vdc	net kg 0,106	83,00



Casambi compatibile / Casambi compatible.

Dimmable 0/1-10V - Push




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00132	Dimmable 0/1-10V, PUSH	20	110-240Vac 50-60 Hz	24 Vdc	net kg 0,115	56,00



Casambi compatibile / Casambi compatible.

Dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24Vdc	net kg 0,8	121,00



Casambi compatibile / Casambi compatible.

Dimmable 0-10V - ELV - Phase Cut



DRIVER 24V


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTF00601	Dimmable 0-10V, ELV, Phase Cut	12	120-277Vac 50-60 Hz	24 Vdc	net kg 0,144	87,00



Casambi compatibile / Casambi compatible.

Paralela Drivers

Dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	121,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00129	Dimmable 1-10V	60	120-277Vac 50-60 Hz	24VDC constant 2,5A	net kg 0,115	99,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	178,00



Casambi compatibile / Casambi compatible.

Dimmable DALI




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	172,00



Casambi compatibile / Casambi compatible.

Dimmable Triac/ELV/0-10V



DRIVER 24V


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTF00600	Dimmable Triac/ELV/0-10V	25	100-305Vac 50-60 Hz	24VDC constant 1,1A	net kg 0,14	99,00



Casambi compatibile / Casambi compatible.


Paralela Drivers

Dimmable 0/1-10V - Push



DRIVER 24V


Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00132	Dimmable 0/1-10V, PUSH	20	110-240Vac 50-60 Hz	24Vdc	net kg 0,115	56.00



Casambi compatibile / *Casambi compatible.*

Poses Drivers

Dimmable 1-10V




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	121,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	178,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00129	Dimmable 1-10V	60	120-277Vac 50-60 Hz	24VDC constant 2,5A	net kg 0,115	99,00



Casambi compatibile / Casambi compatible.

Dimmable DALI




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	139,00



Casambi compatibile / Casambi compatible.




DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	172,00



Casambi compatibile / Casambi compatible.

Dimmable Triac/ELV/0-10V



DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTF00600	Dimmable Triac/ELV/0-10V	25	100-305Vac 50-60 Hz	24VDC constant 1,1A	net kg 0,14	99,00



Casambi compatibile / Casambi compatible.

Legenda / Legend



I nostri prodotti sono sottoposti alle prove di sicurezza elettrica e conformi alle Direttive Comunitarie Europee EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (ove previsto).

Our products undergo electric safety tests and comply with ECC Directive EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (if the law requires).

I dati nominali di flusso (lm) e di efficienza (lm/W) sono riferiti rispettivamente alle sorgenti LED e alle sorgenti LED più l'assorbimento della PSU.

Nominal flux (lm) and efficacy (lm/W) of the products are estimated on the LED sources and the LED sources plus the PSU absorption.

I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi, ai dati e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.

The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings, data and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.



CLASSE 1

Solo isolamento fondamentale; le parti conduttrici accessibili sono collegate ad un conduttore di terra. Messa a terra obbligatoria.

Basic insulation, accessible conductors are earthed. Earthing is compulsory.



CLASSE 2

Sistema a doppio isolamento; messa a terra esclusa.

Double insulation. Earthing: excluded.



CLASSE 3

Apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Appliance in which protection against electrical shock is guaranteed by the extremely low voltage power supply.

PSU

Alimentatore.

Power Supply Unit.



Dimmerabile.

Dimmable.



Dimmerabile solo con driver dedicato.

Dimmable only with dedicated power supply unit.



Articolo dimmerabile 1-10V.

Dimmable 1-10V.



Interfacciabile con sistema DALI.

Interfaceable with DALI system.



Dimmerabile a taglio di fase.

Dimmable phase cut.



Articolo dimmerabile Push.

Dimmable Push.



Articolo dimmerabile 0/1-10V o Push.

Dimmable 0/1-10V or Push.



Articolo dimmerabile 1-10V o Push.

Dimmable 1-10V or Push.



Articolo dimmerabile TRIAC - ELV - 0-10V.

Dimmable TRIAC - ELV - 0-10V.



Articolo dimmerabile TRIAC - ELV - 0-10V/1-10V.

Dimmable TRIAC - ELV - 0-10V/1-10V.



Articolo dimmerabile DALI o PUSH.

Dimmable DALI or PUSH.



Articolo dimmerabile 0-10V - ELV - Phase cut.

Dimmable 0-10V - ELV - Phase cut.

LED

Prodotto con LED integrato.

Integrated LED product.

LED

Prodotto per sola lampadina a LED.

Product for LED light bulbs only.

+LED

Prodotto con lampadine LED o convenzionali.

Product for LED or conventional light bulbs.

220-240V_{AC} LED

Prodotto con LED integrato a tensione di rete.

Product equipped with Integrated LED for the mains voltage.

IPXY

Grado di protezione contro corpi solidi X - e contro i liquidi Y.

Protection rating against solid bodies X - against liquids Y.

CRI

Indice di resa di colore.

Colour rendering index.

Misure dei disegni in cm.

Schede tecniche e files 3D verranno implementati e resi disponibili nel sito www.axolight.it

Measures of the drawings in cm.

Technical sheets and the 3D files will be updated and available at www.axolight.it

Condizioni di vendita / Sales conditions

Estratto delle condizioni generali di vendita

1. Il prezzo comprende l'imballo in scatole di cartone.
2. Il peso indicato si riferisce al peso netto degli articoli.
3. Il volume indicato si riferisce al volume degli imballi degli articoli.
4. Axo Light declina ogni responsabilità per danni causati dal trasporto, essendo le merci accuratamente controllate e imballate prima della spedizione.
5. Eventuali reclami per difetti o danni causati dal trasporto devono essere comunicati per iscritto entro 8 giorni dal ricevimento della merce.
6. Per maggiori informazioni sui tempi di consegna vi preghiamo di contattare il nostro Customer Service. Tel +39.041.5845193, axolight@axolight.it
7. Axo Light declina qualsiasi responsabilità per l'inosservanza anche parziale delle istruzioni d'installazione e montaggio in dotazione o richieste, o per l'uso non adeguato degli apparecchi d'illuminazione di sua produzione. Axo Light non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri apparecchi d'illuminazione.
8. Sono possibili variazioni di colore e dimensioni tra un lotto produttivo e l'altro.
9. I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.
10. Resta inteso che qualsiasi utilizzo dei materiali promozionali messi a disposizione da Axo Light comporta l'integrale accettazione delle "Condizioni di utilizzo dei materiali promozionali Axo Light".
11. Per ogni controversia, l'unico e insindacabile Foro competente è quello di Treviso.

Abstract of the general conditions of sale

1. *Prices include carton packing.*
2. *The weight indications refer to the net weight of the light fixtures.*
3. *The volume indications refer to the volume of the packing boxes of the items.*
4. *Axo Light s.r.l declines any liability for transport damage since goods are carefully inspected and packed before shipment.*
5. *Any claims have to be notified by fax or by e-mail, within 8 days from receipt of goods.*
6. *Please contact our Customer Service for delivery time. Tel +39.041.5845193, axolight@axolight.it*
7. *Axo Light declines any liability for the non-observance – even partial – of the installation and assembly instructions provided or requested, or for the inappropriate use of the light fittings it manufactures. Axo Light will not be held liable for any property damage or personal injury caused by the incorrect installation of its light fittings.*
8. *Dimensions and colors may vary from one production batch to the other.*
9. *The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.*
10. *It is understood that any use of promotional material made available by Axo Light implies the full acceptance of the "Conditions for use of promotional material of Axo Light".*
11. *Any dispute that may arise shall submit to the sole jurisdiction of the Courts of Treviso.*

axolight.it

AXO LIGHT SRL
via Treviso 56
30037 Scorzè
Venezia (Italy)
t +39 041 5845193
axolight@axolight.it