

2026 price list

1996_2026
thirty years
of light —

Kdlni

kdlñ

floor

p.8/11

Bird floor	8
Evita	8
E.T.A.	8
Kushi floor	9
Kushi XL floor	9
Kyudo	9
Mars floor	10
Model T	10
Poise floor	10
Shakti	11
Tendu	11
Tratto floor	11

table

p.12/15

Atomium	12
Bird table	12
Hive	12
Kushi 10th	13
Kushi mobile	13

Kushi 16 table	13
Kushi 33 table	14
Kushi XL table	14
Lannà table	14
Poise	15
Tatu	15
Tratto table	15

suspension

p.16/31

Atomium suspension	16
Bird ceiling	16
Dala	17
Dala linear	17
Dew	18
Dew canopies	19
E.T.A. sat	20
Flow	20
Flow ceiling	20
Giass	21
Kate ceiling	22
Kate suspension	22

Kate 43 suspension	23
Kooi	23
Kushi 16 ceiling	24
Kushi 33 ceiling	24
Kushi XL ceiling	24
Kushi 16 suspension	25
Kushi 33 suspension	25
Kushi XL suspension	25
Lannà suspension	26
Lilli	26
Mars suspension	26
Minimal	27
Mitos	27
Motus	28
Nami	28
Opyo suspension	28
Poise ceiling	29
Polar 15	29
Polar 20	30
Sling	30
Tratto suspension	31
Viceversa	31
Yuma	31

wall

p.32/35

Atomium wall	32
Azou	32
Frame	33
IP55	33
Nami wall	33
Pastilla	34
Polar wall	34
Tratto wall	34
Tua	35

accessories

p.35

special canopies

p.35

packaging

p 36/39

technical info

glossary

bulbs . lampadine . ampoules . Leuchtmittel . bombillas
cable length . lunghezza cavo . longueur de câble . Kabellänge . longitud del cable
canopy . rosone . rosace . Baldachin . plafón
certifications . certificazioni . certifications . Zertifizierungen . certificaciones
colours . colori . couleurs . Farben . colores
code . codice . code . Artikelnummer . código
description . descrizione . description . Beschreibung . descripción
dimensions . dimensioni . dimensions . Größe . dimensiones
dimnable . dimmerabile . dimmable . dimmbar . regulable
dimmer . dimmer . variateur . Dimmer . dimmer
feeding . alimentazione . alimentation . Spannung . tensión de red
finish . finitura . finitions . Oberflächen . acabados
materials . materiali . matériaux . Materialien . materiales
packaging . imballo . emballage . Verpackung . embalaje
price vat excl. . prezzo iva esc. . prix ht . Preis ohne MwSt . precio iva excluida

light direction



Indirect lighting
Luce indiretta
Lumière indirecte
Indirektes Licht
Luz indirecta



Direct lighting
Luce diretta
Lumière directe
Direktes Licht
Luz directa



Diffused lighting
Luce diffusa
Lumière diffuse
Verbreitetes Licht
Luz difusa



Direct and indirect lighting
Luce diretta e indiretta
Lumière directe et indirecte
Direktes und indirektes Licht
Luz directa y indirecta



amber
ambra
ambre
Bernstein
ámbar



black
nero
noir
Schwarz
negro



black marble
marmo nero
marbre noir
schwarz Marmor
mármol negro



black tin
stagno nero
étain noir
schwarzem Zinn
estaño negro



brass
ottone
laiton
Messing
latón



brick red
rosso mattone
rouge brique
Ziegelrot
rojo ladrillo



bronze
bronz
bronce
Bronze
bronce



chrome
cromo
chrome
Chrom
cromado



copper
rame
cuivre
Kupfer
cobre



coral
corallo
corail
Koralle
coral



dark grey + concrete finish
grigio scuro + finitura cemento
gris foncé + finition ciment
dunkel Grau + Zementoberfläche
gris oscuro + acabado de cemento



dark grey + wood finish
grigio scuro + finitura legno
gris foncé + finition bois
dunkel Grau + Holzoberfläche
gris oscuro + acabado de madera



dove-grey
grigio tortora
gris tourterelle
Taubengrau
gris paloma



gold leaf
foglia oro
feuille d'or
Gold Blatt
hoja de oro



green onyx
onice verde
onyx vert
grüner Onyx
ónix verde



inox
inox
inox
Inox
inox



orange
arancione
orange
Orange
naranja



pop
pop
pop
Pop
pop



red
rosso
rouge
Rot
rojo



sand + concrete finish
sabbia + finitura cemento
sable + finition ciment
Sand + Zementoberfläche
arena + acabado de cemento



sand + wood finish
sabbia + finitura legno
sable + finition bois
Sand + Holzoberfläche
arena + acabado de madera



smokey grey
grigio fumè
gris fumé
Rauchgrau
gris ahumado



warm white
bianco caldo
blanc chaud
Warmweiß
blanco roto



white
bianco
blanc
Weiß
blanco



white marble
marmo bianco
marbre blanc
weiss Marmor
mármol blanco

codes

^{EN} The codes in this price list are referred to devices with voltage feeding 220-240 V and are produced according to the standards in compliance with **CE** directives. Where the abbreviation / GB is mentioned it states the possibility to order devices with plug adaptor suitable for the UK market (type G, standard IEC). The devices without plug do not require any different fitting from **CE** standard for being used in the UK market.

^{FR} I codici riportati in questo listino si riferiscono ad apparecchi funzionanti con tensioni di alimentazione a 220-240 V realizzati secondo gli standard in conformità alle direttive comunitarie **CE**.

Ove presente la sigla / GB si indica la possibilità di ordinare apparecchi dotati di spine adatte per il mercato UK (tipo G, standard IEC). Gli apparecchi non dotati di spina non richiedono allestimenti diversi dagli standard **CE** per essere utilizzati nel mercato UK.

^{FR} Les codes dans ce tarif font référence aux luminaires à tension 220-240 V uniquement, qui sont fabriqués en conformité des normes **CE**.

Le paraphe / GB signale la possibilité de commander des lampes sur pied avec des fiches appropriées pour le marché britannique (type G, standard IEC). Les appareils sans fiches sont utilisables en Grande Bretagne sans modifications par rapport aux standards **CE**.

^D Die in dieser Preisliste aufgeführten Artikelnummer beziehen sich auf Geräte mit der Versorgungsspannung von 220-240 V, die unter der Einhaltung des **CE** Standards hergestellt wurden.

Die Abkürzung / GB ermöglicht die Bestellung der Geräte mit den Steckern, die für den britischen Markt (Typ G, Standard IEC) bestimmt sind. Geräte ohne Stecker erfordern für den britischen Markt keine besondere Ausrüstung, die unterschiedlich vom **CE** Standard ist.

^{ES} Los códigos que aparecen en esta tarifa, se refieren a aparatos que funcionan con tensión de alimentación a 220-240 V realizados según los standards con conformidad a las directivas comunitarias de la **CE**.

Donde esté presente las siglas / GB se indica la posibilidad de pedir aparatos dotados de enchufe adaptado para el mercado UK (tipo G, standard IEC). Los aparatos que no están dotados con enchufe no necesitan complementos diversos a los estándares **CE** para ser utilizados en el mercado UK.

notes

^{EN} Goods delivery have to be considered Ex Factory.

Goods are carefully and accurately packaged, Kdln S.r.l. declines all responsibilities for any damage caused by the transport.

All merchandise is shipped at the dealer's risk, even if free of carriage.

Any claim related to apparent and occult defects has to be communicated to Kdln by mail or fax within 8 days from the date of receipt of the goods.

Kdln reserves the right to alter any of the above conditions, at its own discretion and without notice.

The cable length specified for pendant lamps refers to its visible part, external to the lamp body.

Different cable lengths can be produced on demand. The company reserves the right to change the design of the canopies and the cable length without notice.

The dimmability of suspension and wall lamps with E27 (E26) and E14 (E12) bulb sockets depends on the dimmability of the chosen light source.

Product colors can differ from what is shown in the catalogue and from batch to batch.

The listed light emission in Lumen is nominal.

For any disputes the involved Forum is Milan (Italy).

^{FR} La merce si intende franco fabbrica.

La merce è attentamente e accuratamente imballata, Kdln S.r.l. declina ogni responsabilità per danni causati dal trasporto.

La merce viaggia a rischio e pericolo del committente, anche se spedita in porto franco.

Reclami per difetti apparenti ed occulti devono essere comunicati via mail o fax entro 8 giorni dal ricevimento della merce.

Kdln si riserva il diritto di modificare qualsiasi delle suddette condizioni, a propria discrezione e senza alcun preavviso.

La lunghezza dei cavi riportata per le lampade a sospensione fa riferimento alla sua parte visibile, esterna al corpo lampada.

Eventuali misure diverse dei cavi possono essere prodotte su richiesta. La società si riserva comunque il diritto di variare il disegno dei rosoni e la lunghezza dei cavi senza alcun preavviso.

La dimmerabilità delle lampade a sospensione e delle lampade da parete con attacco E27 (E26) e E14 (E12) dipende dalla dimmerabilità della sorgente luminosa scelta.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

I lumen indicati sono da considerarsi nominali.

Per qualsiasi controversia sarà competente il Foro di Milano, Italia.

^{FR} La marchandise est livrée à la condition 'départ usine'.

Toutes les marchandises voyagent aux risques et périls du revendeur, même si elles sont rendues franco de port.

Les réclamations pour défauts apparents et occultes doivent être notifiés par mail ou fax dans les 8 jours suivant la réception de la marchandise.

Kdln se réserve le droit de modifier n'importe laquelle des clauses précédentes sans préavis, en fonction de ses exigences.

La longueur des câbles indiquée pour les suspensions fait référence à leur partie visible, extérieure à la structure de la lampe.

D'éventuelles autres mesures des câbles peuvent être produites sur demande.

La société se réserve toutefois le droit de modifier le dessin des rosaces et la longueur des câbles sans aucun préavis.

La variation de lumière des suspensions et appliques E27 (E26) et E14 (E12) dépend de la source lumineuse choisie.

Les couleurs des produits peuvent varier par rapport à ce qui est présenté dans le catalogue ainsi que de lot à lot.

Les lumens indiqués s'entendent nominaux.

Le Tribunal de Milan (Italie) sera le seul compétent pour toutes contestations.

^D Die Ware wird ab Werk verkauft.

Die Ware wird sorgfältig und gründlich verpackt. Kdln S.r.l. lehnt jegliche Haftung für Transportschäden ab.

Sämtliche Waren werden auf Risiko und Gefahr des Einzelhändlers transportiert, auch im Falle von Verschickung frei Bestimmungsort.

Jegliche Reklamationen der Waren müssen innerhalb von 8 Tagen nach Erhalt der Lieferung per Post oder Fax mitgeteilt werden.

Kdln behält sich das Recht vor, alle oben genannten Bedingungen nach eigenem Ermessen und ohne vorherige Ankündigung zu ändern. Die angegebene Kabellänge für Pendelleuchten bezieht sich auf den sichtbaren Teil, der sich außerhalb des Lampenkörpers befindet.

Eventuelle andere Kabellängen können auf Anfrage produziert werden. Das Unternehmen behält sich in jedem Falle das Recht vor, das Design der Rosetten und die Länge der Kabel ohne Vorankündigung zu ändern.

Die Dimmbarkeit der Pendel- und Wandleuchten mit den E27-Fassungen (E26) und E14-Fassungen (E12) ist von der Dimmbarkeit der gewählten Lichtquelle abhängig.

Die Farben der Produkte können sich von den Abbildungen im Katalog unterscheiden und von einem Fertigungslos zum anderen variieren.

Die angegebenen Lumen sind Nominalwerte.

Der zuständige Gerichtshof ist Mailand (Italien).

ES. La mercancía se entiende a portes debidos.

La mercancía está atentamente y cuidadosamente embalada, Kdln srl declina cualquier responsabilidad por los daños causados por el transporte.

Todas las mercancías viajan a riesgo del comerciante aunque se hayan franqueado por el destinatario.

Las reclamaciones por defectos aparentes y ocultos tienen que ser comunicados por mail o por fax dentro de 8 días del recibo de la mercancías.

Kdln se reserva el derecho de modificar cualquiera de las cláusulas precedentes sin aviso previo en caso de necesidades, decisiones o exigencias propias.

La longitud de los cables indicada para las lámparas colgantes se refiere a su parte visible, externa al cuerpo de la lámpara.

Bajo petición, se pueden producir diversas medidas de cables.

De todas formas, la sociedad se reserva el derecho de cambiar el diseño de los florones y la longitud de los cables sin previo aviso.

La dimabilidad de las lámparas a suspensión y de las lámparas a pared con enchufe E27 (E26) y E14 (E12) depende de la dimabilidad de la fuente de luz elegida.

Los lúmenes indicados son nominales.

Los colores de los productos pueden variar respecto a lo que se muestra en el catálogo y de un lote a otro. Para toda pendencia el Forum implicado es Milán (Italia).

marking



Class I luminaire: it's necessary to connect the device to the yellow/green protective conductor (earthing).

Apparecchio in Classe I: è obbligatoria la connessione al conduttore di protezione giallo/verde (messa a terra).

Classe I: il est obligatoire de relier l'appareil à la terre.

Schutzklasse I: alle berührbaren Metallteile sind elektrisch leitend miteinander verbunden und werden mit dem Netzschutzleiter verbunden.

Aparato en clase I: es obligatoria la conexión al conductor de protección amarillo/verde (toma de tierra).



Class II luminaire: appliance with double insulation.

Apparecchio in Classe II: apparecchio in doppio isolamento.

Classe II: appareil dote de double isolation.

Schutzklasse II: gerat mit doppelter isolierung.

Aparato en clase II: aparato provisto de aislamiento doble.



Class III luminaire: appliance in which protection against electrical shock is guaranteed by the extremely lowvoltage power supply.

Apparecchio in Classe III: apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Classe III: appareil avec protection contre les décharges électriques basée sur l'alimentation à une tension de sécurité très basse.

Schutzklasse III: Zum Schutz vor elektrischen Schlägen mit Niedervolt gespeistes Gerät.

Aparato en clase III: aparato en el cual la protección contra la descarga eléctrica se debe a la alimentación a muy baja tensión.

IP20

Device protected against the penetration of solid objects greater than 12mm.

Apparecchio protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 12mm.

Protégé contre la pénétration des corps solides aux dimensions supérieures à 12mm.

Gegen das Eindringen von Festkörpern größer als 12mm geschützt.

Protección contra la penetración de cuerpos sólidos de un tamaño superior a 12mm.

IP55

Device protected against dust deposits and water jets from any angle.

Apparecchio protetto contro i depositi di polvere e i getti d'acqua da qualsiasi angolo.

Appareil protégé contre les dépôts de poussière et les jets d'eau provenant de n'importe quel angle.

Gerät geschützt gegen Staubablagerungen und Wasserstrahlen aus jedem Winkel.

Aparato protegido contra depósitos de polvo y chorros de agua desde cualquier ángulo.

CE

It certifies the conformity of the product to the European community directives.

Attesta la conformità del prodotto alle disposizioni della Comunità Europea.

Il atteste la conformité du produit aux directives de la Communauté Européenne.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Europäischen Gemeinschaft.

Certifica la conformidad del producto con las disposiciones de la Comunidad Europea.

Eurasian

It certifies the conformity of the product to the Eurasian Customs Union directives.

Attesta la conformità del prodotto alle disposizioni dell'Unione doganale eurasiatica.

Il atteste la conformité du produit aux directives de l'union douanière eurasiatique.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Eurasischen Zollunion.

Certifica la conformidad del producto con las disposiciones de la Unión Aduanera Euroasiática.



It certifies the conformity of the product to the North American market directives.

Attesta la conformità del prodotto alle disposizioni del mercato nordamericano.

Il atteste la conformité du produit aux directives du marché nord-américain.

Das Zeichen bescheinigt, dass das Produkt den Vorschriften des nordamerikanischen Marktes entspricht.

Certifica la conformidad del producto con las disposiciones del mercado norteamericano. Marca de conformidad U.S.A. y Canada.




Bird floor

Jordi Pla / 2024

code	colour	PRICE vat excl.
514439NEU	● black RAL9005	480 €
514439BEU	● white RAL9010	
514439REU	● brick red	

feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	metal
light source included			light direction
board LED 1x6 W 2700 K - 660 lm - CRI>90			




Evita

AquiliAlberg / 2011

code	colour	PRICE vat excl.
K155061B	● warm white RAL1013	1860 €
K155061T	● dove-grey RAL7006	

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 CE ENEC	metal + technopolymers
light source included			light direction
board LED 1x55 W 2700 K - 6.000 lm - CRI>90			




E.T.A.

Guglielmo Berchicci / 1996

code	colour	PRICE vat excl.
0171596BIEU / GB	● white	1650 €
0171596AREU / GB	● orange	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	fiberglass + metal
light source not included			light direction
3x40 W max - E14 (E12) + 1x100 W max - E27 (E26)			






Kushi floor

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2281059N / GB	● black RAL9005	1330 €
K2281059O / GB	● brass	
K2281059R / GB	● copper	

feeding	dimmer	certifications	materials
100-240 V	yes	☐ IP20 CE ENEC	glass + metal
light source included			light direction
board LED 3x4.6W 2700 K - 1900 lm - CRI>90			




Kushi XL floor

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K219105N / GB	● black RAL9005	1280 €
K219105O / GB	● brass	
K219105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	glass + metal
light source not included			light direction
2x70 W max - E27 - Ø 6cm max			




Kyudo

Hansandfranz / 2009

code	colour	PRICE vat excl.
K048133BIEU	● white RAL9016	1795 €
K048133NEEU	● black RAL9005	
K048133AREU	● orange RAL2007	

feeding	dimmer	certifications	materials
100-240 V	yes	☐ IP20 CE ENEC	aluminium
light source included			light direction
strip LED 1x36 W 2700 K - 4515 lm - CRI>90			






Mars floor

Yonoh Creative Studio / 2026


code	colour	PRICE vat excl.		
K517414N27	● black marble	690 €		
feeding	dimmer	certifications	materials	
100-240 V	yes	◇ IP20 CE ENEC	glass + marble	
light source included			light direction	
board LED 1x17.5W 2700 K - 1800 lm - CRI>90				



Model T

Francesca Smiraglia / 2023


code	colour	PRICE vat excl.		
K511435N	● black RAL9005	1260 €		
K511435POP	● pop			
K511435INOX	● inox	1380 €		
feeding	dimmer	certifications	materials	
100-240 V	yes	□ IP20 CE ENEC	metal + plexiglass	
light source included			light direction	
board LED 1x65W 2700 K - 6600 lm - CRI>90				



Poise floor

Robert Dabi / 2022

code	colour	PRICE vat excl.		
505425N / GB	● black RAL9005	595 €		
feeding	dimmer	certifications	materials	
220-240 / 120 V	yes	□ IP20 CE ENEC	metal	
light source included			light direction	
strip LED 1x28 W 2700 K - 3600 lm - CRI>90				






Shakti

Marzio Rusconi Clerici / 2001


code	colour	PRICE vat excl.	
SHAKTI 200			
KSA110BIEU / GB	● white + satin base	910 €	
KCR110BIEU / GB	● white + polished base	965 €	
SHAKTI 250			
KSA111BIEU / GB	● white + satin base	1100 €	
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	plexiglass + metal
light source not included			light direction
2x100 W max - E27 (E26)			



Tendu

Marc Sadler / 2026


code	colour	PRICE vat excl.	
518553N30	● lamp - black RAL9005	680 €	
518-AC1	● additional spot - black RAL9005	340 €	
feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	metal
light source included			light direction
board LED 1x12W - 3000 K - 1200 lm - CRI>90			



Tratto floor

Oliver Schick / 2025

code	colour	PRICE vat excl.	
K513444N27	● black RAL9005	1380 €	
K513444O27	● brass	1490 €	
feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	glass + metal
light source included			light direction
board LED 3x14W 2700 K - 4350 lm - CRI>90			






Atomium

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.
011890BIEU / GB	white	680 €

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20 CE ERIC	polyethylene
light source not included			light direction
6x40 W max - E14 (E12)			




Bird table

Jordi Pla / 2024

code	colour	PRICE vat excl.
514438NEU	black RAL9005	360 €
514438BEU	white RAL9010	
514438REU	brick red	

feeding	dimmer	certifications	materials
100-240 V	yes	IP20 CE ERIC	metal
light source included			light direction
board LED 1x6 W 2700 K - 660 lm - CRI>90			




Hive

Ini Archibong / 2017

code	colour	PRICE vat excl.
K390325B / GB	white	595 €
K390325N / GB	black	
K390325R / GB	red	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20 CE ERIC	glass + ceramic
light source not included			light direction
1x30 W max - E27			






Kushi 10th

Alberto Saggia & Valerio Sommella / 2025

code	colour	PRICE vat excl.
K216105N	● black RAL9005	350 €
K216105O	● brass	
K216105R	● copper	

feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	glass + metal
light source included			light direction
board LED 1x7W tunable white from 1.800 to 3.000 K - 840 lm - CRI>90			




Kushi 16 mobile

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2291059N	● black RAL9005	350 €
K2291059O	● brass	
K2291059R	● copper	

feeding	dimmer	certifications	materials
rechargeable battery 5 V min 500 mA	no	◇ IP20 CE ENEC	glass + metal
light source included		battery life	light direction
board LED 1x1.3W 2700 K - 150 lm - CRI>90		5h 30min	




Kushi 16 table

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K227105N / GB	● black RAL9005	280 €
K227105O / GB	● brass	
K227105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	□ IP20 CE ENEC	glass + metal
light source not included			light direction
1x25 W max - G9			






Kushi 33 table

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K222105N / GB	● black RAL9005	555 €
K222105O / GB	● brass	
K222105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	IP20 CE ENE	glass + metal
light source not included			light direction
1x30 W max - E27			




Kushi XL table

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K223105N / GB	● black RAL9005	745 €
K223105O / GB	● brass	
K223105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	IP20 CE ENE	glass + metal
light source not included			light direction
1x70 W max - E27			




Lannà table

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K385320N / GB	● black RAL9005	550 €
K385320 / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20 CE ENE	glass + metal
light source not included			light direction
1x20 W max - E27 Ø 6cm max			





Poise


Robert Dabi / 2021

code	colour	PRICE vat excl.
505424N / GB	● black RAL9005	390 €

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	metal

light source included	light direction
strip LED 1x17.5 W 2700 K - 1050 lm - CRI>90	

movement options




Tatu

MrSmith Studio / 2019

code	colour	PRICE vat excl.
K360375N / GB	● black RAL9005	795 €
K360375O / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	glass + metal

light source not included	light direction
1x105 W max - E27 (E26)	




Tratto table

Oliver Schick / 2025

code	colour	PRICE vat excl.
K513443N27	● black RAL9005	445 €
K513443O27	● brass	490 €

feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	glass + metal

light source included	light direction
board LED 1x14 W 2700 K - 1450 lm - CRI>90	







Atomium suspension

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.
011892BIEU	● white	665 €

feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE ENEC	polyethylene	
light source	not included	canopy	cable length	light direction
6x40W max - E14 (E12)		white	175cm	




Bird ceiling

Jordi Pla / 2024

code	colour	PRICE vat excl.
514440NEU	● black RAL9005 - 2 tiges included	260 €
514440BEU	● white RAL9010 - 2 tiges included	
514440REU	● brick red - 2 tiges included	
514-AC1N	● black RAL9005 - tige 50.5 cm	35 €
514-AC1B	● white RAL9010 - tige 50.5 cm	
514-AC1R	● brick red - tige 50.5 cm	
514-AC2N	● black RAL9005 - tige 110.5 cm	50 €
514-AC2B	● white RAL9010 - tige 110.5 cm	
514-AC2R	● brick red - tige 110.5 cm	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal
light source	included	light direction	
board LED 1x6W 2700 K - 660 lm - CRI>90			






Dala

Francesca Smiraglia / 2021

code	colour	PRICE vat excl.
DALA 2700 K		
K503420GL	● dark grey + wood finish	950 €
K503420SL	● sand + wood finish	
K503420GC	● dark grey + concrete finish	
K503420SC	● sand + concrete finish	
K503420BB	● white	860 €
DALA 3000 K		
K503420GL30	● dark grey + wood finish	950 €
K503420SL30	● sand + wood finish	
K503420GC30	● dark grey + concrete finish	
K503420SC30	● sand + concrete finish	
K503420BB30	● white	860 €

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal + polyethylene

light source included	light direction
DALA 2700 K: board LED 1x42W - 2700 K - 4200 lm - CRI>90	
DALA 3000 K: board LED 1x42W - 3000 K - 4350 lm - CRI>90	





Dala linear

Francesca Smiraglia / 2022

code	colour	PRICE vat excl.
DALA LINEAR 2700 K		
K503427GL	● dark grey + wood finish	995 €
K503427SL	● sand + wood finish	
K503427GC	● dark grey + concrete finish	
K503427SC	● sand + concrete finish	
DALA LINEAR 3000 K		
K503427GL30	● dark grey + wood finish	995 €
K503427SL30	● sand + wood finish	
K503427GC30	● dark grey + concrete finish	
K503427SC30	● sand + concrete finish	

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal




light source included	canopy	cable length	light direction
DALA LINEAR 2700 K: board LED 1x43 W 2700 K - 5150 lm - CRI>90	dark grey or sand	250 cm	
DALA LINEAR 3000 K: board LED 1x43 W 3000 K - 5300 lm - CRI>90			





Dew

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451381CREU	 chrome	360 €
0451381NEU	 black RAL9005	375 €
0451381OEU	 brass	

feeding	dimmable	certifications	materials
220-240 V	phase cut	⊕ IP20 CE ENEC	glass + metal

special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.

Dew + Dew Canopies

Dew must be sold together with one of the Dew Canopies

light source included	cable length	light direction
board LED 1x5 W 2700 K - 440 lm - CRI>90	250 cm	









∅ 11 cm



Dew canopies

code	colour	PRICE vat excl.
CANOPY x 1 LAMP		
500500CR	● chrome	75 €
500500N	● black RAL9005	
500500O	● brass	
CANOPY x 3 LAMPS		
500501CR	● chrome - false ceiling canopy	55 €
500501N	● black RAL9005 - false ceiling canopy	
500501O	● brass - false ceiling canopy	
CANOPY x 5 LAMPS		
500502MI	● mirrored	550 €
500502N	● black RAL9005	
500502O	● brass finish	
CANOPY x 7 LAMPS		
500503MI	● mirrored	750 €
500503N	● black RAL9005	
500503O	● brass finish	
CANOPY x 9 LAMPS		
500504MI	● mirrored	1350 €
500504N	● black RAL9005	
500504O	● brass finish	



materials	certifications
metal (black or chrome) or metal + plexiglass (mirrored or brass finish)	⊕ IP20 CE ENEC

Dew + Dew Canopies
Dew Canopies must be sold together with Dew

special requests
It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.




E.T.A. sat

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
017106BIEU	white	1350 €
017106AREU	orange	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	fiberglass + polycarbonate + metal

light source	not included	canopy	cable length	light direction
1x40 W max - E14 (E12) + 1x100 W max - E27 (E26)		white	180 cm	



Flow


Chris Basias / 2022

code	colour	PRICE vat excl.
506428N	black RAL9005	270 €
500500N	black RAL9005 - canopy	75 €
500501N	black RAL9005 - false ceiling canopy	55 €
500517N	black RAL9005 - multiple canopy max 8 lamps	250 €

code	colour	PRICE vat excl.
LEAF 506430N	black RAL9005 - accessory	180 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	cable length	light direction
1x25W max - G9		168 cm	



Flow ceiling



Chris Basias / 2022

code	colour	PRICE vat excl.
506429N	black RAL9005	275 €

code	colour	PRICE vat excl.
LEAF 506430N	black RAL9005 - accessory	180 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	light direction
1x25W max - G9		





Giass

Sebastian Herkner / 2017

code	colour	PRICE vat excl.
GIASS 25		
K395330S	● white	1500 €
K395330G	● smokey grey	
GIASS 30		
K396330S	● white	1660 €
K396330G	● smokey grey	
GIASS 40		
K397330S	● white	1830 €
K397330G	● smokey grey	
GIASS 50		
K398330S	● white	2150 €
K398330G	● smokey grey	

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal





multiple composition

Giass can be installed in multiple compositions fed by one single light point

light source included

- GIASS 25:
board LED 1x21.5W - 2700 K - 1700 lm - CRI>90
- GIASS 30:
board LED 1x27.5W - 2700 K - 2250 lm - CRI>90
- GIASS 40:
board LED 1x35W - 2700 K - 3100 lm - CRI>90
- GIASS 50:
board LED 1x44W - 2700 K - 3950 lm - CRI>90

light direction






Kate ceiling

Francesca Smiraglia / 2023

code	colour	PRICE vat excl.
KATE CEILING 2700K		
K510434B27	● white	940 €
510434-60227	● gold leaf	1890 €
510434-XXX27	● colours on request	1175 €
KATE CEILING 3000K		
K510434B30	● white	940 €
510434-60230	● gold leaf	1890 €
510434-XXX30	● colours on request	1175 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal + polyethylene

light source included	light direction
KATE CEILING 2700 K: board LED 1x65W - 2700 K - 6856 lm - CRI>90	
KATE CEILING 3000 K: board LED 1x65W - 3000 K - 6956 lm - CRI>90	




Kate suspension

Francesca Smiraglia / 2024

code	colour	PRICE vat excl.
KATE SUSPENSION 2700K		
K510437B27	● white	1100 €
510437-60227	● gold leaf	2015 €
510437-XXX27	● colours on request	1295 €
KATE SUSPENSION 3000K		
K510437B30	● white	1100 €
510437-60230	● gold leaf	2015 €
510437-XXX30	● colours on request	1295 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal + polyethylene

light source included	canopy	cable length	light direction
KATE SUSPENSION 2700 K: board LED 1x65W 2700 K - 6856 lm - CRI>90	white or gold leaf or colours on request	230 cm	
KATE SUSPENSION 3000 K: board LED 1x65W 3000 K - 6956 lm - CRI>90			






Kate 43 suspension

Francesca Smiraglia / 2026

code	colour	PRICE vat excl.
KATE 43 SUSPENSION 2700K		
510412B27	● white	460 €
510412-60227	● gold leaf	785 €
510412-XXXX27	● colours on request	550 €
KATE 43 SUSPENSION 3000K		
510412B30	● white	460 €
510412-60230	● gold leaf	785 €
510412-XXXX30	● colours on request	550 €


feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal + polyethylene
light source included	canopy	cable length	light direction
KATE 43 SUSPENSION 2700K: board LED 1x24.5W 2700 K - 2520 lm - CRI>90	white or gold leaf or colours on request	450 cm	
KATE 43 SUSPENSION 3000 K: board LED 1x24.5W 3000 K - 2620 lm - CRI>90			



Kooi

Studio Shuu / 2023

code	colour	PRICE vat excl.	
509433N	● black RAL9005	695 €	
feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal
light source included	canopy	cable length	light direction
board LED 1x26W 2700 K - 2179 lm - CRI>90	black	350 cm	






Kushi 16 ceiling

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K225105N	● black RAL9005	275 €
K225105O	● brass	
K225105R	● copper	

feeding	dimmable	certifications	materials
220-240 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	light direction
1x25 W max - G9		




Kushi 33 ceiling

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K220105N	● black RAL9005	460 €
K220105O	● brass	
K220105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	light direction
1x30 W max - E27 (E26)		




Kushi XL ceiling

Alberto Saggia & Valerio Sommella / 2022

code	colour	PRICE vat excl.
K217105N	● black RAL9005	590 €
K217105O	● brass	
K217105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	not included	light direction
2x70 W max - E27 (E26)		







Kushi 16 suspension

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K226105N	● black RAL9005	295 €
K226105O	● brass	
K226105R	● copper	

feeding	dimnable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE EAC	glass + metal	
light source	not included	canopy	cable length	light direction
1x25 W max - G9		white	240 cm	





Kushi 33 suspension

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K221105N	● black RAL9005	570 €
K221105O	● brass	
K221105R	● copper	

feeding	dimnable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE EAC	glass + metal	
light source	not included	canopy	cable length	light direction
1x30 W max - E27 (E26)		white	175 cm	





Kushi XL suspension

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K218105N	● black RAL9005	790 €
K218105O	● brass	
K218105R	● copper	

feeding	dimnable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE EAC	glass + metal	
light source	not included	canopy	cable length	light direction
2x70 W max - E27 (E26)		white	160 cm	






Lannà suspension

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K386320N	● black RAL9005	550 €
K386320	● brass	

feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal	
light source	not included	canopy	cable length	light direction
1x20 W max - E27 (E26) Ø 6cm max		black or brass	200 cm	




Lilli

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K355365O	● brass	745 €

feeding	dimmable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal	
light source	not included	canopy	cable length	light direction
3x42W max - E14 (E12)		white	165 cm	




Mars suspension

Yonoh Creative Studio / 2026

code	colour	PRICE vat excl.
K517413N27EU	● black marble	850 €

feeding	dimmable	certifications	materials	
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + marble	
light source	included	canopy	cable length	light direction
board LED 26.3W 2700 K - 3000 lm - CRI>90		black	180 cm	






Minimal

David Pompa / 2017



code	colour	PRICE vat excl.
380315R *	copper	270 €
380315N *	black nickel	
ALI-CC350_8W	driver - not dimmable	30 €
500500N	black RAL9005 - canopy	75 €

*driver not included - false ceiling canopy included

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	IP20 Minimal IP20 Minimal + Driver ALI-CC350_8W IP20 Minimal + Canopy 500500N	pottery + metal
light source included	canopy	cable length	light direction
board LED 1x3.15W 2700 K - 346 lm - CRI>90	black	180 cm	



FALSE CEILING CANOPY



MitoS

Chris Basias / 2022

code	colour	PRICE vat excl.
507431N	black RAL9005 - spot	215 €
507-ALIEU-DIM	black RAL9005 - driver kit dimmable phase cut - max 5 spot	255 €
507-ALIEU	black RAL9005 - driver kit not dimmable - max 9 spot	225 €
507-CAV10	copper - cable L 10m	65 €
507-CAV30	copper - cable L 30m	170 €
507-AC1	black RAL9005 - cable holder plate	15 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	IP20 spot IP20 spot + driver kit	aluminium + technopolymer

multiple composition system capability

spot n°: max 9 (dimmable max 5 spots) - cable length: max 2 x 30m

light source not included

GU 5.3


light direction



MITOS SPOT





DRIVER KIT



CABLE HOLDER PLATE



installation options





Motus

Shulab / 2023



code	colour	PRICE vat excl.
K512436B	● white RAL9010	490 €
K512436N	● black RAL9005	
K512436R	● red RAL3016	

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal

sliding mechanism

press the button - slide up or slide down - release the button to fix the lamp at the desired height

light source included	canopy	cable length	light direction
board LED 1x22 W 2700 K - 2346 lm - CRI>90	white or black or red	~300 cm	





Nami

Alberto Saggia & Valerio Sommella / 2017

code	colour	PRICE vat excl.
K405340N	● black RAL9005	1970 €
K405340	● brass	

feeding	dimnable	certifications	materials
220-240 / 120 V	1-10V	⊕ IP20 CE ENEC	glass + metal

light source included	canopy	cable length	light direction
strip LED 60 W 2700 K - 6020 lm - CRI>90	black or brass	275 cm	





Opyo suspension

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350356B	● white RAL9010	440 €
K350356C	● coral RAL3012	
K350356O	● brass	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	canopy	cable length	light direction
1x70 W max - E27 (E26)	white	210 cm	






Poise ceiling

Robert Dabi / 2022


code	colour	PRICE vat excl.		
505426N	● black RAL9005	495 €		
feeding	dimmable	certifications	materials	
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal	
light source included			light direction	
strip LED 1x28 W 2700 K - 3148 lm - CRI>90				



Polar 15

Yonoh Creative Studio / 2025

code	colour	PRICE vat excl.		
POLAR 15.1				
K515151N27EU	● black RAL9005	1750 €		
POLAR 15.2				
K515152N27EU	● black RAL9005	1750 €		
POLAR 15.3				
K515153N27EU	● black RAL9005	1750 €		
feeding	dimmable	certifications	materials	
220-240 / 120 V	0/1-10V or PUSH or DALI	⊕ IP20 CE ENEC	polymer + metal	
light source included		canopy	cable length	light direction
board LED 15x3.5 W 2700 K - 6600 lm - CRI>90		black	180 cm	






Polar 20

Yonoh Creative Studio / 2025



code	colour	PRICE vat excl.	
POLAR 20.1			
K515201N27EU	● black RAL9005	2100 €	
POLAR 20.2			
K515202N27EU	● black RAL9005	2100 €	
POLAR 20.3			
K515203N27EU	● black RAL9005	2100 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	0/1-10V or PUSH or DALI	⊕ IP20 CE ENEC	polymer + metal
light source included	canopy	cable length	light direction
board LED 20x3.5 W 2700 K - 8800 lm - CRI>90	black	180 cm	



Sling

Chris Basias / 2023

code	colour	PRICE vat excl.	
508432N27	● black RAL9005 - spot - 2700 K	120 €	
508432N30	● black RAL9005 - spot - 3000 K		
508-ALIEU	● black RAL9005 - driver kit (from 2 to 9 spots max)	240 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	0/1-10V or PUSH	◇ IP20 CE ENEC spot ⊕ IP20 CE ENEC spot + driver kit	metal
light source included	cable length included	light direction	
SLING 2700 K: board LED 1x5 W 2700 K - 500 lm - CRI>90	4 m for each spot 10 m for each driver kit		
SLING 3000 K: board LED 1x5 W 3000 K - 520 lm - CRI>90			
installation options			






Tratto suspension

Oliver Schick / 2025

code	colour	PRICE vat excl.		
K513441N27	● black RAL9005	345 €		
K513441O27	● brass	395 €		
feeding	dimnable	certifications	materials	
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal	
light source included	canopy		light direction	
board LED 1x14 W 2700 K - 1450 lm - CRI>90	black or brass			


TRATTO STANDARD LENGTHS
2 TIGES INCLUDED




Viceversa

Noé Duchaufour Lawrance / 2019


code	colour	PRICE vat excl.		
VICEVERSA				
K370280GA	● amber	1310 €		
VICEVERSA 2				
K370281GA	● amber	2340 €		
feeding	dimnable	certifications	materials	
110-240 V	1-10V or PUSH	⊕ IP20* CE ENEC	glass + metal	
light source included	canopy	cable length	light direction	
VICEVERSA: board LED 9 W 2700 K - 990 lm - CRI>90	dark grey	400 cm		
VICEVERSA 2: board LED 16.5 W 2700 K - 1815 lm - CRI>90	* canopy IP20 structure built in compliance with IP54 specifications			



VICEVERSA 2





VICEVERSA



Yuma

David Pompa / 2017

code	colour	PRICE vat excl.		
370310EU	● brass	390 €		
feeding	dimnable	certifications	materials	
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal	
light source not included	canopy	cable length	light direction	
1x20W max - E27 (E26)	brass	190 cm		






Atomium wall

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.
011891BIEU	● white	450 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	polyethylene

light source	not included	light direction
3x40 W max - E14 (E12)		




Azou

Chris Basias / 2019



code	colour	PRICE vat excl.
345410MB	● lamp - white marble	240 €
345410MN	● lamp - black marble	
345410MO	● lamp - green onyx	380 €
345-PLUGEU / GB	● black - plug kit - dimmer included	250 €
345-ALIEU	● driver - dimmable 1-10V or push	165 €
500515N	● black - canopy - driver not included	130 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◆ IP20 CE ENEC lamp ⊕ IP20 CE ENEC lamp + driver □ IP20 CE ENEC lamp + plug kit	metal + marble or onyx

light source	included	n° lamps	light direction
board LED 1x4.2 W		from 1 to 14	





installation options






Frame

Benjamin Hubert / 2011

code	colour	PRICE vat excl.
145050B	 white RAL9010	290 €
145050C	 chrome	345 €



feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	aluminium

light source	not included	light direction
1x150 W max - R7s - L 78 mm		




IP55

Francesca Smiraglia / 2026

code	colour	PRICE vat excl.
K516452N27	 black RAL9005	295 €
K516452O27	 brass	325 €



feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP55 CE ENEC	glass + metal

light source	included	light direction
board LED 1x7.7 W 2700 K - 1092 lm - CRI>90		




Nami wall

Alberto Saggia & Valerio Sommella / 2020

code	colour	PRICE vat excl.
K340406N	 black RAL9005	360 €
K340406O	 brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + aluminium

light source	included	light direction
board LED 1x14 W 2700 K - 1320 lm - CRI>90		






Pastilla

Patricia Urquiola / 2000

code	colour	PRICE vat excl.
218970BIAEU	● white RAL9016	395 €
218970BREU	● bronze	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
2x42 W max - E14 (E12)			





Polar wall

Yonoh Creative Studio / 2026

code	colour	PRICE vat excl.
POLAR WALL 1		
515450N27	● black RAL9005	270 €
POLAR WALL 2		
515451N27	● black RAL9005	400 €

feeding	dimmer	certifications	materials
100-240 V	yes	◇ IP20 CE ENEC	polymer + metal
light source included			cable length light direction
POLAR WALL 1: board LED 1x3.5 W - 2700 K - 440 lm - CRI>90			250 cm
POLAR WALL 2: board LED 2x3.5 W - 2700 K - 880 lm - CRI>90			




Tratto wall

Oliver Schick / 2025

code	colour	PRICE vat excl.
K513442N27	● black RAL9005	285 €
K513442O27	● brass	325 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal
light source included			light direction
board LED 1x14 W 2700 K - 1450 lm - CRI>90			






Tua


Behurt / 2014

code	colour	PRICE vat excl.	
100266SNNL	black tin	460 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
light source not included			light direction
1x100 W max - R7s - L 78 mm			



accessories

code	colour	PRICE vat excl.
2 HOLES CANOPY		
500521CR	chrome	85 €
500521N	black	
500521O	brass	
500521B	white	
DECENTRALIZER		
500518CR	chrome	26 €
500518N	black	
500518O	brass	
500518B	white	
DECENTRALIZER HOOK		
500519N	black	15 €
500519B	white	
WIRE GRIPLOCK		
500520CR	chrome	15 €
500520N	black	
500520B	white	



special canopies

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs. Thanks to the technical and commercial support of the company, all needs can be met, customising each and every aspect of the project with great flexibility.

packaging

	lamp	packaging
floor	Bird floor	box 1 - 136x7x26 cm - 0.022 m ³ - 3.40 kg
	Evita	box 1 - 26x25x202 cm - 0.131 m ³ - 12.50 kg box 2 - 40x40x4 cm - 0.006 m ³ - 6.40 kg
	E.T.A.	box 1 - 45x45x202 cm - 0.409 m ³ - 14.40 kg
	Kushi floor	box 1 - 45x33x140 cm - 0.208 m ³ - 7.60 kg
	Kushi XL floor	box 1 - 51x51x42 cm - 0.109 m ³ - 4.80 kg box 2 - 170x20x20 cm - 0.068 m ³ - 3.25 kg box 3 - 47x47x4.5 cm - 0.010 m ³ - 11.20 kg
	Kyudo	box 1 - 46x10x164 cm - 0.075 m ³ - 6.90 kg box 2 - 50x50x6 cm - 0.015 m ³ - 7.90 kg
	Mars floor	box 1 - 38x30x28 cm - 0.032 m ³ - 3.30 kg box 2 - 30x30x25 cm - 0.023 m ³ - 5.50 kg box 3 - 16x16x52 cm - 0.013 m ³ - 4.50 kg
	Model T	box 1 - 18x18x190 cm - 0.062 m ³ - 5.00 kg box 2 - 30x30x85 cm - 0.077 m ³ - 8.30 kg
	Poise floor	box 1 - 65x65x8 cm - 0.034 m ³ - 5.60 kg
	Shakti 200	box 1 - 220x23x23 cm - 0.116 m ³ - 5.50 kg box 2 - 36x32x5.5 cm - 0.006 m ³ - 3.40 kg
	Shakti 250	box 1 - 267x26x25 cm - 0.174 m ³ - 6.80 kg box 2 - 40x36x5 cm - 0.007 m ³ - 4.80 kg
	Tendu	box 1 - 75x22x13 cm - 0.021 m ³ - 3.20 kg
	Tendu additional spot	box 1 - 55x22x15 cm - 0.001 m ³ - 1.30 kg
	Tratto floor	box 1 - n°3 x 35x34.5x11 cm - 0.013 m ³ - 1.65 kg box 2 - 49x49x155 cm - 0.372 m ³ - 21.10 kg

table	Atomium	box 1 - 65x59x52 cm - 0.199 m ³ - 8.00 kg
	Bird table	box 1 - 20.5x7x51.5 cm - 0.007 m ³ - 1.80 kg
	Hive	box 1 - 32x32x32 cm - 0.033 m ³ - 2.20 kg box 2 - 32x32x32 cm - 0.033 m ³ - 2.70 kg
	Kushi 10 th	box 1 - 24x24x20 cm - 0.012 m ³ - 0.90 kg box 2 - 18x18x30 cm - 0.010 m ³ - 1.80 kg
	Kushi 16 mobile	box 1 - 24x24x20 cm - 0.012 m ³ - 0.90 kg box 2 - 14x14x23 cm - 0.005 m ³ - 0.50 kg
	Kushi 16 table	box 1 - 24x24x20 cm - 0.012 m ³ - 0.90 kg box 2 - 14x14x23 cm - 0.005 m ³ - 0.40 kg
	Kushi 33 table	box 1 - 40x40x33 cm - 0.053 m ³ - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m ³ - 0.85 kg

	lamp	packaging
table	Kushi XL table	box 1 - 40x40x33 cm - 0.053 m ³ - 3.50 kg box 2 - 25x25x56 cm - 0.035 m ³ - 3.95 kg
	Lannà table	box 1 - 26x26x33 cm - 0.022 m ³ - 2.00 kg box 2 - 44.5x29.5x20 cm - 0.026 m ³ - 2.00 kg
	Poise	box 1 - 69x54x16 cm - 0.060 m ³ - 3.70 kg
	Tatu	box 1 - 40x40x40 cm - 0.064 m ³ - 4.00 kg box 2 - 35x35x73 cm - 0.089 m ³ - 2.40 kg
	Tratto table	box 1 - 35x34.5x11 cm - 0.013 m ³ - 1.65 kg box 2 - 38x26x16 cm - 0.016 m ³ - 3.85 kg

ceiling & suspension	Atomium suspension	box 1 - 69x59x52 cm - 0.199 m ³ - 8.00 kg
	Bird ceiling	box 1 - 24x8x27 cm - 0.005 m ³ - 1.15 kg box 2 - 4x4x55 cm - 0.001 m ³ - 0.50 kg box 3 - 4x4x115 cm - 0.002 m ³ - 0.70 kg
	Dala	box 1 - 61x61x18 cm - 0.067 m ³ - 7.70 kg box 2 - 61x27x9 cm - 0.015 m ³ - 1.00 kg
	Dala linear	box 1 - 148x16x9 cm - 0.021 m ³ - 2.60 kg box 2 - 131x11x18 cm - 0.026 m ³ - 3.20 kg box 3 - 133x11x11 cm - 0.016 m ³ - 2.50 kg
	Dew	box 1 - 18.5x16x29 cm - 0.009 m ³ - 2.40 kg
	Dew canopy x 1	box 1 - 13x13x5 cm - 0.001 m ³ - 0.25 kg
	Dew canopy x 3	box 1 - 25x25x7 cm - 0.004 m ³ - 1.20 kg
	Dew canopy x 5	box 1 - 39x39x10 cm - 0.015 m ³ - 2.50 kg
	Dew canopy x 7	box 1 - 39x39x10 cm - 0.015 m ³ - 2.50 kg
	Dew canopy x 9	box 1 - 60x60x10 cm - 0.036 m ³ - 4.00 kg
	E.T.A. sat	box 1 - 67x76x62 cm - 0.316 m ³ - 8.00 kg
	Flow	box 1 - 39x43x17 cm - 0.029 m ³ - 2.50 kg
	Flow ceiling	box 1 - 39x43x17 cm - 0.029 m ³ - 2.70 kg
	Flow leaf	box 1 - 43x37.5x8.5 cm - 0.014 m ³ - 1.60 kg
	Giass 25	box 1 - 30.5x30.5x10 cm - 0.009 m ³ - 2.30 kg box 2 - 31.5x31.5x56 cm - 0.056 m ³ - 6.20 kg
	Giass 30	box 1 - 34.5x34.5x10 cm - 0.012 m ³ - 3.00 kg box 2 - 36.5x36.5x50 cm - 0.067 m ³ - 6.00 kg
	Giass 40	box 1 - 44x44x10 cm - 0.019 m ³ - 4.00 kg box 2 - 47x47x42 cm - 0.093 m ³ - 4.50 kg
	Giass 50	box 1 - 54.5x54.5x10 cm - 0.030 m ³ - 7.00 kg box 2 - 57x57x31 cm - 0.101 m ³ - 7.50 kg

lamp	packaging
Kate ceiling	box 1 - 101x101x32 cm - 0.326 m ³ - 16.60 kg
Kate suspension	box 1 - 101x101x32 cm - 0.326 m ³ - 17.60 kg
Kate 43 suspension	box 1 - 51x51x15 cm - 0.039 m ³ - 2.60 kg
Kooi	box 1 - 34x34x62 cm - 0.072 m ³ - 6.00 kg
Kushi 16 ceiling	box 1 - 24x24x20 cm - 0.012 m ³ - 0.90 kg box 2 - 14x14x23 cm - 0.005 m ³ - 0.50 kg
Kushi 33 ceiling	box 1 - 40x40x33 cm - 0.053 m ³ - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m ³ - 1.00 kg
Kushi XL ceiling	box 1 - 51x51x42 cm - 0.109 m ³ - 4.80 kg box 2 - 22x22x34 cm - 0.016 m ³ - 1.00 kg
Kushi 16 suspension	box 1 - 24x24x20 cm - 0.012 m ³ - 0.90 kg box 2 - 14x14x23 cm - 0.005 m ³ - 0.57 kg
Kushi 33 suspension	box 1 - 40x40x33 cm - 0.053 m ³ - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m ³ - 1.00 kg
Kushi XL suspension	box 1 - 51x51x42 cm - 0.109 m ³ - 4.80 kg box 2 - 27x58x10 cm - 0.014 m ³ - 3.00 kg
Lannà suspension	box 1 - 26x26x33 cm - 0.022 m ³ - 2.00 kg box 2 - 45x30x20 cm - 0.027 m ³ - 1.82 kg
Lilli	box 1 - 39x39x32 cm - 0.049 m ³ - 4.00 kg box 2 - 16x16x42 cm - 0.011 m ³ - 1.60 kg
Mars suspension	box 1 - 49x30x28 cm - 0.041 m ³ - 3.40 kg box 2 - 30x30x25 cm - 0.023 m ³ - 5.50 kg box 3 - 16x16x52 cm - 0.013 m ³ - 4.50 kg
Minimal	box 1 - 9x9x40 cm - 0.003 m ³ - 0.80 kg
Mitos	box 1 - 11x11x23 cm - 0.003 m ³ - 1.20 kg box 2 - 28x28x17 cm - 0.013 m ³ - 2.30 kg box 3 - 14x14x5 cm - 0.001 m ³ - 0.60 or 1.30 kg
Motus	box 1 - 26x26x33 cm - 0.022 m ³ - 1.60 kg box 2 - 44.5x29.5x20 cm - 0.026 m ³ - 1.90 kg
Nami	box 1 - 130x19x30 cm - 0.074 m ³ - 7.50 kg box 2 - 160x17x7 cm - 0.019 m ³ - 12.50 kg
Opyo suspension	box 1 - 30x30x36 cm - 0.032 m ³ - 1.60 kg box 2 - 22.5x22.5x5 cm - 0.003 m ³ - 0.80 kg
Poise ceiling	box 1 - 65x65x8 cm - 0.034 m ³ - 3.40 kg
Polar 15	box 1 - 71x24x25 cm - 0.043 m ³ - 3.50 kg
Polar 20	box 1 - 71x24x25 cm - 0.043 m ³ - 4.00 kg
Sling	box 1 - 28x21x32 cm - 0.019 m ³ - from 0.94 to 5.82 kg
Tratto suspension	box 1 - 35x34.5x11 cm - 0.013 m ³ - 1.65 kg box 2 - 79x30.5x17.5 cm - 0.042 m ³ - 3.65 kg

	lamp	packaging
	Viceversa	box 1 - 83x33x10 cm - 0.027 m ³ - 3.90 kg
		box 1 - 29x28x38 cm - 0.031 m ³ - 3.00 kg
	Viceversa 2	box 1 - n°2 x 83x33x10 cm - 0.027 m ³ - 3.90 kg box 1 - n°2 x 29x28x38 cm - 0.031 m ³ - 3.00 kg
	Yuma	box 1 - 30.5x25.5x15.5 cm - 0.012 m ³ - 1.80 kg
wall	Atomium wall	box 1 - 59.5x54.5x30.5 cm - 0.099 m ³ - 5.20 kg
	Azou	box 1 - 16.5x16.5x12 cm - 0.003 m ³ - 0.70 kg
	Frame	box 1 - 40.5x36x5 cm - 0.007 m ³ - 1.40 kg
	IP55	box 1 - 22.5x22.5x9.5 cm - 0.005 m ³ - 1.05 kg
		box 2 - 14.5x15x12 cm - 0.003 m ³ - 1.20 kg
	Nami wall	box 1 - 35x24x12.5 cm - 0.011 m ³ - 1.00 kg
		box 2 - 20x13x10 cm - 0.003 m ³ - 1.10 kg
	Pastilla	box 1 - 21x19.5x28 cm - 0.011 m ³ - 2.10 kg
	Polar wall 1	box 1 - 55x25x10 cm - 0.014 m ³ - 1.40 kg
	Polar wall 2	box 1 - 55x34x10 cm - 0.019 m ³ - 1.60 kg
Tratto wall	box 1 - 35x34.5x11 cm - 0.013 m ³ - 1.65 kg	
	box 2 - 27x20x17.5 cm - 0.009 m ³ - 1.60 kg	
Tua	box 1 - 22x22x24.5 cm - 0.012 m ³ - 1.30 kg	

GRAPHIC PROJECT

VZNstudio

Printed in Italy

Grafiche Antiga, January 2026

KdIn is a registered trademark

Copyright © 2026 KdIn Srl

All Rights Reserved.

Reproduction in whole or in part of texts and images
without express written permission is prohibited.

